IBM Research Report

Accurate Phylogenetic Classification of DNA Fragments Based on Sequence Composition

Alice C. McHardy, Héctor García Martín*, Aristotelis Tsirigos, Philip Hugenholtz*, Isidore Rigoutsos**

> IBM Research Division Thomas J. Watson Research Center P.O. Box 218 Yorktown Heights, NY 10598

*US Department of Energy Joint Genome Institute 2800 Mitchell Drive Walnut Creek, CA

**Address correspondence I.R. (rigoutso@us.ibm.com)



Research Division Almaden - Austin - Beijing - Haifa - India - T. J. Watson - Tokyo - Zurich

LIMITED DISTRIBUTION NOTICE: This report has been submitted for publication outside of IBM and will probably be copyrighted if accepted for publication. It has been issued as a Research Report for early dissemination of its contents. In view of the transfer of copyright to the outside publicher, its distributionoutside of IBM prior to publication should be limited to peer communications and specific requests. After outside publication, requests should be filled only by reprints or legally obtained copies of the article (e.g. payment of royalties). Copies may be requested from IBM T. J. Watson Research Center, P. O. Box 218, Yorktown Heights, NY 10598 USA (email: reports@us.ibm.com). Some reports are available on the internet at http://domino.watson.ibm.com/library/CyberDig.nsf/home

Metagenome studies have retrieved vast amounts of sequence out of a variety of environments, leading to novel discoveries and great insights into the uncultured microbial world. Except for very simple communities, diversity makes sequence assembly and analysis a very challenging problem. To understand the structure

- 5 and function of microbial communities, a taxonomic characterization of the obtained sequence fragments is highly desirable, yet currently limited mostly to those sequences that contain phylogenetic marker genes. We show that for clades at the rank of domain down to genus, sequence composition allows the very accurate phylogenetic characterization of genomic sequence. We developed
- 10 a composition-based classifier, PhyloPythia, for *de novo* phylogenetic sequence characterization and have trained it on a data set of 340 genomes. By extensive evaluation experiments we show that the method is accurate across all taxonomic ranks considered, even for sequences that originate from novel organisms and are as short as 1kb. Application to two metagenome datasets obtained from 15 samples of phosphorus-removing sludge showed that the method allows the
- accurate classification at genus level of most sequence fragments from the dominant populations, while at the same time correctly characterizing even larger parts of the samples at higher taxonomic levels.
- 20

25

Introduction

The emerging field of metagenomics is dedicated to the study of sequences obtained directly by high-throughput sequencing of DNA samples from microbial communities. The approach has already delivered exciting insights into the lifestyle, evolution and characteristics of microbial organisms³⁻⁵ that could not have been obtained otherwise, as the vast majority of microbes resist cultivation⁶. From a technical standpoint, the field has created novel computational challenges, such as a need for assembly and gene finding programs tailored for highly diverse sequence collections of organisms sampled with different abundances, and tools for the accurate phylogenetic characterization of the short sequences that are created in vast amounts.

30

One approach to classifying metagenomic sequence fragments is the use of 'marker genes', such as ribosomal RNAs, as phylogenetic anchors for identification of

the source organism of a fragment. Ribosomal RNAs are highly conserved and allow the most accurate placement of an organism or sequence harboring the respective gene within the tree of life. The original observation and the framework for the quantification of evolutionary relationships resulted from the pioneering work of Carl Woese and

- 5 colleagues^{7, 8}. Even though the original marker gene collection has been expanding through inclusion of ubiquitous and slowly evolving or clade-specific proteins⁹⁻¹¹, the approach permits the characterization of only a limited number of fragments. For a very low complexity community found in acid mine drainage⁵, an organism-specific 'binning' of fragments based on GC-content and read coverage retrieved near-complete genomes
- 10 for the dominant species, which displayed significant differences in genomic GC-content. The use of tetranucleotide signatures has also shown promise in the characterization of low-complexity communities or the dominant organisms of more complex populations¹². However, these schemes are not able to characterize the more diverse (and thus more challenging) metagenomes such as those from the very complex communities found in
- 15 soil, which are estimated to contain millions of distinct taxa¹³. In the case of an extremely complex Minnesota soil community, a gene-centric characterization of the sample was undertaken, because less than 1% of reads could be assembled⁴. Gene-centric analyses, while useful for determining genes important for overall community function, in most cases do not allow identification of the species harboring these genes. It is thus 20 imperative that fast and accurate tools be developed that will allow the taxonomic characterization of short genomic sequence fragments and enable more comprehensive metagenome analyses.

In what follows, we present a method which uses clade-specific characteristics in sequence composition to phylogenetically characterize sequence fragments. Genomic sequence composition is well known to reflect organism-specific characteristics, which has been dubbed the 'genome signature'¹⁴⁻¹⁹. The phenomenon is sufficiently pronounced to allow the simultaneous supervised or unsupervised discrimination between several different species for even relatively short sequence fragments^{12, 20-22}. Furthermore, these signatures also carry phylogenetic information, as recent studies on smaller data sets have shown^{23, 24}. Based on draft or high-quality genomic sequences of 340 organisms from all domains of life, we constructed, optimized and extensively evaluated a composition-

3

based phylogenetic classifier. For classification we use a multi-class Support Vector Machine classifier with the oligonucleotide composition of genome fragments as the input space. Due to the multitude of influences on sequence composition, the SVM is a good technique for this problem, as it is able to learn the relevant clade-specific characteristics of sequence composition also in spaces that are dominated by other influences. Across the complete sequence space considered, our method allows the accurate phylogenetic classification of genomic fragments. This is true for all taxonomic ranks considered (domain, phylum, class, order and genus), and, more importantly, for previously unseen fragments which originate from novel organisms. We named our new method for phylogenetic sequence characterization *PhyloPythia*¹.

We applied the method for the phylogenetic characterization of two metagenome samples of biological phosphorus removing sludge as used in the industrial processing of wastewater²⁵. Our technique was able to automatically assign the phylogenetically characterized fragments of these samples (based on marker genes, population overlap between communities and scaffolding of contigs by read pair information) to the correct clades with high accuracy. Furthermore, additional genomic fragments could be assigned that could not be characterized by any other method, and larger parts of the sample could be characterized at higher taxonomic levels in agreement with marker-gene based studies of sample composition.

20

5

10

15

Materials and Methods

Compositional sequence patterns

For compositional feature analysis, a given piece of DNA sequence *s* is mapped to a higher-dimensional space of nucleotide patterns $\pi = {\pi_1, \pi_2, ..., \pi_q}$, where π is defined by 25 the pattern length *w* and the number of literals $l^{19, 26}$ (Supplementary Figure S10). In this space, *s* is represented by the compositional input vector $\phi(s) = (a_1, a_2, ..., a_q)$; where a_i is the frequency of pattern π_i in *s*. The method we propose is a generalization of conventional compositional approaches and exhibits several desirable properties. First, nucleotide patterns of arbitrary lengths and densities can be computed, which in turn 30 allows to select the parameters with the most discriminatory power. Second, the method

¹ After the prophetess of the oracle of Delphi, who was commonly known as the Pythia.

extends straightforward composition-based schemes in that is able to 'ignore' certain nucleotide positions: this is achieved through the use of generating templates that include 'gaps' and thus do not comprise continuous nucleotides. One such example template is A.G, which will match any of AAG, ACG, AGG or ATG, while ignoring the identity of the

5 nucleotide that occupies the middle position. Third, optionally the periodicity of the genetic code is taken into account: in particular, when collecting the instances of a pattern, the constraint can be imposed that a pattern be position-specific. The input vectors are subsequently normalized by the total number of patterns for each sequence.

10 **Multi-class classification**

Phylogenetic classification is a multi-class problem, where at any given rank, such as e.g. the domain, an organism belongs to exactly one out of all existing clades. In the multiclass model, each adequately sampled clade for a particular rank is represented by an individual class. Adequately sampled here means a representation by at least 3 or more

- 15 different species in the genomic data set. This allows us to estimate the classification accuracy for sequences from novel, unknown organisms of this clade by setting aside the sequence from at least one organism for testing, and using those of the other two for learning the clade-specific properties in the model (see Results). A class 'unknown' is used to model all other existing clades, and is trained with the sequences of organisms 20 from poorly sampled clades in our data set. Discrimination between the known and
- unknown clades is subsequently improved with an additional classification step. In this, every assignment is re-evaluated with a second classifier that has been strained to discriminate between the sequences of a particular class and all others (One-versus-all approach), whereby initial false positive assignments frequently get discarded.
- 25

We implemented this multi-class framework using Support Vector Machine classifiers. The Support Vector machine (SVM) is a high-performing machine learning technique that has been applied with improvements in classification accuracy to many biological problems and has a strong theoretical foundation^{1, 2}. SVMs are intrinsically binary classifiers, but recent advances have extended their applicability to multi-class 30 problems with considerable success. The SVM is a maximum margin classifier that during training learns to optimally discriminate between the items of two classes. In our work the items are the compositional input vectors derived from DNA sequences, and the classes represent different phylogenetic clades. In the feature space, the algorithm implicitely learns a hyper-plane which optimally separates the items of the two classes. Based on its' position relative to this plane an item is assigned a class during the classification process. Hereby, the confidence of the assignment is determined by the distance of the item from the plane. The feature space can be different from the input space, which is determined by the utilized kernel function. By use of a non-linear kernel such as the Gaussian kernel, a decision function can be learned that can accurately discriminate between items that are not linearly separable in the input space.

10 For multi-class classification, we apply the 'all-vs.-all' technique, where $N \cdot (N - N)$ 1)/2 distinct binary classifiers, one for each possible pair of classes, are used to assign a piece of sequence. The predicted class is the one that receives the most 'votes' from the internal classifiers, and is assigned randomly in the case of a tie. During a second classification step with a binary 'One-vs.-all' SVM classifier, these assignments are 15 either confirmed or rejected. Rejection of false positive assignments of sequences that truly belong to an unknown clade occur frequently, as the model has been better trained to identify these using data from all organisms (except from those belonging to the clade of interest) instead of only those from poorly sampled clades. For our implementation, we used multi-class SVM of the LIBSVM the algorithm package 20 (http://www.csie.ntu.edu.tw/~cjlin/libsvm). See the supplementary material for more details on the complete procedure.

Materials

5

The genome sequences and annotation for 340 completely or nearly completely sequenced organisms was obtained from the SEED comparative genomics repository²⁷ (Supplementary Table S1). To create genomic sequence fragments, the sequence of each organism was split into non-overlapping fragments of lengths 1, 3, 5, 10, 15 and 50kb. Fragmented draft genomes were joined together in arbitrary order. For initial explorations of suitable sequence sources, also a set of 1.028.017 reliable organism-specific genes was used, which contains genes that have homologs either within this set or in RefSeq²⁸, and

do not show the atypical sequence composition that is characteristic for certain types of

6

laterally acquired sequence²⁶. The taxonomic information for all organisms was obtained from the NCBI Taxonomy database²⁹.

Results

5 We used more than a gigabase of genomic sequence from 340 organisms (Supplementary Figure S1) to develop a composition-based phylogenetic classifier. In the set, all three domains of life, fourteen different phyla, 22 classes, 29 orders, and 31 genera are represented by 3 or more different species (Fig. 1). From a modeling point of view, the problem of phylogenetic classification can be broken down into distinct multi-class 10 problems at the different taxonomic ranks: At any given rank, an organism belongs to exactly one out of all possible taxonomic classes. We modeled this using a multi-class SVM approach (see Methods).

The input space for the phylogenetic classifier is defined by the sequence composition vectors of the sequence fragments from different phylogenetic clades. From 15 the training items the classifier learns in the feature space the clade-specific characteristics which allow their optimal discrimination. To allow discrimination between known (modeled) clades and others, a class 'Other' for all other, not modeled clades is included (see Methods).

The accuracy of phylogenetic classification was evaluated on withheld data in a 20 blindfolded manner. In particular, we evaluated with the sequences of novel organisms from the perspective of the classifier, meaning that no sequence material of these organisms was included in the training data sets for model creation. This gives an estimate of the classification accuracy for yet undiscovered organisms, such as one is likely to predominantly encounter among the retrieved sequence fragments from an 25 environment. To include the sequences of all 340 organisms in this procedure, the data set was randomly divided into three approximately equally sized sets of organisms. Each of these sets in turn was withheld for evaluation, while a phylogenetic classifier was trained with sequence fragments from the remaining organisms. To determine the classification accuracy for fragments from organisms for which already some genome 30 sequence is known ('known' organisms), phylogenetic classifiers for the different taxonomic ranks were built with genomic fragments from all 340 genomes. Other fragments from these 340 genomes were then used to estimate the classification accuracy for organisms where some genomic sequence is already known. The models created with the sequence data from all 340 organisms were also applied for the characterization of the metagenome sequence samples.

5

10

15

Optimal oligonucleotide input space, sequence type, and other parameters

An extensive evaluation was performed to identify the optimal parameter settings, model architecture and sequence sources. As sequence sources, both genomic fragments and coding sequences were evaluated. Both types carry a strong phylogenetic signal in sequence composition across all taxonomic ranks. The clade-specific signal that is learnt from genomic fragments is not quite the same as the one learned from the genic regions, as the mutually decreasing performance of genomic fragments or genes with the other model demonstrates (Supplementary Figure S1). The direct assignment of genomic fragments the need to perform the intermediate step of gene identification. Additionally, the complete sequence, as opposed to only the coding parts thereof, can be used for classification.

To determine the oligonucleotide pattern space best suited for phylogenetic classification, an extensive search was performed for pattern lengths w of 2 – 6, allowing for w-l = 0, 1, 2 unspecified positions in the composition template (See Methods and Figure S10 in the Supplement). The analysis showed that the lower ranking clades from the level genus to the class can be optimally discriminated based on literal nucleotide 5-mers of the genomic sequence fragments (Supplementary Table S2, Figure S2). For clades at the ranks of phylum and domain, more complex 6-mer patterns are necessary to optimally capture the characteristics of a joint ancestry.²

25

The SVM during training is guaranteed to learn a function that optimally separates the input items. By use of a Gaussian kernel, a classifier can be learnt that can separate items which are linearly inseparable in the input space of sequence composition.

² For CDSs, starting with oligomers of length 3 or longer, in-frame patterns are generally more informative than not in-frame patterns. The most informative patterns at the level of the genus are in-frame literal hexamers. At the higher levels, less specific hexamers with two non-literal positions are more informative (Table S3).

We found in extensive evaluation experiments that the Gaussian kernel outperforms the linear one in composition-based phylogenetic sequence assignment.

Fragment length and classification accuracy

5 Assembled metagenome sequence samples contain fragments of different sizes, which usually are at least 700bp or more in length. In a series of tests we evaluated the classification accuracy for fragments of different lengths. Because the classification accuracy of the SVM is influenced by the lengths of the fragments that are used for training, we evaluated this relation with 1kb, 3kb, 5kb, 10kb, 15kb and 50kb genomic fragments. For these tests, the sequences to be classified were obtained from organisms that are unknown to the classifier. For each length, a classifier was trained with approximately equal numbers of fragments for every clade (see 'Multi-class Support Vector machine training' and 'Evaluation procedures' in the Supplement) and evaluated with up to one hundred fragments of each organism, if that much sequence was available.

15 The analysis showed that from the genus to the phylum level, across all fragment lengths tested, the classifiers that were trained with longer fragments generally exhibit a higher specificity. The sensitivity of classification increases for all lengths with the use of shorter fragment-trained classifiers, but only significantly so for classifiers trained with similar-sized or longer fragments than the one being tested (Supplementary Tables S4-8, Fig S3-7). These convenient relations result from the use of the second, binary classifier, which more accurately rejects false positive assignments with the less noisy sequence

We implemented these observations in a framework to achieve optimal classification accuracy for fragments of all lengths. In this framework a fragment to be classified is sequentially tested with classifiers that have been trained with decreasing length fragments, until the fragment is assigned, or a classifier trained on similar fragment lengths to the tested fragment is reached. If a fragment cannot be assigned to a known clade, it is assigned to the class 'Other' (see Supplement 'Combined metagenome classifier').

composition vectors that are generated from longer sequence fragments.

30

At the level of domain, the best classification accuracy is achieved using a classifier that was trained with fragments of similar size to the fragment being evaluated.

The reason for this different behavior is that there is no broadly defined 'Other / Unknown' class to which items with unclear signal get assigned, and can then be retested with another model trained on shorter sequence fragments.

5 Accuracy of phylogenetic characterization with a composition-based classifier

10

In our evaluation, from the perspective of the classifier the tested fragments are always new, meaning that none of them was included in the training data sets. They can come from either 'Known' or 'Unknown' organisms. 'Known' means that some genomic sequence was already known and could be included in the training data for model construction. 'Unknown' means that no sequence of an organism was available for inclusion in the training data sets.

For novel organisms, 79-96% of all assignments are correct for all fragment lengths and across all taxonomic ranks evaluated (Figure 2B). The specificity is matched by a similarly high sensitivity for all fragments of length 5kb or longer (Figure 2A). Only

- 15 for fragments shorter than 5kb we observe significant loss in sensitivity. It is important to stress that this high classification accuracy is achieved for sequences that originate from unknown organisms, and in a setting where a fragment can be assigned to any of up to 31 different known clades (for the genus level) and in the presence of considerable 'noise' of fragments from organisms of unknown clades, which are accurately identified as such in
- 20 most cases. Figure 3 shows the specificity of the assignments for the items of every clade that can be identified by the phylogenetic classifier.

The classification accuracy further increases for genomic fragments that originate from known organisms. For all fragments of lengths 3kb or more, both the sensitivity and specificity are 90-99% for clades from domain to order (Figure 2C/D, Supplementary

25 Table S11). Even for fragments as short as 1kb, i.e. only slightly longer than a single read, 88.7-96.7% of all fragments are correctly assigned, whereby the sensitivity is 7.1-57.7%.

Genome sequence composition is shaped by many factors, including global genomic GC-content and the average temperature of the organisms' habitat as evidenced by multi-species comparisons of synonymous codon usage³⁰. Nevertheless, our method learned the clade-specific characteristics in this space in a manner that allowed to

accurately distinguish genomic fragments of the different domains; both thermophiles and non-thermophiles are correctly assigned in most cases (Supplementary Figure S8). We also investigated how translational selection, responsible for considerable intragenomic variation in the synonymous codon usage of some organisms³¹, impacts on

- 5 the classification accuracy. For this, the accuracy attainable for 3kb genomic fragments of unknown organisms was compared to that for 3kb fragments which carry ribosomal proteins. We found that a high accuracy, similar to the values obtained overall, was also achieved for the ribosomal protein-carrying fragments for clades from the genus to the phylum level, with 83-92% of all assignments being correct (Supplementary Table S10,
- 10 Figure S9).

Composition-based classification of two metagenome samples from phosphorus removing sludge communities

PhyloPythia was applied for the characterization of two metagenome sequence samples
 of microbial communities responsible for the removal of biological phosphorus during industrial treatment of wastewater²⁵. These microbial communities are characterized by considerable complexity in terms of the organisms they comprise.

Samples of lab-scale enhanced biological phosphorus removing (EBPR) sludge were obtained from two locations: one from Madison, Wisconsin (US) and the other from
Brisbane, Australia (OZ). From these, three sequence data sets were generated, each comprising 20-28 megabases of sequence; assemblies of the US and OZ data sets with the assembler PHRAP (USPHRAP and OZPHRAP), and a control assembly of the US data set with the JAZZ assembler (USJAZZ). The community of both samples is dominated by the uncultured bacterium, "*Candidatus* Accumulibacter phosphatis" (CAP).
A 16S rRNA-based analysis revealed that CAP is the only species common to the two

communities above the detection threshold, although overlap exists at higher phylogenetic levels²⁵.

Based on fragments that were already characterized by other means (harboring phylogenetic marker genes, read coverage, and subtraction binning, see below), this 30 enabled us to assess the accuracy of classification for real metagenome samples of considerable complexity. Furthermore, the amount of characterized sequence for the

samples could be substantially extended by classification of large parts of the uncharacterized sequences at higher taxonomic levels in agreement with marker-gene based study of sample composition, and by identification of additional fragments for the more abundant populations.

5

To extend the fraction of taxonomically characterized sequences, we (i) applied the multi-class phylogenetic classifiers of PhyloPythia that were described in the previous sections for the different ranks to these samples, and (ii) created additional classifiers for the lower ranks, using known sequences of the dominant organisms. In particular, we created a new multi-class model for the rank of order with an additional clade for the 10 Rhodocyclales, based on genomic sequence fragments from Dechloromonas aromatica and known CAP sequences (identified by phylogenetic marker genes, read coverage, and overlap between the US and OZ sludge datasets) from both samples, as well as samplespecific models for CAP and a high abundance *Thiothrix*-like organism found only in the OZ sample, respectively. All three assemblies were characterized by PhyloPythia using 15 these classifiers for different taxonomic ranks. See the section 'Combined metagenome classifier' of the supplementary material for details on the applied procedure.

As a first test of validity, the consistency (nesting) of assignments for the fragments at the different taxonomic ranks was checked (Table 1). The predictions are very consistent: 93-97.7% of all assignments (99.6 - 99.8% for high confidence 20 assignments) nest across all ranks (Table 1). As a second test, we analyzed the assignments for the 54 rRNA containing fragments of the samples and found all assignments for fragments >2kb to be correct, and only 14 % (5% high confidence) were falsely assigned of the fragments shorter than 2kb.

25 *Characterization at phylum level*

Figure 4 shows the taxonomic assignments from the rank of domain to genus for the three assemblies. Culture-independent analyses of the US and OZ samples based on 16S rRNA indicated that both samples are dominated by CAP and other species belonging to the phylum Proteobacteria, flanked by much lower abundance species belonging to the

30 Bacteroidetes, and for the OZ sludge only, representatives of the Firmicutes, *Verrucomicrobia* and *Chlorobi* phyla²⁵. The assignments of PhyloPythia correlated well with this observed community structure (Table 1), with the majority of fragments of both samples being assigned to the *Proteobacteria* (63-74.8%). Interestingly, PhyloPythia also assigned a small fraction of fragments from both samples to the *Actinobacteria*, which is supported by identification of a partial rRNA gene in the US sludge. A certain number of

5 fragments were also assigned to phyla not found in 16S rRNA analysis, such as *Spirochaetes* and *Euryarchaeaota*, providing testable hypotheses about community structure.

Characterization at order level

10 At the rank of order, apart from the *Rhodocyclales* (which comprises CAP), the *Xanthomonadales* were identified as one of the more frequent clades in both the US and OZ sludge, in agreement with the marker-gene based studies (Table 1).

Characterization at genus level: Accumulibacter phosphatis

- 15 The relative percentage of fragments assigned to *Accumulibacter* qualitatively agrees with the rRNA-derived estimates of the relative abundance of these organisms in the sample, similarly for the *Thiothrix*-like organism present in the OZ sample. As a third test, we were able to leverage the fact that the two sludge communities share CAP to provide an estimate of the *Accumulibacter* binning accuracy of PhyloPythia. To this end,
- CAP-specific classifiers were constructed from the known CAP genome fragments of one sample, applied for the identification of CAP fragments in the other sample, and the success of recovering known fragments was evaluated. Here, Phylopythia mainly missed very short fragments and successfully recovered 95-100% of the known fragments for all assemblies (Table 1). Of these, 74-97% could be assigned with high confidence (*p*-value ≥ 0.85).

Characterization at genus level: Thiothrix

16S rRNA phylogenetic markers indicated a *Thiothrix*-like species to be relatively well represented (13.8% of reads in OZ phrap contigs containing 16S rRNA genes) in the OZ

30 data set. The genus *Thiothrix* belongs to the *Gammaproteobacteria*, and so far no genomic sequences besides ribosomal rRNA-carrying fragments are available. Starting

with a training set of 17 characterized fragments (or 0.7Mbp of sequence), PhyloPythia was able to retrieve an additional 3.7Mbp of sequence for this organism. We were able to verify these assignments by using the scaffolding information provided by read pairs, i.e. contiguous sequence fragments (contigs) can be linked in some cases by end reads of the

- 5 same cloned insert. Fig. 5 shows a series of contigs independently classified by PhyloPythia with high confidence, and linked together by read pair information. As can be seen from this Figure, 97% of the assignments are consistent. The remaining 3% of the fragments were either misclassified or not assigned at all, and are mainly small contigs with less composition signal or larger contigs that contain laterally transferred genes with
- 10 atypical sequence composition (Figure 5). The majority of contigs (62%) in these scaffolds are classified as *Thiothrix* with high confidence (green), or are assigned with high confidence to consistent higher taxonomic levels (35%, light green, yellow). Based on the number of distinct tRNA synthetases identified in the *Thiothrix* contig set (Fig. 5 shown as stars), we estimate that 72% of the *Thiothrix* genome has been recovered.
- 15 Therefore, we estimate the size of this genome to be ~6 Mbp. Estimates of individual population genome size and coverage within metagenomic datasets is useful for inferring the reliability of metabolic reconstruction and for guiding additional sequencing efforts.

Summary

- 20 Our extensive evaluation shows that the phylogenetic characterization of metagenome sequence samples with our composition-based technique is accurate. Without the use of prior knowledge, approximately 90% of the fragments from two samples of phosphorus removing sludge could be assigned at the domain level, 70-81.5% at the level of phylum, and 61.9-71.1% of the fragments could be assigned to known clades at class level. Based
- 25 on the sample-specific models, known fragments of CAP could be retrieved with high accuracy, and 3.7Mbp of additional genomic sequence could be retrieved for *Thiothrix*, which is a deep-branching *Gammaproteobacterium*, for which no sequence has been available so far.

Conclusions

5

The presented results show that sequence composition allows the accurate characterization of genomic fragments from the complete phylogenetic spectrum that has been sampled by genome projects. Our composition-based technique allows a comprehensive phylogenetic characterization of complex metagenome samples, well beyond what has been possible to date, by accurately assigning short fragments to either well characterized higher-ranking clades or to sample-specific clades that can be modeled by data retrieved from the sample with other means.

Application of our method for the characterization of two metagenome samples from phosphorus removing sludge allowed the retrieval of several additional megabases of sequence from the dominating genera, and characterization of even larger parts of the samples at higher taxonomic levels. Additionally, the extensive *in silico* evaluation with 340 organisms showed the high accuracy of assignments, where high specificity was attained even for fragments as short as one 1kb, and in the presence of considerable noise from organisms of unknown clades. We want to stress that these values relate to the multi-class problem of *de novo* phylogenetic characterization, which is a more difficult test than a binary problem such as the discrimination between fragments from one particular clade and others.

An advantage of the applied SVM technique compared to mean-based classifiers is that it is able to learn the relevant class-specific characteristics, even in a space where considerable variation is caused by other influences. For instance, for the domain level, previous studies showed that sequence composition is dominated by other influences such as global genomic GC-content and thermophily³⁰, and is quite heterogeneous for the archaeal genomes³². Despite this, our phylogenetic classifier achieved high separation accuracy in the placement of genomic fragments at the domain level. An intriguing observation in this context is the higher complexity of the feature space allowing the optimal separation of genomic fragments, compared to the lower phylogenetic levels. Although the accuracy differences for the optimal hexamers patterns and shorter patterns are not dramatic, they indicate the complex shape of the structure that is needed for discrimination between the different clades at the domain level, and that evolutionary relationships at this level cannot be described by simple unifying patterns which summarize the variations of lower-ranking clades.

The number of assignable fragments and the accuracy of these assignments generally increases with the number of clades that are represented both in a sequence sample and the phylogenetic classifier. Although our current knowledge of the phylogenetic space is far from complete, for higher-ranking clades there is already sufficient coverage to allow a partial characterization of the samples from most environments. At the phylum level, 14 clades could be modeled, 11 of which belong to the approximately 53 existing prokaryotic phyla⁶. At the class level the model contains 18 prokaryotic clades. Several organisms from the currently unexplored phyla are the focus of ongoing genome projects (http://www.genomesonline.org/), which will allow the addition of new clades to composition-based models soon.

Below the rank of class, the number of existing prokaryotic clades becomes large and the fraction of representatively samples clades comparably small. At this point, it becomes important to have prior knowledge about the phylogenetic characteristics and optimally also some labeled sequence material for the creation of classifiers which include the most relevant clades of a sample. In a manner analogous to our study of the metagenome sludge communities, initial collections of training sequences can be compiled based on phylogenetic markers and similar means. In the case of very diverse communities where this will deliver mainly short fragments which are too short for the construction of a reliable classifier, a viable strategy might be the isolation and sequencing of fosmid-sized fragments bearing these marker genes, to increase the amount of initially available sequence.

We believe that composition-based classification can play a very important role and complement traditional comparative analysis. Composition-based analysis can evaluate global, clade-specific characteristics of genome sequence composition and is automatable. Comparative analysis can provide the *a priori* knowledge and initial data sets for composition-based classification, to allow the characterization of a large fraction of an environmental sample at higher phylogenetic levels and to identify the sequences of specific organisms. An additional advantage of composition-based classification is its' speed: once the time-consuming step of classifier building has been completed, tens of

16

thousands of fragments can be classified across all ranks within a few days of computation on a single processor. The advent of such computational techniques for the analysis of metagenome sequence samples will allow us to shed more light on and to increase our understanding of the uncultured microbial world.

5

10

Acknowledgements

We thank S. Polonsky for comments and discussion, and Natalia Ivanova, Victor Kunin and Falk Warnecke for help with selection of CAP and *Thiothrix*-specific training sets and for validation analyses of the metagenomic dataset binning. The generation of the metagenomic datasets and subsequent validation of the PhyloPythia binning was performed under the auspices of the DOE's Office of Science, Biological and Environmental Research Program; the University of California, Lawrence Livermore National Laboratory, under contract no. W-7405-Eng-48; Lawrence Berkeley National Laboratory under contract no. DE-AC03-76SF00098; and Los Alamos National

15 Laboratory under contract no. W-7405-ENG-36. The assembled metagenomic data with PhyloPythia binning has been incorporated into the U.S. Department of Energy Joint Genome Institute Integrated Microbial Genomes & Metagenomes (IMG/M) experimental system (www.jgi.doe.gov/).

References

- 1. Vapnik, V. N. The Nature of Statistical Learning Theory (Springer, 1995).
- 2. Boser, B., Guyon, I. & Vapnik, V. N. in Proceedings of the 5th Annual ACM Workshop on Computational Learning Theory (ed. Haussler, D.) 144--152 (ACM Press, 1992).
- 5 3. Venter, J. C. et al. Environmental genome shotgun sequencing of the Sargasso Sea. Science 304, 66-74 (2004).
 - 4. Tringe, S. G. et al. Comparative metagenomics of microbial communities. Science 308, 554-7 (2005).
 - 5. Tyson, G. W. et al. Community structure and metabolism through reconstruction of microbial

10 genomes from the environment. Nature 428, 37-43 (2004).

- Hugenholtz, P. Exploring prokaryotic diversity in the genomic era. Genome Biol 3, REVIEWS0003 (2002).
- 7. Woese, C. R. & Fox, G. E. Phylogenetic structure of the prokaryotic domain: the primary kingdoms. Proc Natl Acad Sci U S A 74, 5088-90 (1977).
- 15 8. Woese, C. R. Bacterial evolution. Microbiol Rev 51, 221-71 (1987).
 - Graham, D. E., Overbeek, R., Olsen, G. J. & Woese, C. R. An archaeal genomic signature. Proc Natl Acad Sci U S A 97, 3304-8 (2000).
 - 10. Griffiths, E., Ventresca, M. S. & Gupta, R. S. BLAST screening of chlamydial genomes to identify signature proteins that are unique for the Chlamydiales, Chlamydiaceae,
- 20 Chlamydophila and Chlamydia groups of species. BMC Genomics 7, 14 (2006).
 - 11. Griffiths, E. & Gupta, R. S. Molecular signatures in protein sequences that are characteristics of the phylum Aquificae. Int J Syst Evol Microbiol 56, 99-107 (2006).
 - Teeling, H., Meyerdierks, A., Bauer, M., Amann, R. & Glockner, F. O. Application of tetranucleotide frequencies for the assignment of genomic fragments. Environ Microbiol 6, 938-47 (2004).
 - 13. Gans, J., Wolinsky, M. & Dunbar, J. Computational improvements reveal great bacterial diversity and high metal toxicity in soil. Science 309, 1387-90 (2005).
 - 14. Deschavanne, P. J., Giron, A., Vilain, J., Fagot, G. & Fertil, B. Genomic signature: characterization and classification of species assessed by chaos game representation of
- 30 sequences. Mol Biol Evol 16, 1391-9 (1999).

25

- Karlin, S. & Burge, C. Dinucleotide relative abundance extremes: a genomic signature. Trends Genet 11, 283-90 (1995).
- Karlin, S., Ladunga, I. & Blaisdell, B. E. Heterogeneity of genomes: measures and values. Proc Natl Acad Sci U S A 91, 12837-41 (1994).

- Karlin, S. & Mrazek, J. Compositional differences within and between eukaryotic genomes. Proc Natl Acad Sci U S A 94, 10227-32 (1997).
- Karlin, S., Mrazek, J. & Campbell, A. M. Compositional biases of bacterial genomes and evolutionary implications. J Bacteriol 179, 3899-913 (1997).
- 5 19. Tsirigos, A. & Rigoutsos, I. A new computational method for the detection of horizontal gene transfer events. Nucleic Acids Res 33, 922-33 (2005).
 - 20. Nakashima, H., Ota, M., Nishikawa, K. & Ooi, T. Genes from nine genomes are separated into their organisms in the dinucleotide composition space. DNA Res 5, 251-9 (1998).
 - 21. Sandberg, R. et al. Capturing whole-genome characteristics in short sequences using a naive

10 Bayesian classifier. Genome Res 11, 1404-9 (2001).

15

- 22. Abe, T. et al. A novel bioinformatic strategy for unveiling hidden genome signatures of eukaryotes: self-organizing map of oligonucleotide frequency. Genome Inform Ser Workshop Genome Inform 13, 12-20 (2002).
- 23. Chapus, C. et al. Exploration of phylogenetic data using a global sequence analysis method. BMC Evol Biol 5, 63 (2005).
- 24. Doolittle, W. F. Phylogenetic classification and the universal tree. Science 284, 2124-9 (1999).
- 25. Garcia Martín, H. et al. Metagenomic analysis of phosphorus removing sludge communities. (in preparation).
- 20 26. Tsirigos, A. & Rigoutsos, I. A sensitive, support-vector-machine method for the detection of horizontal gene transfers in viral, archaeal and bacterial genomes. Nucleic Acids Res 33, 3699-707 (2005).
 - 27. Overbeek, R. et al. The subsystems approach to genome annotation and its use in the project to annotate 1000 genomes. Nucleic Acids Res 33, 5691-702 (2005).
- 25 28. Pruitt, K. D., Tatusova, T. & Maglott, D. R. NCBI Reference Sequence (RefSeq): a curated non-redundant sequence database of genomes, transcripts and proteins. Nucleic Acids Res 33, D501-4 (2005).
 - 29. Wheeler, D. L. et al. Database resources of the National Center for Biotechnology Information. Nucleic Acids Res 29, 11-6 (2001).
- 30 30. Lynn, D. J., Singer, G. A. & Hickey, D. A. Synonymous codon usage is subject to selection in thermophilic bacteria. Nucleic Acids Res 30, 4272-7 (2002).
 - 31. Sharp, P. M., Bailes, E., Grocock, R. J., Peden, J. F. & Sockett, R. E. Variation in the strength of selected codon usage bias among bacteria. Nucleic Acids Res 33, 1141-53 (2005).

32. Campbell, A., Mrazek, J. & Karlin, S. Genome signature comparisons among prokaryote, plasmid, and mitochondrial DNA. Proc Natl Acad Sci U S A 96, 9184-9 (1999).

Figure Legends

Fig 1. Clades at different depths of the phylogenetic tree that are sufficiently represented by genomes of the 340 organisms for composition-based modeling.

- 5 **Fig 2.** Accuracy of phylogenetic characterization for differently sized genomic fragments from 340 organisms. The plots show the sensitivity (A/C) and specificity (B/D) of phylogenetic assignments by PhyloPythia. The legend gives in brackets the number of modeled clades for the phylogenetic classifiers. On the left side (A and B), the classification accuracy achievable for fragments from novel organisms (of which no
- 10 genomic sequence was included in the training sets for model creation is shown). The right side (C and D) shows the achievable accuracy for organisms of which some genomic sequence is already known (other genomic fragments than the ones that were tested were included in the training data sets for the classifier). For D, the value for the 50kb fragments is undetermined, as evaluation of the specificity at the genus level is
- 15 somewhat restricted by the fact that with the exception of organisms belonging to the 'Other' class, for most clades there is very little sequence that can be used for evaluation for fragments longer than 3kb, as most of it was included in the training data sets.
- **Fig 3.** Phylogenetic classification accuracy by clade for differently sized fragments of 340 unknown organisms (for which no sequence fragments were included in the training data for the classifiers). From top to bottom, the clade-specific specificity, overall sensitivity (*Sn.*) and specificity (*Sp.*) is shown for clades at the rank of domain, phylum, class, order, and genus.
- **Fig 4.** Dominant clades predicted for two metagenome samples of phosphorus removing sludge. USJAZZ and USPHRAP are assemblies with the JAZZ and PHRAP assembler of the US data set, respectively. OZPHRAP is the PHRAP-assembled OZ data set. All phylogenetic clades assigned $\geq 50kb$ are shown.
- 30 Fig 5. Binning accuracy of *Thiothrix* contigs using PhyloPythia. Each line represents a scaffold which is a collection of contigs (boxes) linked by end pair read information, indicating that those contigs belong to the same genome. The colors indicate the most specific taxonomic rank to which a contig could reliably (*p* >0.85) be assigned by PhyloPythia (see legend). The majority of contigs were identified as belonging to *Thiothrix* (dark green 62%) or a consistent lower level classification (yellow to light green, 35%), with only 3% being unclassified (white) or misclassified (red). Some misclassifications could be correlated with atypical sequence composition due to laterally transferred genes (e.g. prophage) or non-coding repeat sequences (e.g. CRISPR elements). The number of distinct tRNA synthetases found in the *Thiothrix* scaffold set
- 40 (indicated by stars) can be used as a proxy for genome completeness. We estimate that 72% of the *Thiothrix* genome has been recovered based on the presence of 13/18 tRNA synthetase types on high confidence *Thiothrix* contigs. Only scaffolds longer than 12kb or containing a tRNA synthetase are shown.

Table 1. Phylogenetic characterization of two metagenome samples from phosphorus removing sludge²⁵. USJAZZ and USPHRAP are assemblies with the JAZZ and PHRAP assembler of the US data set, respectively. OZPHRAP is the PHRAP-assembled OZ data set. All phylogenetic clades assigned $\geq 50kb$ are shown. CAP = Candidatus *A. phosphatis.* From top to bottom, the percentage of sequence assigned to clades at the ranks domain, phylum, class, order and genus is shown.

| Sample | US JAZZ | | US PHRAP | | OZ PHRAP | |
|------------------------|-------------|------|-------------|-----|-------------|------|
| # Fragments | 5426 | | 16370 | | 11632 | |
| Sequence (Mbp) | 20.6 | | 28.7 | | 26.9 | |
| Assigned (high conf.) | 3444 (2905) | | 12782 | | 9908 (9062) | |
| Consistency (%) | 97.7 (99.8) | | 96.7 (99.6) | | 93 (99) | |
| # known CAP fragments | 7 | | 665 | | 584 | |
| Sn. CAP (% Fragments) | 100 (85.7) | | 86.2 (49.2) | | 79.8 (52.7) | |
| <i>Sn.</i> CAP (% kbp) | 100 (97.1) | | 97.5 (80.1) | | 94.9 (73.6) | |
| CLADE | kb | % | Kb | % | kb | % |
| Bacteria | 18916 | 91.8 | 25450 | 89 | 24537 | 91.2 |
| Unknown | 1635 | 7.9 | 3100 | 11 | 1576 | 5.9 |
| Archaea | 38 | 0.2 | 106 | 0.4 | 691 | 2.6 |
| Eukaryota | 9 | 0 | 75 | 0.3 | 85 | 0.3 |
| | | | | | | |
| Proteobacteria | 15406 | 74.8 | 17965 | 63 | 17797 | 66.2 |
| Unknown / Other | 3814 | 18.5 | 9086 | 32 | 6283 | 23.4 |
| Actinobacteria | 580 | 2.8 | 663 | 2.3 | 295 | 1.1 |
| Firmicutes | 429 | 2.1 | 456 | 1.6 | 354 | 1.3 |
| Bacteroidetes | 299 | 1.5 | 319 | 1.1 | 568 | 2.1 |
| Euryarchaeota | 21 | 0.1 | 74 | 0.3 | 649 | 2.4 |
| Spirochaetes | 27 | 0.1 | 52 | 0.2 | 695 | 2.6 |
| Cyanobacteria | 8 | 0 | 35 | 0.1 | 111 | 0.4 |
| Deinococcus-Thermus | 3 | 0 | 39 | 0.1 | 107 | 0.4 |
| | | | | | | |
| Betaproteobacteria | 11129 | 54 | 13085 | 46 | 9150 | 34 |
| Unknown / Other | 5827 | 28.3 | 13253 | 46 | 10254 | 38.1 |
| Gammaproteobacteria | 2576 | 12.5 | 1229 | 4.3 | 5190 | 19.3 |
| Actinobacteria(class) | 460 | 2.2 | 340 | 1.2 | 150 | 0.6 |
| Clostridia | 284 | 1.4 | 196 | 0.7 | 60 | 0.2 |
| Alphaproteobacteria | 245 | 1.2 | 442 | 1.5 | 646 | 2.4 |
| Bacilli | 14 | 0.1 | 28 | 0.1 | 106 | 0.4 |
| Bacteroides(class) | 18 | 0.1 | 17 | 0.1 | 127 | 0.5 |
| Mollicutes | 22 | 0.1 | 60 | 0.2 | 31 | 0.1 |
| Spirochaetes(class) | 14 | 0.1 | 37 | 0.1 | 563 | 2.1 |
| Deinococci | 0 | 0 | 2 | 0 | 38 | 0.1 |
| Deltaproteobacteria | 0 | 0 | 28 | 0.1 | 193 | 0.7 |
| Epsilonproteobacteria | 6 | 0 | 6 | 0 | 94 | 0.3 |
| Methanomicrobia | 0 | 0 | 5 | 0 | 283 | 1.1 |
| | 00.40 | 10.0 | 11000 | | 7507 | 07.0 |
| Rhodocyclales | 9948 | 48.3 | 11020 | 38 | /50/ | 27.9 |
| Unknown / Other | 9233 | 44.8 | 1/351 | 60 | 14427 | 53.6 |
| Xantnomonadales | 1218 | 5.9 | 194 | 0.7 | 361 | 1.3 |
| Burkholderiales | 84 | 0.4 | 44 | 0.2 | /6 | 0.3 |
| Actinomycetales | 59 | 0.3 | 28 | 0.1 | <u></u> ర | |
| Seudomonadales | 49 | 0.2 | 60 | 0.2 | <u> </u> | |
| Spirochaetales | U | U | 9 | U | 90 | 0.3 |
| Iniotricnales | | | | | 4318 | 16.1 |
| | | | | | | |
| Unknown / Other | 10738 | 52.1 | 18053 | 63 | 15771 | 58.6 |
| Accumulibacter | 9861 | 47.9 | 10680 | 37 | 6801 | 25.3 |
| Thiothrix | | | | | 4318 | 16.1 |

Fig 1. Clades at different depths of the phylogenetic tree that are sufficiently represented by genomes of the 340 organisms for composition-based modeling.

| Archaea (23) | | | |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Crenarchaeota (4) Euryarchaeota (18) | Thermoprotei (4) Thermoplasmata (4) | Thermoplasmatales (4) | Thermococci (3) |
| Bacteria (291) | Methanomicrobia (4) | Methanosarcinales (4) | Methanosarcina (3) |
| Proteobacteria (147) | Gammaproteobacteria (76) | Vibrionales (5) Xanthomonadales (7) Pasteurellales (12) Pseudomonadales (10) Enterobacteriales (37) | Vibrio (4) Xylella (4) Haemophilus (5) Pseudomonas (7) Buchnera (3) Escherichia (7) Salmonella (8) Shigella (4) Versinia (7) |
| | Alphaproteobacteria (28) | Rhodospirillales (3) Rhodobacterales (3) Rhizobiales (11) Rickettsiales (9) | Brucella (3) Rickettsia (5) |
| | Betaproteobacteria (24) | Neisseriales (6) Burkholderiales (15) | Wolbachia (3) Neisseria (5) Burkholderia (7) Bordetella (4) |
| | Deltaproteobacteria (8) Epsilonproteobacteria (10) | Desulfuromonadales (3) Campylobacterales (10) | Campylobacter (5) |
| Cyanobacteria (14) | n. a. (13) | Chroococcales (5) Nostocales (3) Drachlarales (4) | Prochlorococcus (4) |
| Deinococcus-Thermus (3) Actinobacteria (25) | Deinococci (3) Actinobacteria (class) (25) | Actinomycetales (21) | Corynebacterium (3) Mycobacterium (8) Strentomyces (3) |
| Spirochaetes (6) Chlamydiae (9) Fusobacteria (3) Bacteroidetes (5) Firmicutes (72) | Spirochaetes (class) (6) Chlamydiae (class) (9) Fusobacteria (class) (3) Bacteroides (class) (4) Clostridia (9) Mollicutes (9) Bacilli (54) | Spirochaetales (6) Chlamydiales (9) Fusobacterales (3) Bacteroidales (4) Clostridiales (7) Mycoplasmatales (6) Bacillales (26) Lactobacillales (28) | Chlamydophila (6) Fusobacterium (3) Bacteroides (3) Clostridium (6) Mycoplasma (5) Staphylococcus (7) Bacillus (10) Listeria (5) Streptococcus (17) |
| Eukaryota (26) | | | Lactobacillus (4) |
| Ascomycota (6) Arthropoda (4) Chordata (9) | Sordariomycetes (3) Insecta (4) Mammalia (5) Actinopterygii (3) | Diptera (3) | |

Figure 2. Accuracy of phylogenetic characterization for differently sized genomic fragments from 340 organisms. The plots show the sensitivity (A/C) and specificity (B/D) of phylogenetic assignments by PhyloPythia. The legend gives in brackets the number of modeled clades for the phylogenetic classifiers. On the left side (A and B), the

- 5 classification accuracy achievable for fragments from novel organisms (of which no genomic sequence was included in the training sets for model creation is shown). The right side (C and D) shows the achievable accuracy for organisms of which some genomic sequence is already known (other genomic fragments than the ones that were tested were included in the training data sets for the classifier). For D, the value for the
- 10 50kb fragments is undetermined, as evaluation of the specificity at the genus level is somewhat restricted by the fact that with the exception of organisms belonging to the 'Other' class, for most clades there is very little sequence that can be used for evaluation for fragments longer than 3kb, as most of it was included in the training data sets.



Figure 3. Phylogenetic classification accuracy by clade for differently sized fragments of 340 unknown organisms (for which no sequence fragments were included in the training data for the classifiers). From top to bottom, the clade-specific specificity, overall sensitivity (Sn.) and specificity (Sp.) is shown for clades at the rank of domain, phylum, class, order, and genus.





assemblies with the JAZZ and PHRAP assembler of the US data set, respectively. OZPHRAP is the PHRAP-assembled OZ data set. Figure 4. Dominant clades predicted for two metagenome samples of phosphorus removing sludge. USJAZZ and USPHRAP are All phylogenetic clades assigned $\geq 50kb$ are shown.

S

Figure 5. Binning accuracy of *Thiothrix* contigs using PhyloPythia. Each line represents a scaffold which is a collection of contigs (boxes) linked by end pair read information, indicating that those contigs belong to the same genome. The colors indicate the most specific taxonomic rank to which a contig could reliably (p > 0.85) be assigned by PhyloPythia (see legend). The majority of contigs were identified as belonging to *Thiothrix* (dark green 62%) or a consistent lower level classification (yellow to light green, 35%), with only 3% being unclassified (white) or misclassified (red). Some misclassifications could be correlated with atypical sequence composition due to laterally transferred genes (e.g. prophage) or non-coding repeat sequences (e.g. CRISPR elements). The number of distinct tRNA synthetases found in the *Thiothrix* scaffold set (indicated by stars) can be used as a proxy for genome completeness. We estimate that 72% of the *Thiothrix* genome has been recovered based on the presence of 13/18 tRNA synthetase types on high confidence *Thiothrix* contigs. Only scaffolds longer than 12kb or containing a tRNA synthetase are shown.





Alice C. McHardy, Héctor García Martín, Aristotelis Tsirigos, Philip Hugenholtz, and Isidore Rigoutsos

Materials and methods

Multi-class Support Vector Machine training

The compositional input vectors for the training of the SVM were created by mapping the input sequences s to the feature space π , that is defined by the pattern length w and number of literals l (in this context, a literal is a character from the DNA alphabet, see Figure S10). The input vectors were normalized per row and scaled across columns in the range [0, 1]. Similar number of sequences where used for each class in model training. If it was not possible to include exactly the same number of sequences for each class, the miss-classification cost C was scaled by the number of items, such that the overall misclassification cost for every class was the same. This was necessary, as, depending on the number of genomes in a given clade, it is not always possible to sample each genome equally to obtain the specified number of sequences for a class, or to generate the number of necessary fragments from each genomic sequence. A Gaussian kernel was used as the kernel function with the SVM, which requires specification of the parameter γ . The optimal values for C and γ were determined prior to the training in a grid search of the parameter space with 5-fold cross-validation on a subset of the training data. For the phylum, class, order and genus levels, 200 sequences per class were used for the grid search and 1000 for the training of the classifier. For the domain level, 1000 sequences per clade were used for the grid search and 3000 for training of the classifier.

Combined metagenome classifier

The final classification framework of Phylopythia includes several classifiers that are built on fragments of different lengths for each level. Based on results of the extensive evaluation, we decided to include classifiers trained on 5, 10, 15 and 50kb fragments into the framework for the level of the phylum and class, and classifiers trained on 50 and 15kb fragments for the lower levels, to maintain a high specificity level. Including further classifiers would yield an increased sensitivity, but we opted for a setting with higher specificity. Starting with the 50kb-trained classifier, a sequence is tested with these classifiers in descending order of training fragment lengths, until either an assignment is made, all classifiers have been applied, or a classifier is reached that has been trained with fragments shorter than the tested sequence. For the domain level, classifiers trained on 1, 3, 5, 10, 15, and 50kb fragments are used, each for fragments with a similar size to the respective training fragments. For the classification of fragments from known organisms, 10kb models are also included at the order and genus levels. For the metagenome sludge samples, additional 10, 15 and 50kb (15 and 10kb) models for the *Accumulibacter (Thiothrix)* genus are included in the framework, depending on the amount of available training data from the two sludge samples. Assignments at the different phylogenetic levels are checked for inconsistencies, which are resolved by choice of the lower level prediction.

Evaluation procedures

Each of the described experiments was evaluated by cross-validation with data that was withheld from the training procedures. To allow estimation of classification accuracy for genomic fragments of novel organisms, models were built using sequences from only some of the organisms, while others were withheld for evaluation. More specifically, the set of 340 organisms was split at random into 3 approximately equally-sized sets. Each of these sets in turn was set aside, while the other two were used to generate training sequences and train the phylogenetic classifier. Thus, for nearly all organisms a model could be created which had not used any of the organisms sequence in training. To estimate accuracy for fragments of known organisms, for any given fragment length, a part of the genomic sequence was set aside for evaluation, while the other parts were used to create genomic fragments for the training of the classifier. The models for this test were created with sequences from all 340 organisms and are also the ones used for the classification of the metagenome sequence samples.

For classification, composition vectors were derived from the original sequence fragments, which were normalized per row and scaled across columns in the range [0, 1].

For the evaluation with genomic fragments, tests were run with 100 genomic sequence fragments from every genome, if that many were available.

Measures of accuracy are the class-normalized
sensitivity
$$Sn = \left(\sum_{i=1}^{N} \frac{tp_i}{t_i} + \frac{tp_{other}}{t_{other}}\right) \cdot \frac{1}{N+1}$$
, and specificity $Sp = \sum_{i=1}^{N} \frac{tp_i}{p_i} \cdot \frac{1}{N}$, where tp_i is the

number of correctly assigned items to clade *i*, p_i is the total number of items assigned to clade *i*, and t_i is the number of items of clade *i*. The specificity is averaged over the *N* clades, the sensitivity over (N + 1) clades, which includes the class 'Other'.



Fig. S1. Assignment accuracy for differently sized genomic fragments from unknown organisms at the level of the class (including 22 phylogenetic clades). 7 class-level classifiers were trained with tetranucleotide patterns (w4, I4) derived from genomic fragments of length 1, 3, 5, 10, 15 and 50kb as well as protein encoding sequences (CDS). For each classifier, the accuracy (percentage of correctly assigned fragments), and specificity of assignments (Sp.) with fragments of different lengths is shown for organisms that are unknown to the model (of which no sequences were used in training).



Fig. S2. Wn parameter search for the sequence composition space with the highest classification accuracy for genomic sequence fragments from unknown organisms (of which no sequence fragments were included in the model training data sets) at different phylogenetic levels. The legend gives in brackets the number of clades for each of the analyzed levels. The composition space is defined by the word length w, the number of literal characters I, and the step size s. Plot (A) shows the sensitivity and plot (B) the specificity, that is attainable in a given space with 15kb genomic fragments of organisms unknown to the classifier.



Fig. S3. Evaluation of the relation of genomic fragment length used for model creation and classification accuracy for genomic fragments of unknown organisms and different lengths. For the level domain, the sensitivity (Sn.) and specificity (Sp.) of classification is displayed for genomic fragments of different lengths with classifiers trained on fragments of different lengths.



Fig. S4. Evaluation of the relation of genomic fragment length used for model creation and classification accuracy for genomic fragments of unknown organisms and different lengths. For the level phylum, the sensitivity (Sn.) and specificity (Sp.) of classification is displayed for genomic fragments of different lengths with classifiers trained on fragments of different lengths.



Fig. S5. Evaluation of the relation of genomic fragment length used for model creation and classification accuracy for genomic fragments of unknown organisms and different lengths. For the level class, the sensitivity (Sn.) and specificity (Sp.) of classification is displayed for genomic fragments of different lengths with classifiers trained on fragments of different lengths.



Fig. S6. Evaluation of the relation of genomic fragment length used for model creation and classification accuracy for genomic fragments of unknown organisms and different lengths. For the level order, the sensitivity (Sn.) and specificity (Sp.) of classification is displayed for genomic fragments of different lengths with classifiers trained on fragments of different lengths.



Fig. S7. Evaluation of the relation of genomic fragment length used for model creation and classification accuracy for genomic fragments of unknown organisms and different lengths. For the level genus, the sensitivity (A) and specificity (B) of classification is displayed for genomic fragments of different lengths with classifiers trained on fragments of different lengths.



Fig. S8. Assignments at the domain level with Phylopythia for 50kb genomic fragments from unknown organisms (of which no sequence was used in training). fragments assigned to the archaea (green), bacteria (orange) Displayed is for every organism the percentage of assignment to 'origin unknown'.

| % |
|-----|
| ure |
| Щ. |
| ary |
| ent |
| lem |
| d |
| ທັ |

| Synechococcus sp. WH |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Synechococcus Symbiobacterium |
| Streptomyces scabiei Streptomyces coelicolor |
| Streptomyces avermitilis |
| Streptococcus |
| Streptococcus suis Streptococcus pyogenes |
| Streptococcus pyogenes |
| Streptococcus pyogenes |
| Streptococcus pyogenes |
| Streptococcus |
| Streptococcus Streptococcus mutans |
| Streptococcus mitis |
| Streptococcus |
| Streptococcus Stenotrophomonas |
| Staphylococcus Staphylococcus aureus |
| Staphylococcus aureus |
| Staphylococcus aureus |
| Staphylococcus aureus |
| Spiroplasma kunkelii Sinorhizobium meliloti |
| Silicibacter sp. TM1040 Silicibacter pomerovi |
| Shigella sonnei 53G |
| Shigella flexneri 2a str. |
| Shewanella oneidensis |
| Serratia marcescens Salmonella typhimurium |
| Salmonella paratyphi |
| Salmonella enterica |
| Salmonella enterica Salmonella enterica |
| Salmonella enterica Salmonella enterica |
| Saccharophagus Bubrobacter |
| Rickettsia typhi str. |
| Rickettsia sibirica Rickettsia rickettsii |
| Rickettsia prowazekii str. Rickettsia conorii str. |
| Rhodospirillum rubrum |
| Rhodopirellula baltica |
| Rhizobium |
| Ralstonia solanacearum Ralstonia eutropha |
| Psychrobacter sp. 273-4 Pseudomonas syringae |
| Pseudomonas syringae |
| Pseudomonas |
| Pseudomonas Pseudomonas |
| Pseudomonas Proteus mirabilis |
| Propionibacterium acnes |
| Prochlorococcus |
| Prochlorococcus |
| Porphyromonas Polaromonas sp. JS666 |
| Photorhabdus Photobacterium |
| Pediococcus Pastourolla multocida |
| Parachlamydia sp. |
| Paenibacillus larvae |
| Onion yellows Oenococcus oeni PSU-1 |
| Oceanobacillus Novosphingobium |
| Nostoc sp. PCC 7120 Nostoc punctiforme PCC |
| Nocardia farcinica IFM |
| Neisseria meningitidis |
| Neisseria meningitidis |
| Neisseria lactamica Neisseria gonorrhoeae |
| Mycoplasma pulmonis Mycoplasma |
| Mycoplasma penetrans |
| Mycoplasma mobile |
| Mycobacterium |
| Mycobacterium Mycobacterium microti |
| Mycobacterium marinum Mycobacterium leorae |
| Mycobacterium bovis |
| Moorella thermoacetica |
| Mesorhizobium sp. |
| Mesoplasma florum L1 |
| Mannheimia Mannheimia |
| Magnetospirillum |
| Listeria monocytogenes |
| Listeria monocytogenes |
| Listeria monocytogenes Listeria innocua |
| Leuconostoc |
| Leptospira interrogans |
| Lactococcus lactis |
| La state in a 200 C |
| Lactobacillus plantarum Lactobacillus johnsonii |
| Lactobacillus plantarum Lactobacillus johnsonii Lactobacillus gasseri Lactobacillus delbrueckii |
| Lactobacillus plantarum Lactobacillus johnsonii Lactobacillus gasseri Lactobacillus delbrueckii Klebsiella pneumoniae |
| Lactobacillus plantarum Lactobacillus johnsonii Lactobacillus gasseri Lactobacillus gasseri Klebsiella pneumoniae Kineococcus Helicobacter pylori J99 |
| Lactobacillus plantarum Lactobacillus johnsonii Lactobacillus gasseri Lactobacillus delbrueckii Klebsiella pneumoniae Kineococcus Helicobacter pylori J99 Helicobacter pylori Helicobacter mustelae |
| Lactobacillus plantarum Lactobacillus johnsonii Lactobacillus dasseri Lactobacillus delbrueckii Klebsiella pneumoniae Kineococcus Helicobacter pylori Helicobacter mustelae Helicobacter mustelae Helicobacter hepaticus |
| Lactobacillus plantarum Lactobacillus johnsonii Lactobacillus gasseri Lactobacillus debrueckii Klebsiella pneumoniae Kineococcus Helicobacter pylori J99 Helicobacter pylori Helicobacter mustelae Helicobacter hepaticus Haemophilus somnus Haemophilus somnus |
| Lactobacillus plantarum Lactobacillus johnsonii Lactobacillus gasseri Lactobacillus delbrueckik Kieoscotus Helicobacter pylori J99 Helicobacter pylori Helicobacter nustelae Helicobacter nustelae Haemophilus somnus Haemophilus sinfuenzae Haemophilus influenzae |
| Lactobacillus plantarum Lactobacillus johnsonii Lactobacillus gasseri Lactobacillus delbruecki Kiebsiella pneumoniae Kineococcus Helicobacter pylori 199 Helicobacter pylori Helicobacter hepaticus Haemophilus somnus Haemophilus influenzae Haemophilus influenzae Haemophilus influenzae Haemophilus influenzae |

| ָם מ <u></u> | |
|--------------|-----------------------------------------------------|
| | |
| ja te ar | |
| 2 5 5 | |
| ה מצ | |
| ШША | |
| | |
| | |
| | Trypanosoma brucei Tetraodon nigroviridis |
| | Takifugu rubripes |
| | Saccharomyces |
| | Plasmodium falciparum |
| | Pan troglodytes |
| | Neurospora crassa |
| | Mus musculus Magnaporthe grisea 70- |
| | Homo sapiens |
| | Gibberella zeae PH-1 |
| | Eremothecium gossypii |
| | Encephalitozoon cuniculi Drosophila melanogaster |
| | Danio rerio |
| | Apis mellifera |
| | Anopheles gambiae str. |
| | Yersinia Versinia |
| | Yersinia pestis KIM |
| | Yersinia pestis CO92 Yersinia pestis biovar |
| | Yersinia enterocolitica Xylella fastidiosa |
| | . Xylella fastidiosa Dixon |
| | Xylella fastidiosa 9a5c |
| | Xanthomonas Xanthomonas |
| | Wolinella succinogenes |
| | Wolbachia |
| | Vibrio vulnificus YJ016 |
| | Vibrio vulnificus CMCP6 Vibrio parahaemolyticus |
| | Vibrio cholerae O1 |
| | uncultured Chlorobi |
| | |
| | Treponema pallidum |
| | Treponema denticola |
| | Thermus thermophilus |
| | Thermosynechococcus |
| | I hermobifida fusca Thermoanaerobacter |
| | Synechocystis sp. PCC |
| | Synechococcus |
| | Streptomyces scabiei |
| | Streptomyces coelicolor Streptomyces avermitilis |
| | Streptococcus uberis |
| | Streptococcus suis |
| | Streptococcus pyogenes |
| | Streptococcus |
| | Streptococcus mutans |
| | Streptococcus equi |
| | Streptococcus |
| | Stenotrophomonas |
| | Staphylococcus aureus |
| | Staphylococcus aureus Staphylococcus aureus |
| | Staphylococcus aureus |
| | Staphylococcus aureus |



Fig. S9. Comparison of classification accuracy for 3kb fragments and 3kb fragments carrying ribosomal proteins with Phylopythia. For the clades at the domain, phylum, class, order, and genus level, the specificity of assignment for fragments from organisms unknown to the classifier is displayed, as well as the overall sensitivity and specificity of classification.



Fig. S10. Example of a (w, l)-pattern, where w is 6 and the number of literals l is 4. In this context, literals correspond to specified characters of the DNA alphabet, whereas the dot symbols (wildcards) match any of these characters.

| Species | NCBI ID | # Organisms |
|--------------------------------------------|---------|---------------|
| Acinetobacter sp. ADP1 | 62977 | 1 |
| Actinobacillus actinomycetemcomitans | 714 | 1 |
| Actinobacillus pleuropneumoniae | 715 | 1 |
| Aeropyrum pernix | 56636 | 1 |
| Anabaena variabilis | 1172 | 1 |
| Anopheles gambiae | 7165 | 2 |
| Apis mellifera | 7460 | 1 |
| Aquifex aeolicus | 63363 | 1 |
| Arabidopsis thaliana | 3702 | 1 |
| Archaeoglobus fulgidus | 2234 | 1 |
| Azotobacter vinelandii | 354 | 1 |
| Bacillus anthracis | 1392 | 4 |
| Bacillus cereus | 1396 | 3 |
| Bacillus halodurans | 86665 | 1 |
| Bacillus subtilis | 1423 | 1 |
| Bacillus thuringiensis | 1428 | 1 |
| Bacteriovorax marinus | 97084 | 1 |
| Bacteroides fragilis | 817 | 2 |
| Bacteroides thetaiotaomicron | 818 | 1 |
| Bartonella henselae | 38323 | 1 |
| Bartonella quintana | 803 | 1 |
| Bdellovibrio bacteriovorus | 959 | 1 |
| Bifidobacterium Iongum | 216816 | 2 |
| Bordetella avium | 521 | 1 |
| Bordetella bronchisentica | 518 | 1 |
| Bordetella parapertussis | 519 | 1 |
| Bordetella pertussis | 520 | 1 |
| Borrelia buradorferi | 139 | 1 |
| Borrelia garinii | 29519 | 1 |
| Bradyrhizobium japonicum | 375 | 1 |
| Brucella melitensis | 29459 | 3 |
| Bracella Mellelisis Buchnera aphidicola | Q | 3 |
| Burkholderia cenocenacia | 95/86 | 1 |
| Burkholderia cenacia | 202 | 2 |
| Burkholdoria fungarum | 12/527 | <u>د</u> 1 |
| Burkholderia psoudomalloi | 28450 | 1 |
| Burkholdoria vietnemioneie | 20450 | 1 |
| Burkholderia venaverana | 00002 | 1 |
| | 30073 | 1 |
| | 105 | 1 |
| | 195 | 1 |
| | 197 | 2 |
| | 201 | 1 |
| Campyiobacter upsaliensis | 28080 | 1 |
| Candidatus Blochmannia floridanus | 203907 | 1 |
| Canis tamiliaris | 9615 | 1 |
| | 155892 | 1 |
| Chlamydia muridarum | 83560 | 1 |
| Chlamydia trachomatis | 813 | 1 |
| Chlamydophila abortus | 83555 | 1 |

Table S1. Species with (near-) complete genome sequences included in this study. The rightcolumn gives the number of organisms for every species.

| Chlamydophila caviae | 83557 | 1 |
|---------------------------------|--------|---|
| Chlamydophila pneumoniae | 83558 | 4 |
| Chlorobaculum tepidum | 1097 | 1 |
| Chloroflexus aurantiacus | 1108 | 1 |
| Chromobacterium violaceum | 536 | 1 |
| Clavibacter michiganensis | 28447 | 1 |
| Clostridium acetobutylicum | 1488 | 1 |
| Clostridium botulinum | 1491 | 1 |
| Clostridium difficile | 1496 | 1 |
| Clostridium perfringens | 1502 | 1 |
| Clostridium tetani | 1513 | 1 |
| Clostridium thermocellum | 1515 | 1 |
| Corvnebacterium dinhtheriae | 1717 | 1 |
| Corvnebacterium efficiens | 152794 | 1 |
| Corvnebacterium dutamicum | 1718 | 1 |
| | 777 | 1 |
| | 262511 | 1 |
| | 203311 | 1 |
| | 119219 | |
| Cupriavious necator | 106590 | |
| Cytopnaga nutchinsonii | 985 | 1 |
| Danio rerio | /955 | 1 |
| Dechloromonas aromatica | 259537 | 1 |
| Dehalococcoides ethenogenes | 61435 | 1 |
| Deinococcus geothermalis | 68909 | 1 |
| Deinococcus radiodurans | 1299 | 1 |
| Desulfitobacterium hafniense | 49338 | 1 |
| Desulfotalea psychrophila | 84980 | 1 |
| Desulfovibrio desulfuricans | 876 | 1 |
| Desulfovibrio vulgaris | 881 | 1 |
| Desulfuromonas acetoxidans | 891 | 1 |
| Drosophila melanogaster | 7227 | 1 |
| Ehrlichia canis | 944 | 1 |
| Encephalitozoon cuniculi | 6035 | 1 |
| , Enterococcus faecalis | 1351 | 1 |
| Enterococcus faecium | 1352 | 1 |
| Eremothecium aossynii | 33169 | 1 |
| Escherichia coli | 562 | 7 |
| Exiquobacterium sp. 255-15 | 262543 | 1 |
| Ferronlasma acidarmanus | 97393 | 1 |
| Francisella tularensis | 263 | 1 |
| Fusobacterium nucleatum | 851 | 3 |
| Gallus gallus | 9031 | 1 |
| Coobacillus stoaratharmonhilus | 1/00 | 1 |
| Coobactinus stearotinermoprimus | 1422 | 1 |
| | 20232 | 1 |
| | 55554 | 1 |
| | 8100 | |
| Gloeobacter Violaceus | 33072 | 1 |
| Giuconobacter oxydans | 442 | 1 |
| Guillardia theta | 55529 | 1 |
| Haemophilus ducreyi | 730 | 1 |
| Haemophilus influenzae | 727 | 4 |
| Haloarcula marismortui | 2238 | 1 |
| Halobacterium salinarum | 2242 | 1 |
| Helicobacter hepaticus | 32025 | 1 |
| Helicobacter mustelae | 217 | 1 |

| Helicobacter pylori | 210 | 2 |
|----------------------------------------|--------|---|
| Histophilus somni | 731 | 2 |
| Homo sanjens | 9606 | 1 |
| Kineococcus radiotolerans | 131568 | 1 |
| Klebsiella preumoniae | 573 | 1 |
| Lastabasillus dalbruackii | 1584 | 1 |
| | 1506 | 1 |
| Lactobacillus johnsonii | 22050 | 1 |
| | 1500 | 1 |
| | 1050 | 1 |
| | 1358 | 2 |
| | 173 | 2 |
| Leuconostoc mesenteroides | 1245 | |
| Listeria innocua | 1642 | 1 |
| Listeria monocytogenes | 1639 | 4 |
| Magnaporthe grisea | 148305 | 1 |
| Magnetococcus sp. MC-1 | 156889 | 1 |
| Magnetospirillum magnetotacticum | 188 | 1 |
| Mannheimia haemolytica | 75985 | 1 |
| Mannheimia succiniciproducens | 157673 | 1 |
| Mesoplasma florum | 2151 | 1 |
| Mesorhizobium loti | 381 | 1 |
| Mesorhizobium sp. BNC1 | 266779 | 1 |
| Methanocaldococcus jannaschii | 2190 | 1 |
| Methanococcoides burtonii | 29291 | 1 |
| Methanococcus maripaludis | 39152 | 1 |
| Methanopyrus kandleri | 2320 | 1 |
| Methanosarcina acetivorans | 2214 | 1 |
| Methanosarcina barkeri | 2208 | 1 |
| Methanosarcina mazei | 2209 | 1 |
| Methanothermobacter thermautotrophicus | 145262 | 1 |
| Methylobacillus flagellatus | 405 | 1 |
| Moorella thermoacetica | 1525 | 1 |
| Mus musculus | 10090 | 1 |
| Mycobacterium avium | 1764 | 1 |
| Mycobacterium bovis | 1765 | 1 |
| Mycobacterium leprae | 1769 | 1 |
| Mycobacterium marinum | 1781 | 1 |
| Mycobacterium microti | 1806 | 1 |
| Mycobacterium smegmatis | 1772 | 1 |
| Mycobacterium tuberculosis | 1773 | 2 |
| Mycoplasma mobile | 2118 | 1 |
| Mycoplasma mycoides | 2102 | 1 |
| Mycoplasma penetrans | 28227 | 1 |
| Mycoplasma pneumoniae | 2104 | 1 |
| Mycoplasma pulmonis | 2107 | 1 |
| Nanoarchaeum equitans | 160232 | 1 |
| Neisseria gonorrhoeae | 485 | 1 |
| Neisseria lactamica | 486 | 1 |
| Neisseria meningitidis | 487 | 3 |
| Neurospora crassa | 5141 | 1 |
| Nitrosomonas europaea | 915 | 1 |
| Nocardia farcinica | 37329 | 1 |
| Nostoc punctiforme | 272131 | 1 |
| Nostoc sn. PCC 7120 | 103690 | 1 |
| Novosnbingobium aromaticivorans | 48035 | 1 |
| a so so springobium a omalicivorans | -0300 | |

| Qaaanahaaillus ihayanaia | 100710 | I 4 |
|--------------------------------------------|--------------|--------|
| | 102/10 | 1 |
| | 1247 | |
| | 100379 | 1 |
| Oryza Saliva Deepibeeillue lervee | 4550 | 1 |
| Paenibacilius larvae | 1464 | |
| Pan troglodytes | 9598 | 1 |
| Pantoea stewartii | 66269 | 1 |
| Parachiamydia sp. UWE25 | 264201 | 1 |
| Pasteurella multocida | /4/ | 1 |
| Pectobacterium atrosepticum | 29471 | 1 |
| Pediococcus pentosaceus | 1255 | 1 |
| Photobacterium profundum | 74109 | 1 |
| Photorhabdus luminescens | 29488 | 1 |
| Picrophilus torridus | 82076 | 1 |
| Plasmodium falciparum | 5833 | 1 |
| Polaromonas sp. JS666 | 296591 | 1 |
| Porphyromonas gingivalis | 837 | 1 |
| Prochlorococcus marinus | 1219 | 4 |
| Propionibacterium acnes | 1747 | 1 |
| Proteus mirabilis | 584 | 1 |
| Pseudomonas aeruginosa | 287 | 2 |
| Pseudomonas fluorescens | 294 | 2 |
| Pseudomonas putida | 303 | 1 |
| Pseudomonas syringae | 317 | 1 |
| Pseudomonas syringae group genomosp. 3 | 251701 | 1 |
| Psychrobacter sp. 273-4 | 259536 | 1 |
| Pyrobaculum aerophilum | 13773 | 1 |
| Pyrococcus abyssi | 29292 | 1 |
| Pyrococcus furiosus | 2261 | 1 |
| Pyrococcus horikoshii | 53953 | 1 |
| Ralstonia solanacearum | 305 | 1 |
| Rattus norvegicus | 10116 | 1 |
| Rhizobium leguminosarum | 384 | 1 |
| Rhodobacter sphaeroides | 1063 | 1 |
| Rhodopirellula baltica | 265606 | 1 |
| Rhodopseudomonas palustris | 1076 | 1 |
| Rhodospirillum rubrum | 1085 | 1 |
| Rickettsia conorii | 781 | 1 |
| Rickettsia prowazekii | 782 | 1 |
| Rickettsia rickettsii | 783 | 1 |
| Rickettsia sibirica | 35793 | 1 |
| Rickettsia typhi | 785 | 1 |
| Rubrobacter xylanophilus | 49319 | 1 |
| Saccharomyces cerevisiae | 4932 | 1 |
| Saccharonhagus degradans | 86304 | 1 |
| Salmonella enterica | 28901 | 5 |
| Salmonella enteritidis | 592 | 1 |
| Salmonella paratyphi | 54388 | 1 |
| Salmonella typhimurium | 602 | 1 |
| Schizosaccharomycos pombo | 1806 | 1 |
| Serratia marcoscono | -1050 615 | 1 |
| Stralla marcescens | 70962 | 4 |
| Shigolla ducantarian | 10000 | 1 |
| Shigella uyselllellae Shigella flovnori | 022 | 1 0 |
| | 023 | 2 |
| Snigelia sonnel | 624 | 1 |

| Silicibactor pomorovi | 80184 | I 1 |
|-------------------------------------------------|--------------|-----|
| Silicibacter pomeroyi Silicibacter en TM1040 | 09104 | 1 |
| Sincipaciel Sp. 1101040 | 292414 | 1 |
| Sinomizobium memoli Spiroplaama kunkalii | 302 17001 | 1 |
| Spiropiasma kunkein | 4/034 | 1 |
| Stapnylococcus aureus | 1280 | 6 |
| Staphylococcus epidermidis | 1282 | 1 |
| Stenotrophomonas maltophilia | 40324 | 1 |
| Streptococcus agalactiae | 1311 | 2 |
| Streptococcus equi | 1336 | 1 |
| Streptococcus mitis | 28037 | 1 |
| Streptococcus mutans | 1309 | 1 |
| Streptococcus pneumoniae | 1313 | 3 |
| Streptococcus pyogenes | 1314 | 6 |
| Streptococcus suis | 1307 | 1 |
| Streptococcus thermophilus | 1308 | 1 |
| Streptococcus uberis | 1349 | 1 |
| Streptomyces avermitilis | 33903 | 1 |
| Streptomyces coelicolor | 1902 | 1 |
| Streptomyces scabiei | 1930 | 1 |
| Sulfolobus solfataricus | 2287 | 1 |
| Sulfolobus tokodaji | 111955 | 1 |
| Symbiobacterium thermonhilum | 2734 | 1 |
| Synechococcus elongatus | 32046 | 1 |
| Synechococcus sp. WH 8102 | 84588 | 1 |
| Synachocyctic cp. PCC 6803 | 11/12 | 1 |
| Takifugu rubringa | 21022 | 1 |
| Takilugu lubilpes | 00000 | 1 |
| | 99883 | 1 |
| I nermoanaerobacter tengcongensis | 119072 | |
| | 2021 | |
| I hermoplasma acidophilum | 2303 | 1 |
| I hermoplasma volcanium | 50339 | 1 |
| I hermosynechococcus elongatus | 146786 | 1 |
| Thermotoga maritima | 2336 | 1 |
| Thermus thermophilus | 274 | 1 |
| Thiomicrospira crunogena | 39765 | 1 |
| Treponema denticola | 158 | 1 |
| Treponema pallidum | 160 | 1 |
| Trichodesmium erythraeum | 1206 | 1 |
| Tropheryma whipplei | 2039 | 2 |
| Trypanosoma brucei | 5691 | 1 |
| Ureaplasma parvum | 134821 | 1 |
| Vibrio cholerae | 666 | 1 |
| Vibrio parahaemolyticus | 670 | 1 |
| Vibrio vulnificus | 672 | 2 |
| Wigglesworthia glossinidia | 51229 | 1 |
| Wolbachia endosymbiont of D. melanogaster | 163164 | 1 |
| Wolbachia pipientis | 955 | 2 |
| Wolinella succinogenes | 844 | 1 |
| Xanthomonas axonopodis | 53413 | 1 |
| Xanthomonas campestris | 339 | 1 |
| Xylella fastidiosa | 2371 | 4 |
| Yersinia enterocolitica | 630 | 1 |
| Yersinia nestis | 632 | 3 |
| Yersinia peudotuberculosis | 633 | 3 |
| uncultured Chlorobi bacterium | 156405 | 1 |
| | | |

Table S2. Wn parameter search for the sequence composition space with the highest classification accuracy for genomic fragments of 340 unknown organisms (to the classifier) at different phylogenetic levels. The composition space is defined by the word length w, the number of literal characters I, and the step size s *Acc.* denotes the percentage of correctly assignments for all tested fragments, *Sn.* and *Sp.* are the sensitivity and specificity of the classification (Supplementary material, 'Evaluation procedures').

| Rank | kernel | Wn | Acc. (%) | Sn. (%) | Sp. (%) |
|--------|----------|----------|----------|---------|---------|
| Genus | gaussian | w2,l2,s1 | 38.3 | 37 | 25.5 |
| Genus | gaussian | w3,l2,s1 | 41.7 | 52.1 | 33.1 |
| Genus | gaussian | w3,l3,s1 | 84.3 | 76.6 | 81.9 |
| Genus | gaussian | w4,l4,s1 | 88.1 | 86.3 | 82.9 |
| Genus | gaussian | w6,l4,s1 | 87.2 | 87.9 | 80.8 |
| Genus | gaussian | w5,I5,s1 | 87.6 | 89.1 | 80.4 |
| Genus | gaussian | w6,I5,s1 | 86.6 | 88.4 | 79.5 |
| Genus | gaussian | w6,l6,s1 | 86.6 | 88.4 | 79.5 |
| Order | gaussian | w2,l2,s1 | 43.3 | 33.1 | 62.7 |
| Order | gaussian | w3,l2,s1 | 61.3 | 54.3 | 81 |
| Order | gaussian | w3,I3,s1 | 77.1 | 70 | 84 |
| Order | gaussian | w4,l4,s1 | 84.2 | 80.2 | 85.5 |
| Order | gaussian | w6,l4,s1 | 84.9 | 81.1 | 83.9 |
| Order | gaussian | w5,I5,s1 | 85.1 | 81.4 | 85.5 |
| Order | gaussian | w6,I5,s1 | 84.9 | 81.1 | 83.9 |
| Order | gaussian | w6,l6,s1 | 84.4 | 81 | 82.9 |
| Class | gaussian | w2,l2,s1 | 43.2 | 39.6 | 68.5 |
| Class | gaussian | w3,l2,s1 | 65.4 | 62.2 | 81.8 |
| Class | gaussian | w3,l3,s1 | 77.9 | 74 | 88.1 |
| Class | gaussian | w4,l4,s1 | 85.7 | 82.8 | 89.1 |
| Class | gaussian | w6,l4,s1 | 87 | 83.8 | 88.8 |
| Class | gaussian | w5,I5,s1 | 87.1 | 84.4 | 88.9 |
| Class | gaussian | w6,I5,s1 | 87.2 | 83.8 | 88.5 |
| Class | gaussian | w6,l6,s1 | 86.7 | 83.7 | 87.3 |
| Phylum | gaussian | w2,l2,s1 | 43.1 | 37.2 | 34 |
| Phylum | gaussian | w3,l2,s1 | 53.3 | 48.9 | 44.4 |
| Phylum | gaussian | w3,l3,s1 | 59.6 | 56 | 51 |
| Phylum | gaussian | w4,l4,s1 | 85.7 | 78.5 | 86.2 |
| Phylum | gaussian | w6,I4,s1 | 87.5 | 79.6 | 87.4 |
| Phylum | gaussian | w5,I5,s1 | 87.2 | 79.4 | 87.8 |
| Phylum | gaussian | w6,I5,s1 | 87.4 | 79.1 | 87.5 |
| Phylum | gaussian | w6,l6,s1 | 87 | 78.6 | 87.8 |
| Domain | gaussian | w2,l2,s1 | 74.5 | 56.5 | 66.5 |
| Domain | gaussian | w3,l2,s1 | 87.7 | 69 | 87.4 |
| Domain | gaussian | w3,I3,s1 | 91 | 76.2 | 92.3 |
| Domain | gaussian | w4,l4,s1 | 94.7 | 84.5 | 93.3 |
| Domain | gaussian | w6,I4,s1 | 95.4 | 86.7 | 91.9 |
| Domain | gaussian | w5,I5,s1 | 95.1 | 87.3 | 92.5 |
| Domain | gaussian | w6,I5,s1 | 95.8 | 88.8 | 92.3 |
| Domain | gaussian | w6,I6,s1 | 95.7 | 90.1 | 92.5 |

Table S3. Wn parameter search for the sequence composition space with the highest classification accuracy for protein encoding genes of 340 unknown organisms at different phylogenetic levels. The composition space is defined by the word length w, the number of literal characters I, and the step size s. Results are shown for the multi-class classification without post-processing by the binary classifiers. *Acc.* denotes the percentage of correctly assignments for all tested fragments, *Sn.* and *Sp.* are the sensitivity and specificity of the classification (Supplementary material, 'Evaluation procedures').

| Rank | kernel | Wn | Acc. (%) | Sn. (%) | Sp. (%) |
|--------|-----------|----------|--------------|--------------|--------------|
| Genus | gaussian | w2,l2,s1 | 43.1 | 38.1 | 28.7 |
| Genus | gaussian | w2,l2,s3 | 26.9 | 28.2 | 15.6 |
| Genus | gaussian | w3,I2,s3 | 40 | 57.8 | 31.7 |
| Genus | gaussian | w3,I3,s1 | 49.7 | 67.4 | 39.4 |
| Genus | gaussian | w3,I3,s3 | 49 | 67.1 | 38.5 |
| Genus | gaussian | w4,l4,s1 | 50.7 | 74.2 | 41.5 |
| Genus | gaussian | w4,l4,s3 | 51.7 | 75.3 | 42.4 |
| Genus | gaussian | w6,I4,s3 | 57 | 80.9 | 47.1 |
| Genus | gaussian | w5,I5,s1 | 52.7 | 76.5 | 43.4 |
| Genus | gaussian | w5,I5,s3 | 55.1 | 78 | 45.3 |
| Genus | gaussian | w6,I5,s3 | 57.1 | 81.2 | 47.2 |
| Genus | gaussian | w6,I6,s1 | 54.5 | 77.6 | 44.7 |
| Genus | gaussian | w6,I6,s3 | 58.2 | 80 | 47.9 |
| Class | gaussian | w2,l2,s1 | 34.3 | 36.2 | 35.7 |
| Class | gaussian | w2,l2,s3 | 19.6 | 27.5 | 26.2 |
| Class | gaussian | w3,l2,s3 | 40.2 | 50 | 40.6 |
| Class | gaussian | w3,l3,s1 | 51.1 | 57.5 | 49.2 |
| Class | gaussian | w3,I3,s3 | 53.9 | 60.9 | 51.3 |
| Class | gaussian | w4,l4,s1 | 57.1 | 65.3 | 52.5 |
| Class | gaussian | w4,l4,s3 | 58.3 | 67.9 | 54.5 |
| Class | gaussian | w6,I4,s3 | 63.3 | 72.7 | 59.2 |
| Class | gaussian | w5,I5,s1 | 57.6 | 66.9 | 53 |
| Class | gaussian | w5,I5,s3 | 59.4 | 69.8 | 56.6 |
| Class | gaussian | w6,I5,s3 | 62.3 | 71.9 | 58.5 |
| Class | gaussian | w6,l6,s1 | 57.8 | 67.7 | 54.2 |
| Class | gaussian | w6,l6,s3 | 60.6 | 70.2 | 57.5 |
| Phylum | gaussian | w2,l2,s1 | 40.2 | 37.4 | 35.5 |
| Phylum | gaussian | w2,I2,s3 | 26.3 | 37.1 | 30.3 |
| Phylum | gaussian | w3,I2,s3 | 42.4 | 53.9 | 40.5 |
| Phylum | gaussian | w3,I3,s1 | 57.2 | 57 | 49.1 |
| Phylum | gaussian | w3,I3,s3 | 58.1 | 58.4 | 50.8 |
| Phylum | gaussian | w4,I4,S1 | 60.2 | 63.2 | 50.8 |
| Phylum | gaussian | w4,14,s3 | 58.9 | 65.1 | 50.8 |
| Phylum | gaussian | W6,14,S3 | 63 57 5 | 69 | 54.6 |
| Phylum | gaussian | WO,IO,SI | 57.5 57.7 | 60.3 | 48.9 |
| Phylum | gaussian | W0,10,83 | 5/./ | 00 | 51.4 |
| Phylum | gaussian | WO,ID,SJ | 01.0 56.6 | 00.2 62 F | 04.3 40.0 |
| Phylum | gaussian | W0,10,51 | 0.0C | 03.5 66 6 | 49.2 50.7 |
| Domain | gaussian | w0,10,53 | 59.9 70.0 | 56 1 | 52.7 |
| Domain | gaussian | W2,I2,ST | 12.3 61.9 | 00.1 61 5 | 57.9 57.7 |
| Domain | gaussian | W2,12,50 | 76.9 | 71 6 | 54.7 65 7 |
| Domain | gaussian | w2 12 c1 | 70.0 | 60.4 | 62.0 |
| Domain | gaussian | w3 13 c2 | 82.0 | 78 5 | 71 7 |
| Domain | gaussian | w4 14 c1 | 83 / | 74.9 | 71.9 |
| Domain | gaussian | w4 14 c2 | 86 | 80 / | 75 |
| Domain | gaussian | w6 14 63 | 86.6 | 82 2 | 75 5 |
| Domain | gaussian | w5 5 s1 | 80 | 75.6 | 66.3 |
| Domain | gaussian | w5 15 s3 | 84 1 | 79.7 | 72 1 |
| Domain | gaussian | w6 15 s3 | 81.5 | 80 | 69 5 |
| Domain | gaussian | w6 16 s1 | n d | n d | n d |
| Domain | gaussian | w6.16.s3 | 84.4 | 81 1 | 74 1 |
| Domain | gaaooiail | | U | U | 1 (.1 |

Table S4: Evaluation at domain level of the relation of the fragment length used for model creation to the accuracy of assignments for genomic fragments from unknown organisms. For every clade, the clade-specific sensitivity (class *Sn*.), specificity (class *Sp*.) of assignments for genomic fragments of different lengths from the organisms of this clade among the 340 organisms is shown. The two rightmost columns display the overall sensitivity (*Sn*.) and specificity (*Sp*.) of de novo sequence classification (Supplementary Material, 'Evaluation procedures').

| Eval With | Built On | Bacteria | Archaea | Eukaryota | Bacteria | Archaea | Eukaryota | Sn. (%) | Sp. (%) |
|-----------|----------|--------------|---------|-----------|--------------------|---------|-----------|---------|---------|
| | C | Class Sn. (% | 5) | C | lass <i>Sp.</i> (% | 6) | - | | |
| 1kbGF | 1kbGF | 77.51 | 68.76 | 74.96 | 99.49 | 43.19 | 42.99 | 73.74 | 61.89 |
| 1kbGF | 3kbGF | 85.22 | 34.14 | 53.67 | 97.38 | 77.01 | 69.47 | 57.68 | 81.29 |
| 1kbGF | 5kbGF | 93.29 | 0 | 22.83 | 94.4 | - | 88.96 | 38.71 | 91.68 |
| 1kbGF | 10kbGF | 98.19 | 0 | 10.5 | 89.22 | - | 85.42 | 36.23 | 87.32 |
| 1kbGF | 15kbGF | 98.47 | 0 | 4.5 | 88.87 | - | 73.97 | 34.32 | 81.42 |
| 1kbGF | 50kbGF | 99.87 | 0 | 4.75 | 86.89 | - | 75 | 34.87 | 80.94 |
| 3kbGF | 1kbGF | 84.57 | 73.24 | 81.79 | 99.23 | 47.59 | 53.85 | 79.87 | 66.89 |
| 3kbGF | 3kbGF | 87.49 | 75.1 | 85.17 | 99.26 | 65.22 | 67.64 | 82.58 | 77.37 |
| 3kbGF | 5kbGF | 92.39 | 48.86 | 74.88 | 98.86 | 89.92 | 85.13 | 72.04 | 91.3 |
| 3kbGF | 10kbGF | 96.49 | 0 | 55.17 | 97.01 | - | 92.52 | 50.55 | 94.77 |
| 3kbGF | 15kbGF | 97.23 | 26.52 | 54.75 | 96.34 | 79.57 | 95.01 | 59.5 | 90.31 |
| 3kbGF | 50kbGF | 99.93 | 0 | 1.96 | 86.83 | - | 70.15 | 33.96 | 78.49 |
| 5kbGF | 1kbGF | 86.42 | 75.74 | 84.12 | 99.14 | 49.95 | 60 | 82.1 | 69.7 |
| 5kbGF | 3kbGF | 87.59 | 79.08 | 87.75 | 99.35 | 62.89 | 68.82 | 84.8 | 77.02 |
| 5kbGF | 5kbGF | 91.9 | 75.41 | 84.62 | 99.21 | 71.55 | 83.31 | 83.98 | 84.69 |
| 5kbGF | 10kbGF | 95.9 | 33.22 | 78.33 | 98.57 | 99.71 | 92.47 | 69.15 | 96.92 |
| 5kbGF | 15kbGF | 97.07 | 54.05 | 80.29 | 98.37 | 83.63 | 94.09 | 77.14 | 92.03 |
| 5kbGF | 50kbGF | 99.94 | 0 | 10.38 | 89.09 | - | 94.68 | 36.77 | 91.88 |
| 10kbGF | 1kbGF | 88.07 | 81.02 | 86.95 | 99.39 | 52.28 | 65.5 | 85.34 | 72.39 |
| 10kbGF | 3kbGF | 88.37 | 85.36 | 93.28 | 99.73 | 62.24 | 72.27 | 89 | 78.08 |
| 10kbGF | 5kbGF | 91.81 | 85.16 | 90.41 | 99.59 | 65.31 | 82.66 | 89.13 | 82.52 |
| 10kbGF | 10kbGF | 94.98 | 72.77 | 90.03 | 99.42 | 72.1 | 94.04 | 85.93 | 88.52 |
| 10kbGF | 15kbGF | 96.9 | 71.84 | 90.49 | 99.24 | 84.65 | 92.33 | 86.41 | 92.07 |
| 10kbGF | 50kbGF | 99.25 | 33.24 | 61.39 | 97.3 | 99.71 | 98.71 | 64.62 | 98.57 |
| 15kbGF | 1kbGF | 88.99 | 83.32 | 88.86 | 99.56 | 55.18 | 69.98 | 87.05 | 74.91 |
| 15kbGF | 3kbGF | 89.28 | 88.93 | 94.84 | 99.8 | 63.87 | 75.84 | 91.01 | 79.84 |
| 15kbGF | 5kbGF | 92.53 | 89.32 | 93.12 | 99.68 | 66.43 | 84.2 | 91.65 | 83.44 |
| 15kbGF | 10kbGF | 94.84 | 79.53 | 94.02 | 99.61 | 69.15 | 95.46 | 89.46 | 88.07 |
| 15kbGF | 15kbGF | 97.09 | 79.38 | 93.8 | 99.44 | 86.07 | 92.1 | 90.09 | 92.54 |
| 15kbGF | 50kbGF | 98.98 | 51.87 | 79.73 | 98.56 | 97.68 | 99.09 | 76.86 | 98.44 |
| 50kbGF | 1kbGF | 89.53 | 87.39 | 94.05 | 99.73 | 51.68 | 78.62 | 90.32 | 76.68 |
| 50kbGF | 3kbGF | 91 | 90.93 | 97.54 | 99.84 | 58.8 | 86.59 | 93.16 | 81.74 |
| 50kbGF | 5kbGF | 92.66 | 91.69 | 96.75 | 99.78 | 61.84 | 88.05 | 93.7 | 83.23 |
| 50kbGF | 10kbGF | 94.89 | 82.53 | 96.52 | 99.77 | 58.83 | 99.29 | 91.31 | 85.97 |
| 50kbGF | 15kbGF | 97.19 | 91.96 | 96.89 | 99.66 | 90.06 | 91.93 | 95.35 | 93.88 |

Table S5: Evaluation at phylum level of the relation of the fragment length used for model creation to the accuracy of assignments for genomic fragments from unknown organisms. For every clade, the clade-specific sensitivity (class *Sn*.), specificity (class *Sp*.) of assignments for genomic fragments of different lengths from the organisms of this clade among the 340 organisms is shown. The two rightmost columns display the overall sensitivity (*Sn*.) and specificity (*Sp*.) of de novo sequence classification (Supplementary Material, 'Evaluation procedures').

| Eval With | Built On | Other | yanobacter | roteobacte | r Firmicutes | coccus-Th | ctinobacter | Spirochaete | Chlamydiae | renarchaed | Euryarchae | Fusobacte | Ascomycol | Arthropoda | Chordata | Bacteroide |
|-----------|----------|-------------|------------|------------|--------------|-----------|-------------|-------------|------------|------------|------------|-----------|-----------|------------|----------|------------|
| | C | lass Sn. (% | 6) | | | | | | | | | | | - | | |
| 1kbGF | 1kbGF | 34.27 | 66.58 | 64.94 | 58.01 | 48.67 | 80.62 | 13.33 | 87.56 | 60 | 55 | 95.33 | 44.67 | 48 | 84.11 | 72.67 |
| 1kbGF | 3kbGF | 64.33 | 23.83 | 70.4 | 32.85 | 38.67 | 48.96 | 11.33 | 36.33 | 56.33 | 49.11 | 51.33 | 8 | 66 | 81.33 | 10.25 |
| 1kbGF | 5kbGF | 79.8 | 0.17 | 64.48 | 12.69 | 32.67 | 19.67 | 29.83 | 0 | 36.33 | 20.33 | 79.67 | 2.83 | 52 | 83.89 | 39.25 |
| 1kbGF | 10kbGF | 99.13 | 0 | 5.57 | 0.9 | 16 | 50.04 | 20.67 | 0 | 1.67 | 0.22 | 0 | 0 | 1 | 87.89 | 23.67 |
| 1kbGF | 15kbGF | 94 | 0 | 0.49 | 0 | 3.33 | 0 | 22.67 | 0 | 19.33 | 0 | 0 | 0 | 22.33 | 84.22 | 23.33 |
| 1kbGF | 50kbGF | 100 | 10.17 | 0 | 0 | 0 | 9.88 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 66.22 | 0 |
| 3kbGF | 1kbGF | 20.33 | 81 | 71.81 | 61.81 | 61 | 89.42 | 13 | 90.22 | 81.67 | 55.11 | 99 | 61.17 | 59.67 | 93.11 | 92.33 |
| 3kbGF | 3kbGF | 42.87 | 76.83 | 83.22 | 75.64 | 59 | 92.25 | 20.67 | 88.22 | 76.33 | 61.83 | 98 | 69.83 | 76 | 92.56 | 83.75 |
| 3kbGF | 5kbGF | 51.4 | 78.5 | 83.2 | 74.56 | 56.67 | 88.75 | 57.17 | 88.33 | 73.33 | 66.67 | 98 | 50.83 | 67.33 | 94.89 | 82.25 |
| 3kbGF | 10kbGF | 77.33 | 64 | 80.45 | 71 | 51 | 86.96 | 24.33 | 64.44 | 63.33 | 57.44 | 73.67 | 31.83 | 62.67 | 96.56 | 70.33 |
| 3kbGF | 15kbGF | 83.67 | 38.08 | 80.28 | 51.62 | 45.67 | 74.12 | 25.5 | 27.89 | 65.33 | 57.44 | 22.33 | 8.5 | 58.67 | 94.56 | 76.33 |
| 3kbGF | 50kbGF | 97.13 | 54.25 | 37.6 | 28.1 | 0 | 70.12 | 4.33 | 0 | 1 | 7.5 | 1 | 0 | 8.67 | 92.11 | 0 |
| 5kbGF | 1kbGF | 15.82 | 83.33 | 73.77 | 61.43 | 64.67 | 90.04 | 18 | 89.89 | 86 | 54.06 | 99.33 | 62 | 58.33 | 95.89 | 97.33 |
| 5kbGF | 3kbGF | 34.58 | 83.25 | 85.32 | 79.74 | 63.67 | 94.67 | 25.17 | 88.78 | 84.33 | 63.11 | 99.33 | 79.83 | 75.67 | 94.89 | 90.5 |
| 5kbGF | 5kbGF | 43.66 | 89.25 | 86.53 | 79.54 | 64 | 91.08 | 60.83 | 88.67 | 78.67 | 69.17 | 99.67 | 64.33 | 66.33 | 97.33 | 90 |
| 5kbGF | 10kbGF | 68.36 | 81.83 | 86.54 | 80.68 | 60.33 | 93.17 | 27.5 | 87.22 | 67 | 68.11 | 95.33 | 65 | 68.67 | 98.33 | 77.67 |
| 5kbGF | 15kbGF | 76.7 | 67.58 | 88.48 | 75.76 | 55.67 | 86.21 | 29.67 | 83.11 | 68 | 68.56 | 79.67 | 43.67 | 68 | 98.11 | 82 |
| 5kbGF | 50kbGF | 91.52 | 68.75 | 74.52 | 67.08 | 6.33 | 82.79 | 19.33 | 5.33 | 27 | 35.17 | 35.33 | 8.5 | 34 | 96 | 30.33 |
| 10kbGF | 1kbGF | 11.44 | 84.25 | 76.88 | 61.66 | 66.67 | 91.07 | 15.38 | 89.56 | 88.67 | 51.83 | 99.67 | 63.17 | 60 | 97.78 | 98.33 |
| 10kbGF | 3kbGF | 24.08 | 88.5 | 87.55 | 82.2 | 66.67 | 96.81 | 25.42 | 88.89 | 92.33 | 65.06 | 99.67 | 89.5 | 79.67 | 97.22 | 94 |
| 10kbGF | 5kbGF | 30.93 | 93.83 | 90.01 | 83.3 | 66 | 94.76 | 64.05 | 88.67 | 84.33 | 73.22 | 99.67 | 78.17 | 68.33 | 99.67 | 91.75 |
| 10kbGF | 10kbGF | 51.55 | 88.25 | 90.59 | 84.99 | 65 | 96.73 | 29.77 | 88.56 | 77 | 78.33 | 99.33 | 81.5 | 76.67 | 99.67 | 81.33 |
| 10kbGF | 15kbGF | 65.82 | 81.5 | 92.55 | 83.18 | 64.67 | 90.65 | 32.27 | 88.44 | 77.67 | 77.56 | 98 | 70.33 | 78.33 | 99.56 | 82.33 |
| 10kbGF | 50kbGF | 84.96 | 79.33 | 88.61 | 83.72 | 30.33 | 89.77 | 28.6 | 73.33 | 57.67 | 57 | 84.33 | 54.83 | 59.33 | 99.22 | 62.67 |
| 15kbGF | 1kbGF | 10.27 | 85.75 | 79.11 | 63.12 | 66.67 | 91.69 | 13.89 | 86.69 | 91.67 | 51.22 | 100 | 64.83 | 51.67 | 98.44 | 98.67 |
| 15kbGF | 3kbGF | 20.62 | 90.92 | 88.81 | 83.16 | 67 | 97.03 | 22.96 | 86.27 | 93.33 | 65.17 | 100 | 93.83 | 78 | 98.44 | 96.75 |
| 15kbGF | 5kbGF | 25.94 | 95.25 | 91.47 | 85.12 | 66.33 | 95.61 | 64.26 | 86.27 | 85.67 | 75.28 | 100 | 86.17 | 70 | 99.67 | 94.75 |
| 15kbGF | 10kbGF | 46.49 | 89.83 | 92.19 | 86.33 | 66 | 96.73 | 26.48 | 85.85 | 81 | 81.72 | 99.33 | 91.33 | 76.67 | 99.78 | 82 |
| 15kbGF | 15kbGF | 61.27 | 84.08 | 93.79 | 85.95 | 66 | 91.47 | 30 | 85.85 | 79.67 | 81 | 99 | 75.83 | 79.67 | 99.78 | 80.33 |
| 15kbGF | 50kbGF | 81.74 | 84.33 | 91.68 | 86.15 | 43.33 | 91.65 | 26.11 | 83.5 | 58.67 | 65.83 | 94.67 | 70.83 | 63.33 | 99.89 | 66.33 |
| 50kbGF | 1kbGF | 9.39 | 85.35 | 87.12 | 60.2 | 74.85 | 93.85 | 6.41 | 79.65 | 98.46 | 58.73 | 100 | 63.83 | 54.33 | 98.44 | 99.65 |
| 50kbGF | 3kbGF | 15.38 | 97.06 | 92.32 | 82.49 | 74.85 | 98.74 | 11.22 | 79.22 | 97.24 | 66.55 | 100 | 95 | 80.33 | 98.44 | 99.42 |
| 50kbGF | 5kbGF | 16.29 | 98 | 94.62 | 85.3 | 74.85 | 96.77 | 73.08 | 79.22 | 90.34 | 81.41 | 100 | 91.17 | 71.67 | 99.67 | 96.13 |
| 50kbGF | 10kbGF | 29.52 | 89.59 | 95.29 | 86.28 | 74.85 | 99.08 | 13.14 | 78.79 | 92.41 | 91.27 | 100 | 95.83 | 83.67 | 99.67 | 86.81 |
| 50kbGF | 15kbGF | 54.64 | 84.56 | 96.85 | 85.76 | 74.85 | 94.45 | 14.74 | 78.79 | 88.28 | 86.96 | 100 | 80.5 | 86.67 | 99.67 | 81.6 |
| 50kbGF | 50kbGF | 62.13 | 87.91 | 96.25 | 84.82 | 72.46 | 95.37 | 7.51 | 78.79 | 77.24 | 81.92 | 100 | 87.5 | 75.33 | 99.62 | 75 |

| Other | Cyanobact | Proteobac | t Firmicutes | Deinococc | Actinobacte | Spirochaet | Chlamydia | Crenarcha | Euryarchae | Fusobacter | Ascomycot | Arthropoda | Chordata | Bacteroidetes | Sn. (%) | Sp. (%) |
|-----------|-----------|-----------|--------------|-----------|-------------|------------|-----------|-----------|------------|------------|-----------|------------|----------|---------------|---------|---------|
| Class Sp. | (%) | | | | | | | | | | | | | | | |
| 10.29 | 50.44 | 91.75 | 78.46 | 35.18 | 71.22 | 21.86 | 64.38 | 42.55 | 64.54 | 38.24 | 33.5 | 13.56 | 75.32 | 31.1 | 60.92 | 50.86 |
| 7.08 | 92.86 | 92.41 | 96.06 | 83.45 | 97.75 | 90.67 | 97.03 | 66.8 | 71.64 | 85.08 | 97.96 | 14.84 | 77.05 | 95.35 | 43.27 | 82.78 |
| 6.33 | 100 | 92.49 | 97.23 | 91.59 | 97.93 | 94.21 | - | 97.32 | 93.85 | 81.29 | 73.91 | 26.53 | 84.93 | 73.02 | 36.91 | 84.95 |
| 4.99 | - | 98.91 | 100 | 94.12 | 93.39 | 56.11 | - | 100 | 100 | - | - | 100 | 84.24 | 87.65 | 20.45 | 91.44 |
| 4.47 | - | 100 | - | 100 | - | 30.91 | - | 90.62 | - | - | - | 52.34 | 79.79 | 92.11 | 17.98 | 77.97 |
| 4.65 | 93.13 | - | - | - | 99.58 | - | - | - | - | - | - | - | 87.26 | - | 12.42 | 93.32 |
| 13.34 | 54.21 | 94.65 | 82.88 | 34.72 | 69.45 | 20.21 | 33.71 | 56.58 | 74.92 | 35.91 | 31.34 | 25.83 | 89.63 | 30.64 | 68.71 | 52.48 |
| 15.05 | 81.59 | 95.29 | 93.14 | 77.63 | 84.09 | 54.87 | 86.59 | 75.83 | 69 | 59.51 | 55.42 | 35.35 | 88.15 | 60.58 | 73.13 | 72.65 |
| 13.87 | 95.83 | 95.31 | 95.09 | 88.54 | 90.95 | 73.61 | 95.78 | 80 | 78.79 | 77.37 | 66.02 | 36.33 | 93.13 | 74.77 | 74.13 | 81.54 |
| 13.54 | 97.83 | 96.89 | 97.71 | 90.53 | 92.8 | 60.08 | 99.66 | 94.06 | 90.94 | 99.55 | 95.02 | 67.38 | 91.86 | 75.09 | 65.02 | 89.24 |
| 10.84 | 99.56 | 99.09 | 99.31 | 96.48 | 97.96 | 39.53 | 100 | 90.32 | 93.66 | 100 | 96.23 | 53.33 | 89.58 | 78.16 | 54 | 88.09 |
| 6.56 | 95.45 | 99.17 | 99.36 | - | 97.45 | 100 | - | 100 | 100 | 100 | - | 100 | 94.42 | - | 26.79 | 98.59 |
| 12.27 | 58.07 | 94.91 | 85.57 | 38.34 | 68.73 | 29.27 | 28.47 | 61.58 | 78.09 | 36.12 | 30.34 | 30.65 | 94.42 | 29.55 | 69.99 | 54.58 |
| 16.18 | 83.18 | 95.77 | 93.46 | 78.28 | 80.48 | 54.32 | 82.54 | 82.41 | 71.4 | 56.02 | 51.07 | 41.58 | 93.64 | 58.58 | 76.19 | 73.05 |
| 16.22 | 92.89 | 95.55 | 95.31 | 87.67 | 88.07 | 74.34 | 94.55 | 78.93 | 78.95 | 75.7 | 60.22 | 37.9 | 96.26 | 70.87 | 77.94 | 80.51 |
| 18.51 | 96.75 | 96.5 | 97.12 | 89.6 | 93.24 | 65.48 | 98.74 | 93.06 | 87.95 | 98.62 | 84.23 | 68.9 | 93.95 | 69.35 | 75.05 | 88.11 |
| 17.67 | 98.78 | 98.46 | 98.52 | 93.3 | 96.01 | 50 | 99.6 | 94.88 | 89.88 | 100 | 90.34 | 52.04 | 93.84 | 73.43 | 71.41 | 87.79 |
| 11.18 | 97.4 | 98.59 | 98.75 | 100 | 97.4 | 100 | 100 | 100 | 99.37 | 100 | 100 | 99.03 | 96.64 | 98.91 | 45.47 | 99.01 |
| 10.72 | 61.61 | 95.64 | 88.65 | 40.49 | 68.4 | 29.02 | 25.16 | 73.48 | 79.61 | 37.52 | 31.24 | 34.29 | 96.49 | 30.16 | 70.42 | 56.55 |
| 14.72 | 84.96 | 96.27 | 95.12 | 82.99 | 76.96 | 53.15 | 80.89 | 93.58 | 71.4 | 55.06 | 50.66 | 49.79 | 95.84 | 56.97 | 78.5 | 74.55 |
| 15.76 | 91.77 | 95.76 | 96.18 | 88.79 | 86.92 | 77.69 | 95.8 | 88.15 | 78.83 | 76.67 | 58.41 | 43.25 | 96.76 | 71.82 | 80.45 | 81.91 |
| 19.26 | 98.6 | 96.67 | 97.89 | 89.45 | 93.51 | 71.2 | 98.52 | 94.67 | 85.35 | 97.39 | 72.55 | 63.36 | 95.43 | 68.16 | 79.28 | 87.34 |
| 22.02 | 98 | 98.18 | 98.33 | 91.51 | 94.66 | 57.61 | 98.51 | 95.88 | 88.58 | 98.33 | 80.69 | 53.29 | 96.24 | 72.43 | 78.86 | 87.3 |
| 18.32 | 99.06 | 98.26 | 98.49 | 100 | 97.01 | 99.42 | 100 | 100 | 98.09 | 100 | 99.1 | 95.7 | 97.92 | 83.56 | 68.91 | 97.61 |
| 10.76 | 64.19 | 96.22 | 91.1 | 41.32 | 67.18 | 27.68 | 21.29 | 76.82 | 80.66 | 38.46 | 31.7 | 36.47 | 98.12 | 29.9 | 70.25 | 57.22 |
| 14.76 | 85.84 | 96.67 | 95.98 | 85.9 | 75.38 | 50.82 | 74.22 | 95.56 | 70.62 | 52.63 | 52.52 | 51.43 | 96.83 | 56.91 | 78.82 | 74.38 |
| 15.63 | 91.95 | 95.96 | 96.88 | 90.05 | 86.52 | 75.27 | 95.55 | 93.12 | 79.52 | 75.95 | 59.36 | 46.15 | 97.82 | 71.24 | 81.45 | 82.52 |
| 19.7 | 98.63 | 96.79 | 98.54 | 91.24 | 93.62 | 68.42 | 98.1 | 98.38 | 84.64 | 96.13 | 72.49 | 62.84 | 96.25 | 65.95 | 80.12 | 87.29 |
| 23.16 | 97.49 | 98.22 | 98.68 | 94.29 | 95.37 | 61.13 | 95.82 | 97.95 | 88.36 | 99 | 76.73 | 53.23 | 97.5 | 69.25 | 79.58 | 87.36 |
| 21.42 | 99.12 | 98.2 | 98.69 | 100 | 97.17 | 98.6 | 100 | 100 | 97.93 | 100 | 95.51 | 90.48 | 98.79 | 73.43 | 73.87 | 96.28 |
| 9.9 | 73.28 | 96.72 | 95.23 | 43.1 | 69.43 | 28.57 | 14.64 | 72.73 | 81.7 | 27.72 | 44.74 | 46.97 | 99.66 | 39.21 | 71.35 | 59.55 |
| 14.05 | 91.88 | 97.42 | 98.31 | 87.41 | 76.87 | 42.17 | 69.32 | 93.38 | 69.06 | 44.01 | 63.83 | 54.4 | 99.44 | 61.76 | 79.22 | 74.95 |
| 14.49 | 93.37 | 96.56 | 98.33 | 93.98 | 87.96 | 83.21 | 97.86 | 92.25 | 83.29 | 69.44 | 66.46 | 46.54 | 99.67 | 76.59 | 83.23 | 84.68 |
| 17.89 | 99.75 | 97.28 | 99.61 | 96.9 | 96.57 | 67.21 | 97.85 | 94.37 | 76.96 | 96.15 | 74.19 | 59.2 | 99.78 | 68.87 | 81.08 | 87.48 |
| 26.31 | 97.74 | 98.32 | 99.34 | 97.66 | 97.63 | 63.01 | 82.35 | 93.43 | 88.06 | 100 | 76.79 | 57.91 | 99.78 | 71.87 | 80.55 | 87.42 |
| 20.24 | 100 | 98 | 99.33 | 100 | 99.44 | 91.67 | 100 | 100 | 96.54 | 100 | 80.09 | 88.98 | 99.87 | 71.76 | 78.79 | 94.69 |

Table S6: Evaluation at class level of the relation of the fragment length used for model creation to the accuracy of assignments for genomic fragments from unknown organisms. For every clade, the clade-specific sensitivity (class *Sn.*), specificity (class *Sp.*) of assignments for genomic fragments of different lengths from the organisms of this clade among the 340 organisms is shown. The two rightmost columns display the overall sensitivity (*Sn.*) and specificity (*Sp.*) of de novo sequence classification (Supplementary Material, 'Evaluation procedures').

| Eval With | Built On | Other | Gammapro | Sordariom | Actinobact | Thermopro | Thermopla | Thermoco | c Clostridia | Deinococc | i Bacteroide | Fusobacte | Spirochaet | Chlamydia | Methanom | i Alphaprote |
|-----------|----------|-----------|----------|-----------|------------|-----------|-----------|----------|--------------|-----------|--------------|-----------|------------|-----------|----------|--------------|
| | | Class Sn. | (%) | | | • | | | | | | | • | | | |
| 1kbGF | 1kbGF | 37.55 | 59.56 | 59.33 | 69.88 | 40.33 | 59.33 | 88 | 37.11 | 48.33 | 73.33 | 93 | 9.33 | 84.78 | 40.67 | 60.22 |
| 1kbGF | 3kbGF | 82.1 | 23.24 | 30.33 | 44.5 | 54.67 | 23.33 | 75.33 | 19.33 | 23.67 | 16.75 | 81.67 | 10.5 | 2.11 | 23.67 | 48.85 |
| 1kbGF | 5kbGF | 92.9 | 26.67 | 0 | 17.58 | 18.67 | 29.33 | 5 | 3.78 | 26 | 48 | 27.67 | 0 | 0 | 2 | 7.3 |
| 1kbGF | 10kbGF | 98.29 | 0.64 | 0 | 0.42 | 36.33 | 8.33 | 9.33 | 0 | 9.67 | 0 | 55.33 | 1.5 | 0 | 1.67 | 0 |
| 1kbGF | 15kbGF | 99.36 | 0.17 | 0 | 0.08 | 8 | 0.33 | 0 | 0 | 0 | 3.67 | 0 | 2.5 | 0 | 0 | 0 |
| 1kbGF | 50kbGF | 99.88 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3kbGF | 1kbGF | 16.21 | 74.07 | 87 | 79.04 | 51.67 | 89.67 | 97 | 52.78 | 61.67 | 89.33 | 97.67 | 8.67 | 91.44 | 58 | 76.15 |
| 3kbGF | 3kbGF | 53.86 | 76.65 | 78.67 | 82.54 | 72 | 87.33 | 96 | 58.67 | 57 | 86.75 | 99.67 | 21.5 | 86.44 | 61 | 79 |
| 3kbGF | 5kbGF | 74.55 | 80.37 | 76.67 | 81.04 | 75.67 | 86 | 95.33 | 50.11 | 55.33 | 92.67 | 96.33 | 59.17 | 84.56 | 46.33 | 80.59 |
| 3kbGF | 10kbGF | 86.79 | 73.43 | 55.33 | 71.54 | 78.33 | 68.67 | 87 | 52.11 | 48 | 82.33 | 90.33 | 21.5 | 28.22 | 31 | 57.52 |
| 3kbGF | 15kbGF | 92.62 | 63.92 | 42.33 | 66.04 | 76 | 62 | 76.33 | 40.56 | 28.33 | 89 | 49.33 | 23.67 | 5.33 | 24.67 | 32.07 |
| 3kbGF | 50kbGF | 99.79 | 6.24 | 0 | 20.71 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3.83 | 0 | 0 | 0 |
| 5kbGF | 1kbGF | 12.32 | 76.92 | 91.67 | 79.92 | 58 | 91.67 | 98 | 56 | 64.33 | 91.67 | 98.33 | 11.83 | 90.67 | 63.33 | 80.56 |
| 5kbGF | 3kbGF | 46.16 | 81.4 | 89.67 | 84.79 | 72 | 93.67 | 98 | 67.33 | 63.33 | 90.5 | 99.67 | 28.17 | 88.44 | 65.67 | 82.15 |
| 5kbGF | 5kbGF | 64.58 | 86.21 | 88.33 | 84.92 | 82 | 91.33 | 97.67 | 63.33 | 62.67 | 97.67 | 98.67 | 64.83 | 88.89 | 55 | 86.11 |
| 5kbGF | 10kbGF | 77.97 | 84.83 | 78 | 84.62 | 85.67 | 80.33 | 94.33 | 67.11 | 57.67 | 97.33 | 97 | 26.17 | 83.56 | 42.67 | 84.78 |
| 5kbGF | 15kbGF | 86.87 | 85.59 | 66 | 83.12 | 80.33 | 80.67 | 90.67 | 58.89 | 51 | 96.33 | 88.33 | 29.17 | 70.67 | 58.33 | 75.41 |
| 5kbGF | 50kbGF | 99.24 | 52.67 | 3.67 | 66.08 | 17.67 | 0 | 2.67 | 0 | 13 | 22.67 | 0 | 19.83 | 0 | 0 | 0 |
| 10kbGF | 1kbGF | 10.3 | 80.39 | 94.33 | 82.34 | 61.33 | 94 | 99 | 57.78 | 68.33 | 95 | 99.67 | 11.2 | 89.89 | 80.33 | 84.15 |
| 10kbGF | 3kbGF | 39.65 | 85.15 | 96 | 88.21 | 75 | 98.67 | 98.33 | 72.22 | 66 | 94.75 | 99.67 | 28.93 | 88.89 | 80.33 | 85.41 |
| 10kbGF | 5kbGF | 56.29 | 91.18 | 94.67 | 88.76 | 85 | 98 | 99 | 75 | 65.33 | 99 | 99.67 | 68.9 | 88.89 | 72 | 89.15 |
| 10kbGF | 10kbGF | 68.27 | 91.11 | 91.33 | 90.35 | 92.33 | 94.33 | 98.33 | 73.56 | 64.33 | 99.67 | 99.67 | 30.1 | 88.67 | 62.67 | 90.37 |
| 10kbGF | 15kbGF | 80.83 | 92.84 | 85.67 | 89.6 | 88 | 96.67 | 97.67 | 65.78 | 63.67 | 99.33 | 99.67 | 31.77 | 88.44 | 77.67 | 83.04 |
| 10kbGF | 50kbGF | 96.31 | 88.12 | 65.33 | 86.41 | 55 | 0 | 72.67 | 29.33 | 42.33 | 92 | 0.67 | 29.1 | 0 | 0 | 25.74 |
| 15kbGF | 1kbGF | 9.5 | 82.11 | 97 | 83.55 | 59 | 97.33 | 99.67 | 59.33 | 68.33 | 96.67 | 100 | 11.11 | 86.69 | 86.33 | 84.74 |
| 15kbGF | 3kbGF | 37.13 | 86.58 | 96.67 | 88.98 | 71.67 | 99.33 | 99.67 | 71.56 | 66.33 | 98.25 | 100 | 28.89 | 86.27 | 86 | 86.28 |
| 15kbGF | 5kbGF | 53.71 | 93.43 | 97 | 88.98 | 88.33 | 99.33 | 99.33 | 77.56 | 66 | 99.67 | 99.33 | 68.89 | 86.27 | 80.67 | 88.61 |
| 15kbGF | 10kbGF | 63.36 | 93.38 | 96.33 | 91.17 | 95 | 97.67 | 99.33 | 75.11 | 66 | 100 | 100 | 26.48 | 86.13 | 76.33 | 90.67 |
| 15kbGF | 15kbGF | 79.35 | 94.79 | 94 | 90.35 | 90.67 | 99 | 99.33 | 66.22 | 66 | 100 | 99.67 | 28.89 | 85.99 | 87.33 | 84.27 |
| 15kbGF | 50kbGF | 93.56 | 93.52 | 83.67 | 89.41 | 59 | 35.33 | 93.33 | 63.44 | 55.33 | 98.67 | 49.33 | 26.3 | 36.2 | 34.33 | 76.35 |
| 50kbGF | 1kbGF | 10.28 | 83.42 | 97 | 88.79 | 70.77 | 100 | 100 | 60.41 | 77.25 | 99.59 | 100 | 5.45 | 79.65 | 95.73 | 92.13 |
| 50kbGF | 3kbGF | 36.45 | 87.59 | 96.67 | 93.28 | 75.86 | 100 | 100 | 69.48 | 74.85 | 100 | 100 | 14.42 | 79.22 | 95.73 | 92.95 |
| 50kbGF | 5kbGF | 54.36 | 97.2 | 96.67 | 91.71 | 89.66 | 100 | 100 | 75.59 | 74.85 | 100 | 100 | 75 | 79.65 | 94.42 | 93.58 |
| 50kbGF | 10kbGF | 60.28 | 97.23 | 96.33 | 94.35 | 99.31 | 100 | 100 | 73.55 | 74.85 | 100 | 100 | 13.14 | 78.79 | 91.38 | 95.93 |
| 50kbGF | 15kbGF | 76.42 | 97.83 | 95.33 | 93.02 | 97.93 | 100 | 100 | 65.57 | 74.85 | 100 | 100 | 14.74 | 78.79 | 95.73 | 92.25 |
| 50kbGF | 50kbGF | 85.43 | 98.22 | 95 | 95.05 | 75.86 | 68.69 | 100 | 67.92 | 74.85 | 100 | 100 | 13.14 | 78.79 | 79.74 | 93.92 |

| Betaprote | c Deltaprote | Epsilonpro | Mollicutes | Mammalia | Insecta | Actinoptery | Bacilli | Other | Gammapro | Sordariom | Actinobact | Thermopro | Thermopla | a Thermocod | Clostridia | Deinococo | i:teroides(cla |
|-----------|--------------|------------|------------|----------|---------|-------------|---------|-----------|----------|-----------|------------|-----------|-----------|-------------|------------|-----------|----------------|
| | | | | | | | | Class Sp. | (%) | | | | | | | | |
| 76.12 | 23.33 | 87.11 | 80.56 | 82.67 | 43.67 | 46.67 | 59.81 | 29.03 | 83.75 | 25.32 | 72.44 | 42.46 | 58.75 | 53.55 | 48.2 | 38.87 | 43.39 |
| 71.08 | 18.5 | 86 | 67.22 | 85.33 | 51.33 | 43 | 22.93 | 17.86 | 95.82 | 59.87 | 94.01 | 68.33 | 97.22 | 74.34 | 92.06 | 94.67 | 93.06 |
| 33.38 | 9.83 | 86.33 | 67.56 | 77.67 | 38.67 | 65 | 0.52 | 15.11 | 94.56 | - | 98.37 | 93.33 | 91.67 | 100 | 97.14 | 86.67 | 80 |
| 1.12 | 0 | 70.11 | 51 | 55.33 | 12.33 | 56 | 0.04 | 13.58 | 100 | - | 100 | 73.15 | 100 | 100 | - | 93.55 | - |
| 0 | 0 | 62.67 | 29.78 | 56.67 | 5 | 24 | 0 | 13.32 | 100 | - | 100 | 75 | 100 | - | - | - | 100 |
| 0 | 0 | 8.89 | 26.67 | 0 | 0 | 0.67 | 0 | 13.02 | - | - | - | - | - | - | - | - | - |
| 85.25 | 26.17 | 88 | 86.22 | 93.33 | 62.33 | 77.67 | 74.67 | 44.34 | 87.77 | 20.83 | 69.49 | 54.96 | 70.05 | 52.62 | 52.03 | 39.61 | 44.22 |
| 86.33 | 38.67 | 95 | 80.89 | 96 | 64.67 | 76 | 78.7 | 39.79 | 88.62 | 51.87 | 83.98 | 85.38 | 92.58 | 61.94 | 63.16 | 86.36 | 80.51 |
| 79.62 | 39.83 | 94.89 | 85.67 | 95.67 | 67.33 | 88.33 | 75.17 | 39.72 | 91.51 | 73.95 | 90.42 | 83.46 | 91.49 | 86.93 | 85.74 | 86.91 | 80.58 |
| 74.5 | 33 | 80.67 | 84.56 | 91 | 61.67 | 88.67 | 60.69 | 28.47 | 96.7 | 82.18 | 94.7 | 90.04 | 96.26 | 93.21 | 95.52 | 87.8 | 94.27 |
| 57.21 | 17.67 | 90.78 | 78 | 89.33 | 44 | 70.67 | 48.7 | 23.23 | 99.15 | 94.07 | 98.63 | 92.68 | 100 | 92.71 | 95.05 | 98.84 | 95.7 |
| 0 | 0 | 76 | 72.56 | 0 | 0 | 43.67 | 0 | 13.89 | 100 | - | 99.8 | - | - | - | - | - | - |
| 88.08 | 24.5 | 89.44 | 86.89 | 96.33 | 60.33 | 87.67 | 76.04 | 47.47 | 89.51 | 20.88 | 68.65 | 63.04 | 75.14 | 55.79 | 55.02 | 42.98 | 42.77 |
| 89.5 | 42 | 96.67 | 85.67 | 94 | 68.33 | 87 | 84.87 | 46.44 | 88.72 | 51.43 | 81.37 | 91.14 | 95.25 | 59.76 | 63.39 | 82.25 | 74.18 |
| 83.88 | 42.33 | 96.67 | 89.56 | 94 | 72 | 94.33 | 86.33 | 48.61 | 91.31 | 64.63 | 87.69 | 88.17 | 91.64 | 76.9 | 78.84 | 84.3 | 75.71 |
| 84.67 | 38.83 | 81.33 | 90.22 | 93 | 66.33 | 92.67 | 83.89 | 42.29 | 95.17 | 76.22 | 92.61 | 95.19 | 89.93 | 86.54 | 91.93 | 86.93 | 82.95 |
| 78.79 | 27.83 | 94.44 | 83.89 | 90 | 57.67 | 82 | 81.02 | 39.03 | 98.75 | 88 | 95.27 | 95.63 | 98.78 | 81.93 | 83.73 | 99.35 | 93.53 |
| 0 | 6.5 | 79.44 | 80.44 | 4.67 | 15 | 71 | 0 | 16.65 | 99.77 | 100 | 98.75 | 100 | - | 100 | - | 100 | 100 |
| 91.04 | 24.17 | 88.22 | 87.78 | 97.67 | 72.67 | 93 | 79.43 | 56.16 | 90 | 22.57 | 67.95 | 72.73 | 84.18 | 59.64 | 57.71 | 42.01 | 43.18 |
| 93 | 46.83 | 99 | 88.04 | 96 | 77 | 93.33 | 89.11 | 52.39 | 89.05 | 51.25 | 78.73 | 97.4 | 98.34 | 58.88 | 64.68 | 85.71 | 72.47 |
| 88.88 | 45.67 | 98.33 | 92.32 | 97 | 75.67 | 98.33 | 91.5 | 58.63 | 91.66 | 58.44 | 84.37 | 92.39 | 92.16 | 73.7 | 77.41 | 83.05 | 75.77 |
| 90.62 | 42.17 | 83.22 | 93.32 | 96.67 | 81.33 | 97 | 91.02 | 52.62 | 94.44 | 74.86 | 88.97 | 96.52 | 94.97 | 79.3 | 91.82 | 84.65 | 73.65 |
| 88.21 | 35.33 | 96.44 | 85.89 | 95.33 | 73.33 | 91.33 | 91.39 | 51.81 | 98.75 | 88.62 | 93.68 | 97.42 | 99.66 | 77.72 | 82.45 | 96.46 | 89.76 |
| 28.33 | 30.17 | 81.89 | 84.13 | 79.67 | 55.67 | 89.33 | 33.94 | 23.81 | 99.17 | 99.49 | 95.15 | 100 | - | 100 | 100 | 100 | 97.18 |
| 92.33 | 26.83 | 87.67 | 90.64 | 99 | 73 | 96.67 | 82.29 | 61.4 | 90.08 | 24.11 | 66.78 | 68.6 | 89.02 | 58.4 | 59.27 | 44.86 | 44.62 |
| 94.46 | 49.33 | 99.11 | 90.47 | 97.67 | 74 | 96.33 | 90.71 | 54.1 | 89.55 | 52.73 | 76.97 | 97.73 | 99.33 | 55.06 | 64.92 | 86.15 | 74.01 |
| 90.58 | 47.67 | 98.33 | 94.65 | 99 | 77.33 | 99.33 | 92.88 | 62.18 | 91.82 | 56.29 | 82.71 | 94.98 | 91.41 | 71.98 | 78.78 | 84.62 | 79.31 |
| 91.92 | 45.17 | 83.44 | 93.65 | 99 | 83.33 | 99.33 | 92.8 | 55.75 | 94.46 | 71.89 | 87.55 | 98.28 | 91.85 | 73.4 | 91.47 | 84.26 | 69.93 |
| 89.92 | 39.17 | 97.89 | 89.46 | 99 | 72.33 | 95.33 | 92.97 | 56.24 | 99.04 | 90.38 | 92.96 | 98.19 | 99 | 75.44 | 83.83 | 95.19 | 90.36 |
| 74 | 32.83 | 83.44 | 86.29 | 92 | 68 | 94.67 | 82.12 | 40.46 | 98.53 | 95.44 | 92.76 | 100 | 100 | 100 | 99.65 | 100 | 94.57 |
| 96.23 | 30.82 | 86.36 | 91.01 | 100 | 74.67 | 96.33 | 85.49 | 69.19 | 91.63 | 35.66 | 71.23 | 65.25 | 89.19 | 61.49 | 68.32 | 39.94 | 46.85 |
| 96.99 | 60.3 | 100 | 91.01 | 99.67 | 80.33 | 96.33 | 93.43 | 57.81 | 92.92 | 60.04 | 78.94 | 94.02 | 100 | 51.2 | 69.48 | 91.24 | 72.23 |
| 95.16 | 47.75 | 99.36 | 96.63 | 99 | 79 | 99.33 | 94.61 | 73.44 | 93.53 | 60.8 | 86.38 | 93.53 | 96.84 | 72.79 | 87.5 | 80.13 | 80.65 |
| 96.03 | 48.11 | 82.68 | 96.07 | 99 | 88 | 99.33 | 96.47 | 66.1 | 95.51 | 70.15 | 91.3 | 94.74 | 90.83 | 69.48 | 94.38 | 84.46 | 70.59 |
| 93.79 | 48.76 | 99.35 | 90.45 | 99.67 | 79.33 | 96 | 94.9 | 66.57 | 99.59 | 91.96 | 94.59 | 95.95 | 97.03 | 77.54 | 91.09 | 85.62 | 90.91 |
| 93.48 | 42.44 | 84.31 | 89.33 | 99.33 | 86 | 96 | 93.4 | 60.53 | 97.2 | 79.83 | 95.71 | 100 | 100 | 100 | 99.77 | 100 | 86.71 |

| obacteria(cl | ochaetes(cl | lamydiae(cla | ethanomicro | aproteobac | aproteobact | aproteobac | conproteoba | Mollicutes | Mammalia | Insecta | Actinopteryg | Bacilli | Sn. (%) | Sp. (%) |
|--------------|-------------|--------------|-------------|------------|-------------|------------|-------------|------------|----------|---------|--------------|---------|---------|---------|
| 48.35 | 25.57 | 62.7 | 15.95 | 69.55 | 67 | 16.2 | 87.6 | 60.87 | 57.14 | 17.15 | 35.9 | 83.25 | 59.16 | 50.63 |
| 75.38 | 52.5 | 100 | 63.96 | 87.35 | 75.22 | 44.94 | 87.56 | 81.98 | 50.39 | 13.87 | 41.75 | 95.97 | 43.72 | 74.56 |
| 93.26 | - | - | 100 | 98.99 | 94.12 | 64.84 | 85.38 | 83.75 | 71.69 | 36.36 | 62.5 | 100 | 29.73 | 85.93 |
| 78.3 | 100 | - | 71.43 | - | 100 | - | 86.44 | 96.43 | 80.98 | 55.22 | 63.16 | 100 | 20.32 | 87.42 |
| - | 93.75 | - | - | - | - | - | 96.25 | 99.63 | 57.63 | 50 | 56.69 | - | 12.71 | 84.45 |
| - | - | - | - | - | - | - | 95.24 | 97.17 | 0 | - | 16.67 | - | 5.92 | 52.27 |
| 53.66 | 29.05 | 34.54 | 32.22 | 79.17 | 72.45 | 23.9 | 98.02 | 67.95 | 68.97 | 37.7 | 62.8 | 85.82 | 70.61 | 56.27 |
| 68.89 | 53.31 | 84.75 | 35.6 | 87.89 | 79.11 | 44.36 | 95.32 | 88.78 | 61.41 | 34.46 | 65.9 | 92.88 | 74.49 | 72.14 |
| 84.26 | 95.43 | 96.7 | 67.15 | 94.28 | 90.78 | 50 | 94.36 | 90.92 | 75.13 | 39.45 | 76.15 | 96 | 76.58 | 82.8 |
| 87.7 | 80.12 | 100 | 57.41 | 99.42 | 95.51 | 65.56 | 95.9 | 95.6 | 76.04 | 56.06 | 82.1 | 98.56 | 65.52 | 87.3 |
| 100 | 89.87 | 100 | 100 | 99.88 | 97.58 | 94.64 | 98.43 | 97.64 | 69.07 | 49.62 | 77.37 | 98.8 | 55.16 | 92.72 |
| - | 100 | - | - | - | - | - | 99.85 | 99.09 | 0 | - | 97.76 | - | 14.03 | 85.21 |
| 56.08 | 38.38 | 30.11 | 38.93 | 80.89 | 73.92 | 24.26 | 99.02 | 68.66 | 73.16 | 42.29 | 74.5 | 87.66 | 72.8 | 59.17 |
| 69.7 | 62.59 | 76.17 | 32.56 | 88.86 | 80.9 | 43.98 | 97.21 | 92 | 70.85 | 40.43 | 72.1 | 92.62 | 78.22 | 73.07 |
| 82.45 | 86.25 | 91.53 | 59.14 | 93.67 | 93.07 | 47.92 | 96.56 | 92.86 | 76.42 | 42.27 | 79.05 | 95.75 | 81.36 | 80.73 |
| 90.94 | 81.35 | 98.95 | 52.67 | 97.99 | 95.35 | 55.61 | 98.52 | 94.97 | 76.65 | 54.97 | 84.5 | 97.52 | 77.09 | 85.34 |
| 98.15 | 88.83 | 99.69 | 94.59 | 99.56 | 97.07 | 71.98 | 99.88 | 96.55 | 76.06 | 50.44 | 79.61 | 98.2 | 73.78 | 90.25 |
| - | 100 | - | - | - | - | 95.12 | 100 | 98.77 | 21.88 | 100 | 99.53 | - | 24.11 | 93.84 |
| 61.02 | 38.95 | 28.75 | 47.16 | 84.52 | 74.85 | 29 | 99.75 | 74.87 | 75.32 | 51.05 | 79.71 | 90.28 | 75.74 | 62.51 |
| 73.46 | 68.38 | 76.34 | 32.66 | 90.15 | 83.41 | 48.45 | 98.56 | 94.2 | 75.59 | 48.23 | 78.65 | 93.44 | 81.72 | 75.36 |
| 85.19 | 85.48 | 86.39 | 56.69 | 92.93 | 95.14 | 51.6 | 98.77 | 94.09 | 79.08 | 42.83 | 83.33 | 95.83 | 85.15 | 80.74 |
| 94.62 | 84.11 | 95.91 | 46.77 | 94.83 | 96.15 | 55 | 99.47 | 95.49 | 74.94 | 52.81 | 88.45 | 97.44 | 83.06 | 84.33 |
| 97.39 | 90.48 | 98.03 | 80.34 | 97.14 | 96.23 | 61.27 | 99.77 | 96.74 | 78.57 | 49.89 | 84.57 | 97.3 | 82.52 | 88.74 |
| 100 | 96.67 | - | - | 100 | 100 | 86.19 | 100 | 98.82 | 89.18 | 93.3 | 98.17 | 99.95 | 50.7 | 97.54 |
| 64.52 | 42.25 | 24.93 | 53.07 | 84.24 | 74.97 | 33.97 | 99.87 | 74.76 | 75 | 54.89 | 86.05 | 92.03 | 76.95 | 63.92 |
| 78.12 | 70.91 | 73.7 | 33.86 | 90.02 | 84.46 | 48.52 | 99.66 | 94.25 | 75.32 | 48.9 | 85.25 | 94.37 | 82.42 | 76.08 |
| 86.63 | 86.92 | 82.93 | 56.67 | 91.45 | 96.19 | 50.8 | 98.88 | 94.02 | 79.2 | 46.87 | 88.96 | 96.79 | 86.39 | 81.28 |
| 95.85 | 81.71 | 93.95 | 48.11 | 93.65 | 97.18 | 56.46 | 99.73 | 94.59 | 73.51 | 54.11 | 94.6 | 97.26 | 84.59 | 83.81 |
| 97.39 | 91.76 | 90.78 | 76.38 | 96.03 | 96.08 | 62.83 | 100 | 97.1 | 77.34 | 50.23 | 92.56 | 97.23 | 84.43 | 88.64 |
| 100 | 95.95 | 100 | 100 | 100 | 99.78 | 78.49 | 100 | 99.04 | 93.56 | 91.07 | 99.3 | 99.71 | 69.61 | 97.17 |
| 62.81 | 34.69 | 14.63 | 62.27 | 86.59 | 73.25 | 47.28 | 100 | 77.51 | 75 | 62.57 | 96.01 | 93.13 | 79.19 | 66.15 |
| 81.17 | 76.27 | 63.32 | 45.9 | 92.84 | 84.77 | 59.41 | 100 | 97.01 | 75.51 | 55.4 | 96.66 | 93.04 | 84.11 | 78.7 |
| 86.81 | 91.41 | 72.73 | 61.72 | 93.15 | 97.8 | 58.38 | 100 | 95.03 | 76.55 | 51.08 | 95.82 | 96.34 | 88.41 | 83.13 |
| 98.43 | 91.11 | 87.08 | 60.23 | 93.52 | 98.07 | 60.26 | 100 | 96.07 | 74.62 | 56.41 | 99.67 | 96.85 | 86.12 | 85.17 |
| 99.21 | 100 | 54.17 | 77.52 | 95.85 | 96.19 | 73.29 | 100 | 97.58 | 75.13 | 55.22 | 98.63 | 94.69 | 86.29 | 88.26 |
| 100 | 95.35 | 100 | 99.46 | 99.76 | 99.46 | 72.4 | 100 | 99.38 | 83.94 | 83.5 | 100 | 99.06 | 83.08 | 95.07 |

Table S7: Evaluation at order level of the relation of the fragment length used for model creation to the accuracy of assignments for genomic fragments from unknown organisms. For every clade, the clade-specific sensitivity (class *Sn*.), specificity (class *Sp*.) of assignments for genomic fragments of different lengths from the organisms of this clade among the 340 organisms is shown. The two rightmost columns display the overall sensitivity (*Sn*.) and specificity (*Sp*.) of de novo sequence classification (Supplementary Material, 'Evaluation procedures').

| Eval With | Built | Other | Chroococc | Nostocales | Prochlorale | Xanthomo | r Vibrionales | Pasteurella | Spirochaet | Bacillales | Bacteroida | Clostridiale | Lactobacill | Fusobacte | Actinomyce | Rhodospiri |
|-----------|--------|-----------|-----------|------------|-------------|----------|---------------|-------------|------------|------------|------------|--------------|-------------|-----------|------------|------------|
| | | Class Sn. | (%) | | | | | | • | | | | | | | |
| 1kbGF | 1kbGF | 33.39 | 38.33 | 82.67 | 51.67 | 71.33 | 81.67 | 77.42 | 8.5 | 64.96 | 74.67 | 42.17 | 62.04 | 92.67 | 73.19 | 13.33 |
| 1kbGF | 3kbGF | 85.22 | 29.67 | 53 | 6 | 38.33 | 11.67 | 51.92 | 10.17 | 12.71 | 46 | 21.5 | 36.67 | 75.67 | 34.52 | 0.67 |
| 1kbGF | 5kbGF | 95.56 | 14.33 | 4.33 | 0 | 9.5 | 0.33 | 8.42 | 0 | 0.04 | 6.33 | 2.83 | 36.78 | 27.33 | 11 | 0 |
| 1kbGF | 10kbGF | 98.64 | 0 | 0 | 0 | 1 | 0 | 1.08 | 0.83 | 0 | 0 | 0.17 | 6.78 | 34 | 0.05 | 0 |
| 1kbGF | 15kbGF | 98.9 | 0.33 | 0 | 0 | 0 | 0 | 2.92 | 2.67 | 0 | 0 | 0 | 10.59 | 0 | 0 | 0 |
| 1kbGF | 50kbGF | 99.99 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3kbGF | 1kbGF | 14.22 | 53.33 | 98 | 63.67 | 80 | 97.67 | 91.25 | 6.17 | 78.42 | 92 | 48.33 | 71.26 | 95.33 | 82.67 | 8 |
| 3kbGF | 3kbGF | 53.78 | 79.67 | 93.67 | 65 | 85.67 | 92.33 | 91.33 | 24.33 | 80.17 | 88.75 | 57.5 | 80.07 | 97.67 | 86.86 | 7 |
| 3kbGF | 5kbGF | 77.38 | 79.67 | 92.67 | 60 | 81.17 | 74 | 90.17 | 58.17 | 79 | 94.33 | 54.83 | 77.7 | 96 | 83.43 | 6.67 |
| 3kbGF | 10kbGF | 94.36 | 44.33 | 79 | 30.33 | 77.83 | 58 | 86 | 20.33 | 44.62 | 82.67 | 55.33 | 76.89 | 89.33 | 74.19 | 27 |
| 3kbGF | 15kbGF | 96.14 | 18 | 25 | 0 | 58.17 | 23 | 70.92 | 20.33 | 11.58 | 61.33 | 43 | 77.63 | 0 | 53.29 | 3.33 |
| 3kbGF | 50kbGF | 00 39.67 | 0 | 14.67 | 0 | 2.5 | 0 | 0 | 3.5 | 0 | 0 | 0 | 35.44 | 0 | 11.76 | 0 |
| 5kbGF | 1kbGF | .46 88.36 | 59 | 100 | 61.33 | 82.5 | 99 | 94.67 | 9 | 81.17 | 94.33 | 51.5 | 76.93 | 97.67 | 84.86 | 6.67 |
| 5kbGF | 3kbGF | 81.37 10 | 88 | 99 | 68.67 | 87.83 | 98.33 | 95.17 | 30.33 | 85.83 | 94 | 61.17 | 84 | 99 | 88.95 | 9.67 |
| 5kbGF | 5kbGF | 63.24 | 89.33 | 98 | 67.67 | 84.5 | 85 | 96.17 | 64.83 | 88.83 | 97.67 | 62.83 | 84 | 97.67 | 87.67 | 7.67 |
| 5kbGF | 10kbGF | 86.19 | 60.33 | 97.33 | 61.67 | 90.17 | 90.33 | 96.08 | 26 | 79.38 | 97.67 | 61.67 | 85.63 | 96 | 91.14 | 31.67 |
| 5kbGF | 15kbGF | 91.4 | 29 | 88 | 0 | 88.17 | 82.33 | 87.67 | 26.83 | 55.96 | 94.67 | 57.5 | 87.15 | 3.67 | 79.9 | 11.67 |
| 5kbGF | 50kbGF | 99.54 | 31 | 62.33 | 3.33 | 34.33 | 10.67 | 20.58 | 19.83 | 0 | 24.33 | 0 | 73.93 | 0 | 60.81 | 6.67 |
| 10kbGF | 1kbGF | 11.98 | 63 | 100 | 60 | 82.17 | 99.33 | 96.42 | 10.87 | 85.12 | 96.67 | 53.5 | 80.33 | 99 | 86.8 | 4.33 |
| 10kbGF | 3kbGF | 33.39 | 95.67 | 99.67 | 69.33 | 89.83 | 99 | 97.5 | 27.26 | 89.71 | 96.75 | 63.5 | 88.26 | 99.67 | 92.32 | 13.67 |
| 10kbGF | 5kbGF | 52.46 | 96 | 100 | 69.67 | 88 | 93.33 | 97.75 | 67.56 | 94.17 | 99.33 | 69.5 | 87.78 | 99.67 | 91.31 | 6.67 |
| 10kbGF | 10kbGF | 76.33 | 65.33 | 99.67 | 67.33 | 93.67 | 97.67 | 98.67 | 28.93 | 89.38 | 99.67 | 64.83 | 90.48 | 99 | 97.31 | 32.67 |
| 10kbGF | 15kbGF | 83.84 | 35 | 98 | 62.67 | 95.33 | 97 | 95.08 | 30.27 | 78 | 100 | 64 | 92.07 | 95.67 | 86.32 | 24.67 |
| 10kbGF | 50kbGF | 97.94 | 60.67 | 96 | 34.67 | 82.5 | 74.67 | 83.25 | 29.26 | 10.12 | 91.67 | 20 | 88.37 | 1.33 | 90.98 | 29.67 |
| 15kbGF | 1kbGF | 11.72 | 63.33 | 100 | 61.33 | 80.67 | 100 | 97.92 | 10 | 86.33 | 96.33 | 56.67 | 82.54 | 100 | 86.75 | 3.67 |
| 15kbGF | 3kbGF | 30.34 | 96.67 | 100 | 68.33 | 90.83 | 100 | 98.92 | 26.67 | 90.42 | 98.5 | 65.83 | 89.56 | 100 | 92.09 | 16.67 |
| 15kbGF | 5kbGF | 49.11 | 97.67 | 100 | 69 | 88 | 95.67 | 99.25 | 68.89 | 95.38 | 99.67 | 69.67 | 88.97 | 100 | 91.79 | 6.67 |
| 15kbGF | 10kbGF | 72.12 | 66 | 100 | 67.33 | 95 | 99.33 | 99.58 | 26.48 | 91.08 | 100 | 65.5 | 91.49 | 99.67 | 97.53 | 33.33 |
| 15kbGF | 15kbGF | 80.31 | 36 | 100 | 66 | 97.5 | 99.67 | 98.25 | 27.59 | 79.88 | 100 | 66.33 | 93.61 | 99.67 | 85.61 | 31.33 |
| 15kbGF | 50kbGF | 96.35 | 65.67 | 100 | 49.67 | 89.83 | 91 | 91.5 | 26.48 | 71.21 | 98.67 | 59.17 | 92.57 | 55.67 | 94.96 | 31.67 |
| 50kbGF | 1kbGF | 12 | 50.49 | 100 | 55.17 | 72.57 | 100 | 98.97 | 4.81 | 88.55 | 99.59 | 59.2 | 83.01 | 100 | 91.06 | 3.25 |
| 50kbGF | 3kbGF | 30.1 | 99.46 | 100 | 58.62 | 94.07 | 100 | 99.79 | 14.74 | 93.04 | 100 | 65.55 | 92.83 | 100 | 95.22 | 20.73 |
| 50kbGF | 5kbGF | 50.79 | 99.46 | 100 | 59.48 | 91.11 | 97.67 | 100 | 73.72 | 97.31 | 100 | 69.58 | 88.21 | 100 | 94.78 | 21.14 |
| 50kbGF | 10kbGF | 70.12 | 56.65 | 100 | 58.62 | 95.81 | 99.64 | 100 | 13.14 | 92.52 | 100 | 61.28 | 92.83 | 100 | 99.13 | 37.8 |
| 50kbGF | 15kbGF | 75.53 | 34.96 | 100 | 58.62 | 98.77 | 100 | 100 | 14.42 | 81.68 | 100 | 61.93 | 96.95 | 100 | 89.25 | 37.8 |
| 50kbGF | 50kbGF | 92.21 | 56.65 | 100 | 58.62 | 95.14 | 99.64 | 99.59 | 13.14 | 89.78 | 100 | 61.5 | 95.52 | 100 | 99.57 | 37.4 |

| Rhodobact | Neisseriale | Mycoplasm | Campyloba | Thermoco | Thermopla | Rhizobiale | Chlamydia | I Desulfuron | Diptera | Pseudomo | Rickettsial | Burkholde | r Enterobact | t Methanos | a Other | Chroococc |
|-----------|-------------|-----------|-----------|----------|-----------|------------|-----------|--------------|---------|----------|-------------|-----------|--------------|------------|-----------|-----------|
| | | | | | | | | | | | | | | | Class Sp. | (%) |
| 33.33 | 77 | 67.17 | 88.78 | 91 | 66 | 56.89 | 84.78 | 62.33 | 65 | 48.56 | 84.11 | 73.07 | 66.75 | 43.67 | 49.75 | 32.95 |
| 29.67 | 75.67 | 46.33 | 87.44 | 71.67 | 51 | 3.22 | 1 | 34.67 | 70.67 | 16.56 | 25.44 | 57.4 | 15.08 | 25.33 | 27.95 | 71.77 |
| 24.67 | 68.83 | 39.83 | 79.22 | 5 | 32.33 | 0 | 0 | 27.67 | 37.33 | 2.22 | 0.44 | 16.8 | 0.75 | 2 | 24.7 | 72.88 |
| 0 | 0.5 | 8.17 | 62 | 2 | 1.33 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0.17 | 0 | 22.9 | - |
| 0 | 0 | 0.5 | 48.78 | 0 | 0.33 | 0 | 0 | 0 | 0 | 0.89 | 0 | 0 | 0 | 0 | 22.76 | 100 |
| 0 | 16.67 | 0 | 28.22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22.68 | - |
| 46 | 78.17 | 74 | 90.22 | 98 | 89.33 | 73.78 | 89.33 | 77 | 78.33 | 62.22 | 91.22 | 82.4 | 81.39 | 56 | 66.97 | 43.13 |
| 54.33 | 80.67 | 60.5 | 96.22 | 97.67 | 90.33 | 71.44 | 87.22 | 66.67 | 77 | 63.78 | 89.67 | 85.27 | 88.11 | 62.33 | 62.38 | 63.56 |
| 59 | 80.83 | 62.83 | 97.11 | 96 | 87.33 | 81 | 84 | 65.67 | 71.33 | 63.67 | 84.33 | 85.87 | 82.44 | 42 | 57.54 | 62.89 |
| 50 | 76.83 | 50.5 | 80.33 | 83 | 64.67 | 56 | 31.89 | 48 | 44 | 43.33 | 45.78 | 67.8 | 69.36 | 22 | 42.82 | 82.1 |
| 38.33 | 74.5 | 47.33 | 87 | 24 | 60 | 0 | 5.89 | 32 | 39.67 | 43.67 | 4.56 | 39.27 | 41.14 | 24.67 | 32.46 | 50.94 |
| 0.67 | 65.67 | 2.83 | 73.56 | 0 | 0 | 0 | 0 | 0 | 0 | 0.11 | 0 | 0 | 1.69 | 0 | 24.26 | - |
| 49.33 | 79.33 | 77 | 90.22 | 99 | 92.67 | 75.44 | 89.11 | 81.33 | 75.67 | 65.33 | 92.67 | 85.87 | 84.06 | 62.33 | 73.32 | 45.62 |
| 58.33 | 82.33 | 65.33 | 96.78 | 99 | 95.67 | 74.11 | 88.67 | 72 | 81.67 | 70.33 | 91.22 | 90.47 | 90 | 67.67 | 69.44 | 64.39 |
| 68 | 82.17 | 66.83 | 97.89 | 97.67 | 92.67 | 94 | 88.67 | 73.33 | 72 | 73.22 | 92.56 | 91.33 | 88.94 | 53.67 | 67.83 | 63.81 |
| 60 | 80.5 | 57.33 | 80.56 | 93 | 80 | 90.78 | 84.67 | 65.67 | 58.67 | 62.56 | 84.44 | 85.8 | 89.75 | 42 | 61.36 | 71.26 |
| 53.67 | 79.5 | 59 | 92.78 | 83.33 | 78 | 5.89 | 69.44 | 57.67 | 56.33 | 60.44 | 64.89 | 73.73 | 85.59 | 56 | 47.82 | 47.8 |
| 35 | 74 | 23 | 78.11 | 1.33 | 17 | 0 | 0.22 | 2.67 | 7.67 | 19 | 0.56 | 0 | 37.67 | 0 | 28.94 | 100 |
| 55 | 82 | 79.77 | 88.78 | 99.33 | 92.33 | 77.11 | 89.22 | 91 | 85.33 | 70.22 | 95.56 | 88.73 | 87.35 | 80.33 | 76.33 | 51.92 |
| 63.67 | 83.33 | 72.78 | 98.78 | 99.33 | 97.33 | 76.89 | 88.78 | 78.33 | 85.67 | 73 | 93.67 | 93.33 | 92.19 | 82.33 | 76.16 | 65.23 |
| 74.33 | 83.17 | 73.16 | 99 | 99.33 | 97 | 97.22 | 88.89 | 77.67 | 76 | 75.11 | 96.67 | 93.8 | 91.98 | 73.33 | 76.85 | 66.21 |
| 63.33 | 82.67 | 65.78 | 82.22 | 97 | 92.67 | 98.22 | 88.67 | 74.67 | 74.67 | 71.56 | 91.33 | 92.6 | 94.46 | 67 | 73.13 | 64.9 |
| 61.33 | 83.17 | 68.62 | 97.78 | 95.33 | 94 | 95.89 | 88.56 | 70 | 69.67 | 70.44 | 88.67 | 87.4 | 94.64 | 80 | 65.42 | 47.51 |
| 58.67 | 79.5 | 47.45 | 81.11 | 68 | 52.33 | 5.44 | 59.44 | 46.33 | 39 | 61.78 | 61.78 | 12.6 | 87.79 | 0 | 41.19 | 94.79 |
| 53.67 | 82.5 | 81.23 | 90.11 | 99.67 | 97.33 | 77.44 | 86.27 | 92 | 82.33 | 72.78 | 96.03 | 90.27 | 89.54 | 86.67 | 78.01 | 53.98 |
| 62.33 | 83.33 | 76.35 | 99.22 | 100 | 99 | 77.44 | 86.27 | 81 | 85.33 | 74.78 | 93.38 | 93.53 | 93.4 | 88.33 | 78.02 | 65.61 |
| 75 | 83.33 | 76.35 | 99.67 | 100 | 99 | 96.78 | 86.27 | 79.67 | 75.33 | 76 | 98.28 | 93.73 | 93.07 | 84 | 80.07 | 69.93 |
| 64.33 | 83 | 70.44 | 82 | 99 | 97 | 98.78 | 86.13 | 79 | 74.67 | 72.89 | 92.45 | 93.93 | 95.43 | 78 | 76.73 | 62.66 |
| 60.67 | 83.33 | 72.24 | 99 | 98.67 | 98.67 | 98.78 | 86.27 | 72.67 | 71.33 | 74.33 | 89.14 | 90.6 | 95.68 | 86.67 | 68.42 | 45.96 |
| 59.33 | 80.33 | 49.61 | 83.33 | 88.67 | 66.33 | 68.22 | 79.2 | 60 | 52 | 70.78 | 83.44 | 66.27 | 93.28 | 33.33 | 57.49 | 87.95 |
| 53.76 | 69.65 | 83.62 | 88.64 | 100 | 97.98 | 90.13 | 79.22 | 92.69 | 77.67 | 84.45 | 98.23 | 92.97 | 92.9 | 96.09 | 83.76 | 52.26 |
| 63.91 | 69.65 | 77.59 | 100 | 100 | 100 | 89.44 | 79.22 | 85.77 | 82.67 | 84.45 | 94.69 | 94.14 | 94.72 | 96.44 | 81.58 | 73.2 |
| 80.45 | 69.65 | 78.45 | 100 | 100 | 100 | 98.96 | 79.65 | 86.92 | 65.67 | 84.93 | 99.56 | 93.72 | 94.62 | 94.82 | 85.27 | 76.25 |
| 65.04 | 69.65 | 71.55 | 80.72 | 100 | 100 | 99.86 | 78.79 | 84.23 | 78.67 | 83.35 | 96.9 | 94.97 | 97.13 | 94.4 | 82.58 | 67.69 |
| 64.66 | 69.65 | 74.14 | 100 | 100 | 100 | 99.87 | 79.22 | 79.62 | 75 | 85.05 | 96.02 | 92.83 | 97 | 95.73 | 72.63 | 47.02 |
| 63.53 | 69.65 | 56.9 | 83.33 | 99.07 | 90.91 | 99.86 | 78.79 | 68.46 | 67 | 84.33 | 88.94 | 94.48 | 97.07 | 77.59 | 73.61 | 81.48 |

| Nostocales | Prochloral | e Xanthomor | Vibrionales | s Pasteurella | Spirochaet | Bacillales | Bacteroida | Clostridiale | Lactobacilla | Fusobacte | Actinomyc | Rhodospir | Rhodobact | Neisseriale | Mycoplasn | r Campyloba |
|------------|------------|-------------|-------------|---------------|------------|------------|------------|--------------|--------------|-----------|-----------|-----------|-----------|-------------|-----------|-------------|
| 49.11 | 28.6 | 46.12 | 27.22 | 73.32 | 29.14 | 77.68 | 44.8 | 41.89 | 81.75 | 66.03 | 73.61 | 9.35 | 34.01 | 78.71 | 45.28 | 90.38 |
| 78.71 | 90 | 81.27 | 85.37 | 96.74 | 49.19 | 93.85 | 80.7 | 86.58 | 92.96 | 79.93 | 96.41 | 5.41 | 60.96 | 75.29 | 48.6 | 87.06 |
| 92.86 | - | 95 | 100 | 100 | - | 100 | 90.48 | 100 | 91.61 | 92.13 | 99.14 | - | 50.68 | 86.04 | 67.9 | 97.94 |
| - | - | 100 | - | 100 | 100 | - | - | 100 | 98.39 | 96.23 | 100 | - | - | 100 | 94.23 | 91.63 |
| - | - | - | - | 100 | 94.12 | - | - | - | 72.59 | - | - | - | - | - | 100 | 98.21 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 100 | - | 98.83 |
| 47.65 | 25.3 | 58.11 | 22.35 | 82.45 | 36.27 | 80.22 | 48.17 | 45.1 | 88.01 | 69.76 | 69.94 | 5.87 | 53.91 | 93.99 | 50.86 | 98.9 |
| 78.06 | 54.78 | 66.58 | 43.9 | 87.26 | 54.89 | 86.59 | 78.02 | 47.85 | 90.8 | 79.19 | 82.65 | 6.54 | 59.49 | 86.27 | 55.76 | 97.09 |
| 85.8 | 85.31 | 78.8 | 58.89 | 93.84 | 97.21 | 92.35 | 86.02 | 70.45 | 94.42 | 86.23 | 88.71 | 20.83 | 74.06 | 92.03 | 59.37 | 97.65 |
| 89.43 | 100 | 84.91 | 89.23 | 98.66 | 81.88 | 98.17 | 93.58 | 90.22 | 95.27 | 97.81 | 96.05 | 67.5 | 92.02 | 99.57 | 85.11 | 97.18 |
| 100 | - | 96.41 | 95.83 | 98.84 | 82.99 | 99.29 | 99.46 | 88.36 | 91.37 | - | 99.29 | 14.71 | 98.29 | 99.33 | 84.27 | 98.37 |
| 97.78 | - | 100 | - | - | 100 | - | - | - | 99.17 | - | 99.6 | - | 100 | 99.75 | 100 | 100 |
| 50.76 | 25.24 | 63.79 | 22.57 | 85.67 | 50.47 | 82.51 | 46.24 | 46.75 | 90.82 | 70.43 | 70.8 | 5.13 | 59.68 | 97.14 | 51.74 | 99.75 |
| 75.57 | 48.58 | 71.22 | 37.15 | 85.86 | 65.7 | 85.44 | 74.31 | 43.85 | 90.72 | 82.73 | 78.59 | 7.69 | 63.87 | 88.37 | 55.21 | 98.42 |
| 83.05 | 64.44 | 76.01 | 48.66 | 91.95 | 87.61 | 89.73 | 80.72 | 56.44 | 94.82 | 82.77 | 83.42 | 11.98 | 77.57 | 94.44 | 56.96 | 98.77 |
| 78.49 | 97.88 | 81.97 | 67.75 | 97.38 | 79.19 | 96.36 | 83.24 | 87.89 | 95.07 | 97.3 | 93.59 | 42.04 | 88.67 | 99.59 | 77.48 | 98.37 |
| 99.25 | - | 94.63 | 90.48 | 96.87 | 88.95 | 98.82 | 97.26 | 79.31 | 93.11 | 100 | 96.66 | 20.23 | 99.38 | 98.55 | 73.75 | 99.29 |
| 97.91 | 100 | 98.56 | 100 | 100 | 100 | - | 100 | - | 98.37 | - | 98.38 | 100 | 100 | 100 | 97.18 | 100 |
| 52.08 | 27.03 | 66.98 | 23.24 | 86.99 | 59.09 | 85.27 | 48.17 | 55.25 | 95.22 | 77.34 | 71.56 | 3.64 | 61.34 | 99.19 | 53.62 | 99.5 |
| 74.01 | 46.95 | 77.11 | 33.79 | 84.17 | 65.73 | 86.4 | 73.85 | 41.78 | 91.48 | 86.17 | 74.81 | 9.47 | 68.46 | 93.46 | 57.81 | 99.55 |
| 78.12 | 58.38 | 77.42 | 41 | 89.95 | 86.88 | 88.63 | 80.98 | 49.7 | 94.99 | 87.43 | 79.26 | 7.35 | 76.37 | 97.08 | 58.11 | 99.44 |
| 67.49 | 93.09 | 83.76 | 52.14 | 96.42 | 79 | 95.04 | 72.05 | 87.02 | 96.75 | 100 | 89.93 | 32.13 | 83.33 | 99.4 | 72.96 | 99.73 |
| 95.15 | 100 | 89.38 | 74.05 | 95.24 | 89.6 | 97.75 | 91.19 | 73.7 | 95.32 | 99.31 | 92.92 | 22.63 | 99.46 | 99.6 | 67.47 | 99.77 |
| 88.62 | 100 | 92.7 | 94.12 | 100 | 97.77 | 100 | 97.17 | 100 | 98.64 | 100 | 96.39 | 95.7 | 100 | 100 | 95.8 | 100 |
| 53.1 | 28.84 | 69.34 | 23.75 | 85.77 | 58.7 | 86.8 | 48.98 | 62.5 | 96.78 | 82.87 | 70.33 | 3.18 | 60.3 | 99.6 | 52.84 | 99.88 |
| 74.07 | 48.69 | 81.46 | 33.19 | 83.71 | 66.98 | 86.28 | 74.62 | 43.41 | 93.23 | 92.31 | 72.62 | 11.04 | 63.82 | 94.52 | 56.46 | 100 |
| 77.52 | 54.33 | 81.99 | 38.84 | 89.08 | 85.52 | 88.55 | 84.7 | 49.76 | 96.11 | 86.96 | 76.82 | 6.97 | 74.01 | 98.23 | 57.12 | 99.89 |
| 65.08 | 90.99 | 86.89 | 46.27 | 96.53 | 77.3 | 94.39 | 66.96 | 85.43 | 97.16 | 100 | 87.76 | 30.49 | 83.91 | 99.4 | 69.9 | 99.86 |
| 95.54 | 100 | 89.86 | 65.14 | 92.04 | 89.76 | 97.86 | 91.46 | 75.52 | 96.89 | 99.01 | 90.96 | 25.2 | 98.91 | 100 | 64.01 | 99.89 |
| 85.96 | 100 | 91.82 | 87.22 | 99.91 | 97.28 | 100 | 93.08 | 100 | 98.38 | 100 | 95.05 | 82.61 | 98.89 | 100 | 94.61 | 100 |
| 58.59 | 24.52 | 78.28 | 31.01 | 83.68 | 55.56 | 88.06 | 51.36 | 73.68 | 97.85 | 85.03 | 74.64 | 2.96 | 51.62 | 100 | 55.11 | 100 |
| 75.19 | 35.79 | 92.93 | 39.49 | 78.01 | 75.41 | 88.59 | 75.55 | 52.16 | 88.69 | 96.15 | 76.23 | 12.38 | 72.96 | 87.2 | 57.69 | 100 |
| /6.92 | 37.1 | 89.35 | 42.96 | 87.28 | 92 | 86.46 | 92.88 | 58.14 | 96.87 | 89.93 | 80.74 | 19.33 | /9.26 | 94.78 | 57.96 | 100 |
| 60.85 | /3.12 | 93.74 | 46.19 | 93.12 | 85.42 | 93.27 | 67.87 | 89.94 | 98.57 | 100 | 91.25 | 29.71 | 82.38 | 100 | 68.03 | 100 |
| 91.74 | /6.4 | 84.21 | 60.74 | 87.28 | 100 | 96.27 | 91.46 | 81.79 | 97.91 | 99.21 | 92.35 | 27.68 | 100 | 99.54 | 62.77 | 100 |
| /9.16 | 100 | 95.99 | /4.4 | 99.39 | 95.35 | 98.44 | 86.46 | 98.93 | 95.26 | 100 | 96.28 | 53.8 | 98.83 | 100 | 86.84 | 100 |

| Thermocod | c Thermopla | Rhizobiales | Chlamydia | Desulfuron | Diptera | Pseudomo | Rickettsiale | Burkholder | Enterobact | t Methanosarcinales | Sn. (%) | Sp. (%) |
|-----------|-------------|-------------|-----------|------------|---------|----------|--------------|------------|------------|---------------------|---------|---------|
| 47.4 | 59.28 | 55.96 | 69.55 | 27.66 | 19.27 | 43.31 | 64.43 | 73.26 | 88.51 | 15.5 | 62.55 | 51.52 |
| 73.88 | 87.43 | 96.67 | 100 | 86.67 | 20.25 | 77.6 | 91.24 | 89.59 | 99.27 | 61.79 | 37.5 | 77.42 |
| 100 | 89.81 | - | - | 76.15 | 34.89 | 100 | 100 | 98.82 | 100 | 100 | 18.46 | 89.01 |
| 100 | 100 | - | - | 75 | 0 | - | - | - | 100 | - | 7.26 | 90.36 |
| - | 100 | - | - | - | - | 100 | - | - | - | - | 5.53 | 95.61 |
| - | - | - | - | - | - | - | - | - | - | - | 4.83 | 99.42 |
| 45.51 | 65.69 | 48.72 | 49.17 | 26.01 | 28.28 | 47.18 | 67.24 | 75.83 | 92.05 | 21.79 | 71.59 | 54.74 |
| 62.74 | 89.44 | 74.85 | 87.81 | 65.79 | 28.24 | 60.55 | 81.52 | 86.48 | 95.08 | 35.76 | 75.17 | 68.54 |
| 88.62 | 84.24 | 92.87 | 98.31 | 67.24 | 36.83 | 79.03 | 94.29 | 90.83 | 97.95 | 69.23 | 74.95 | 80.15 |
| 93.61 | 95.1 | 95.82 | 100 | 75.39 | 69.47 | 92.2 | 100 | 97.32 | 99.32 | 92.96 | 59.12 | 91.38 |
| 100 | 100 | - | 100 | 98.97 | 62.96 | 81.37 | 100 | 99.16 | 99.87 | 100 | 37.46 | 90 |
| - | - | - | - | - | - | 100 | - | - | 100 | - | 10.41 | 99.66 |
| 46.19 | 66.67 | 47.15 | 45.99 | 26.81 | 29.48 | 48.43 | 72.46 | 76.85 | 93.17 | 26.3 | 73.69 | 56.71 |
| 58.58 | 92.28 | 71.11 | 81.35 | 58.38 | 31.45 | 58.94 | 81.45 | 84.55 | 94.82 | 33.61 | 78.55 | 67.73 |
| 76.3 | 88.82 | 83.27 | 94.66 | 65.87 | 35.47 | 70.71 | 92.25 | 88.44 | 96.16 | 61.45 | 80.27 | 75.74 |
| 87.46 | 93.02 | 89.09 | 99.22 | 69.37 | 64.47 | 81.83 | 98.57 | 94.63 | 97.82 | 73.26 | 75.57 | 85.6 |
| 99.21 | 99.57 | 100 | 100 | 95.05 | 59.72 | 78.16 | 100 | 98.22 | 99.65 | 93.85 | 62.01 | 89.21 |
| 100 | 100 | - | 100 | 100 | 100 | 99.42 | 100 | - | 100 | - | 24.79 | 99.56 |
| 45.5 | 70.13 | 48.19 | 44.07 | 29.61 | 31.8 | 50.12 | 77.2 | 77.07 | 93.67 | 33.29 | 76.39 | 59.24 |
| 52.84 | 93.89 | 68.31 | 80.38 | 54.78 | 34.27 | 56.54 | 81.84 | 84.64 | 95.92 | 32.85 | 81.16 | 67.81 |
| 69.14 | 91.22 | 77.64 | 93.68 | 68.53 | 36.83 | 66.73 | 90.34 | 86.69 | 95.82 | 61.28 | 83.66 | 74.32 |
| 76.38 | 92.98 | 81.47 | 96.38 | 62.4 | 59.73 | 78.06 | 94.16 | 90.96 | 97 | 57.59 | 81.26 | 81.11 |
| 90.79 | 99.3 | 96.75 | 98.15 | 90.13 | 53.18 | 75.84 | 99.13 | 97.18 | 99.28 | 86.02 | 79.45 | 86.75 |
| 100 | 100 | 100 | 100 | 98.58 | 99.15 | 96.7 | 100 | 100 | 99.97 | - | 55.08 | 98.07 |
| 42.53 | 72.82 | 47.45 | 38.56 | 31.4 | 30.95 | 51.13 | 77.96 | 78.36 | 94.19 | 35.96 | 77.17 | 59.96 |
| 47.85 | 95.19 | 68 | 77.56 | 55.35 | 34.83 | 55.8 | 80.11 | 83.81 | 95.81 | 34.87 | 81.95 | 67.97 |
| 63.97 | 93.99 | 77.49 | 90.94 | 74.22 | 36.99 | 63.51 | 87.91 | 86.52 | 95.32 | 59.29 | 84.54 | 74.02 |
| 69.72 | 92.38 | 78.46 | 92.96 | 66.95 | 58.64 | 76.28 | 91.6 | 90.44 | 96.73 | 57.64 | 82.38 | 79.75 |
| 80.22 | 99 | 93.78 | 94.24 | 91.21 | 52.07 | 74.75 | 97.82 | 97.14 | 99.32 | 83.07 | 81.33 | 85.54 |
| 100 | 100 | 100 | 100 | 95.74 | 93.41 | 92.45 | 100 | 100 | 99.61 | 100 | 71.62 | 96.34 |
| 31.2 | 52.15 | 53.34 | 20.96 | 37.31 | 33.29 | 56 | 76.82 | 83.06 | 95.3 | 45.15 | 77.22 | 60.3 |
| 38.08 | 96.84 | 67.31 | 70.11 | 60.76 | 37.46 | 59.25 | 76.7 | 88.75 | 97.2 | 42.34 | 82.56 | 69.39 |
| 59.12 | 97.87 | 80.47 | 90.2 | 89.33 | 36.82 | 62.02 | 84.59 | 91.33 | 96.55 | 70.83 | 85.69 | 76.46 |
| 60.8 | 96.12 | 78.4 | 90.55 | 73.99 | 61.78 | 78.31 | 84.56 | 90.77 | 98.08 | 65.96 | 82.43 | 80.02 |
| 72.3 | 96.08 | 84.83 | 59.42 | 94.95 | 55.69 | 76.59 | 89.67 | 98.25 | 99.73 | 86.5 | 81.96 | 83.12 |
| 99.07 | 100 | 98.03 | 100 | 97.27 | 89.33 | 89.09 | 100 | 98.7 | 99.15 | 99.45 | 80.62 | 93.47 |

Table S8: Evaluation at genus level of the relation of the fragment length used for model creation to the accuracy of assignments for genomic fragments from unknown organisms. For every clade, the clade-specific sensitivity (class *Sn*.), specificity (class *Sp*.) of assignments for genomic fragments of different lengths from the organisms of this clade among the 340 organisms is shown. The two rightmost columns display the overall sensitivity (Sn.) and specificity (Sp.) of de novo sequence classification (Supplementary Material, 'Evaluation procedures').

| Eval With | Built | Other | Prochlorococo | : Staphylococc | Streptococcus | Bacillus | Clostridium | Lactobacillus | Listeria | Corynebacter | i Mycobacteriu | Streptomyces | Campylobacte | Helicobacter | Mycoplasma | Methanosarci |
|-----------|--------|-----------|---------------|----------------|---------------|----------|-------------|---------------|----------|--------------|----------------|--------------|--------------|--------------|------------|--------------|
| | | Class Sn. | (%) | | | | | | | | | | | | | |
| 1kbGF | 1kbGF | 32.6 | 52.33 | 88.5 | 87.87 | 82.22 | 50.33 | 32.67 | 86.33 | 58 | 90 | 96 | 93.67 | 85.67 | 82.33 | 50.67 |
| 1kbGF | 3kbGF | 91.26 | 7.67 | 26.5 | 33.07 | 11.11 | 41.17 | 23.33 | 23.33 | 1.33 | 20.67 | 48 | 81 | 66 | 53 | 30 |
| 1kbGF | 5kbGF | 97.09 | 0 | 1.33 | 23.13 | 0.56 | 10.33 | 32.33 | 0.67 | 0 | 4.67 | 4.67 | 24 | 52.67 | 62 | 0.33 |
| 1kbGF | 10kbGF | 99.73 | 0 | 0.17 | 1.73 | 0 | 4.5 | 19 | 0 | 0 | 0 | 0 | 0 | 55.67 | 10 | 2 |
| 1kbGF | 15kbGF | 99.05 | 0 | 0 | 0.4 | 0 | 0.17 | 10.33 | 0 | 0 | 0 | 0 | 0 | 15.67 | 10.67 | 0 |
| 1kbGF | 50kbGF | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3kbGF | 1kbGF | 8.23 | 69 | 96.83 | 93 | 84.67 | 65.5 | 40.33 | 96.33 | 82.33 | 98 | 99.33 | 96.67 | 91.33 | 87 | 64.67 |
| 3kbGF | 3kbGF | 56.85 | 67 | 95.33 | 94.07 | 86.56 | 71.83 | 40.33 | 96.67 | 73 | 91.33 | 97 | 98.33 | 76.33 | 63.33 | 65.33 |
| 3kbGF | 5kbGF | 81.75 | 58.33 | 93.5 | 94 | 81.78 | 71.33 | 62.33 | 95.67 | 52 | 83.83 | 96 | 90 | 71 | 87.33 | 62.67 |
| 3kbGF | 10kbGF | 95.11 | 28 | 77.67 | 86.6 | 53.22 | 73.5 | 62.33 | 80.67 | 20.33 | 72.33 | 7 | 92 | 78.33 | 56 | 50.67 |
| 3kbGF | 15kbGF | 96.56 | 1 | 75.5 | 84.6 | 17.67 | 63.33 | 30.67 | 40.33 | 4 | 36.33 | 57.33 | 64.67 | 38.67 | 39 | 17.67 |
| 3kbGF | 50kbGF | 100 | 0 | 0 | 0.53 | 0 | 2.17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9.67 | 0 |
| 5kbGF | 1kbGF | 5.19 | 68 | 95.83 | 95.53 | 82 | 70.5 | 36.33 | 98.33 | 86.67 | 99.5 | 100 | 99 | 93.33 | 91 | 67.33 |
| 5kbGF | 3kbGF | 46.26 | 69 | 97.5 | 96.33 | 87.44 | 76.17 | 41 | 99 | 83.33 | 94.67 | 99.67 | 99.67 | 79.67 | 64.67 | 66.67 |
| 5kbGF | 5kbGF | 70.22 | 67 | 97.67 | 97.27 | 86.67 | 74.83 | 65 | 99 | 68.67 | 92.33 | 99 | 95.67 | 68.67 | 93.33 | 65.33 |
| 5kbGF | 10kbGF | 88.04 | 61.67 | 95 | 95.33 | 81.78 | 79.33 | 67 | 98.67 | 69.67 | 87.5 | 87.67 | 99.33 | 78 | 63.67 | 61.33 |
| 5kbGF | 15kbGF | 93.32 | 35.67 | 94 | 95.13 | 66.78 | 76 | 33.33 | 88.67 | 44.33 | 69.67 | 85.67 | 90 | 48 | 48 | 52.33 |
| 5kbGF | 50kbGF | 99.94 | 0 | 10.67 | 16.8 | 5 | 21 | 0 | 8.67 | 0 | 7.17 | 0 | 0 | 1.33 | 25 | 0 |
| 10kbGF | 1kbGF | 3.58 | 67.33 | 97.17 | 97.53 | 83.56 | 77.83 | 37.67 | 99 | 84.67 | 99.67 | 100 | 99.67 | 95.67 | 92.91 | 82.33 |
| 10kbGF | 3kbGF | 40.26 | 70.67 | 99.33 | 98 | 89.44 | 80.5 | 41.67 | 99.67 | 87.33 | 97.67 | 100 | 100 | 80 | 70.82 | 81 |
| 10kbGF | 5kbGF | 59.93 | 71 | 99.17 | 97.93 | 89.33 | 78.33 | 68 | 100 | 76.33 | 97.83 | 100 | 95.33 | 67.33 | 97.8 | 81.67 |
| 10kbGF | 10kbGF | 79.76 | 69 | 99.17 | 97.8 | 88.56 | 82 | 73.67 | 99 | 91.67 | 97 | 100 | 99.67 | 79 | 70.11 | 80.33 |
| 10kbGF | 15kbGF | 87.55 | 64 | 99 | 98.47 | 85.67 | 80.83 | 36.33 | 98.33 | 71.33 | 89.83 | 99.67 | 95 | 53.33 | 56.69 | 78.33 |
| 10kbGF | 50kbGF | 99.44 | 3.33 | 58.67 | 48.53 | 47.89 | 49.67 | 19 | 43 | 1 | 64.83 | 21.67 | 3 | 31 | 33.45 | 0 |
| 15kbGF | 1kbGF | 3.26 | 67 | 96.83 | 96.6 | 85 | 78.33 | 37.54 | 98.33 | 87.33 | 100 | 100 | 100 | 95.33 | 94.02 | 87.33 |
| 15kbGF | 3kbGF | 38.5 | 70.67 | 98.83 | 98.2 | 89.78 | 82 | 43.69 | 99.67 | 87.33 | 99 | 99 | 99.67 | 81.33 | 75.89 | 87 |
| 15kbGF | 5kbGF | 56.09 | 71.33 | 98.83 | 99 | 90 | 79.67 | 70.99 | 100 | 78.67 | 98.67 | 99.33 | 95.33 | 67.67 | 99.02 | 88.67 |
| 15kbGF | 10kbGF | 76.97 | 69.67 | 99.5 | 98.27 | 89.89 | 83.17 | 73 | 99.33 | 95.67 | 98.83 | 99.67 | 100 | 77.67 | 75 | 87 |
| 15kbGF | 15kbGF | 84.95 | 66.67 | 99.67 | 99.13 | 87.33 | 82.17 | 38.91 | 98.33 | 81.67 | 92.67 | 99 | 98.67 | 56 | 60.95 | 86 |
| 15kbGF | 50kbGF | 98.76 | 26.67 | 90.67 | 84.86 | 72.22 | 74.5 | 45 | 85 | 12 | 80 | 81.33 | 61 | 63.67 | 45.54 | 46.33 |
| 50kbGF | 1kbGF | 2.49 | 58.62 | 100 | 99.47 | 61.18 | 81.8 | 32.58 | 100 | 89.83 | 100 | 100 | 100 | 98.96 | 98.57 | 96.44 |
| 50kbGF | 3kbGF | 37.96 | 58.62 | 100 | 99.3 | 90.44 | 82.26 | 35.61 | 100 | 93.79 | 100 | 100 | 100 | 81.82 | 76.12 | 95.73 |
| 50kbGF | 5kbGF | 53.82 | 59.48 | 100 | 100 | 90.67 | 82.03 | 75.47 | 100 | 81.92 | 99.81 | 100 | 96.15 | 65 | 100 | 96.09 |
| 50kbGF | 10kbGF | 73.16 | 58.62 | 100 | 100 | 91.24 | 83.18 | 68.28 | 100 | 99.44 | 100 | 100 | 100 | 73 | 76.12 | 96.09 |
| 50kbGF | 15kbGF | 82.34 | 58.62 | 100 | 99.65 | 87.9 | 82.95 | 33.83 | 99.44 | 98.31 | 96.93 | 99.67 | 100 | 60.2 | 68 | 95.73 |
| 50kbGF | 50kbGF | 94.88 | 34.48 | 100 | 98.97 | 82.49 | 82.72 | 52.41 | 99.44 | 71.19 | 85.48 | 99.67 | 100 | 68 | 62.69 | 95.37 |

| Pyrococcus | Brucella | Xylella | Pseudomonas | Burkholderia | Buchnera | Neisseria | Bordetella | Escherichia | Salmonella | Shigella | Yersinia | Vibrio | Haemophilus | Rickettsia | Chlamydophil | Fusobacteriur | Other |
|------------|----------|---------|-------------|--------------|----------|-----------|------------|-------------|------------|----------|----------|--------|-------------|------------|--------------|---------------|-------------|
| | | | | | | | | | | | | | | | | C | lass Sp. (% |
| 91 | 92.67 | 82.67 | 75.67 | 85.67 | 93.67 | 93.67 | 83.67 | 37.83 | 76.67 | 24.33 | 79.83 | 78.67 | 91 | 94 | 93.17 | 92.67 | 86.71 |
| 79 | 66.67 | 36 | 13 | 75.67 | 24.33 | 92.33 | 46.67 | 3.17 | 31 | 9.33 | 0 | 61.33 | 54.33 | 16.67 | 0.17 | 72 | 63.59 |
| 42.67 | 23.33 | 9.67 | 0.5 | 3.83 | 0 | 82.67 | 18.33 | 0.33 | 17.67 | 0 | 0 | 17.67 | 3.67 | 0.67 | 0 | 31 | 58.33 |
| 13.67 | 0 | 0 | 0 | 1.17 | 0 | 63.67 | 2 | 0 | 14.5 | 0 | 0 | 0 | 0 | 0 | 0.33 | 0 | 56.68 |
| 1 | 0.33 | 1 | 0 | 0 | 0 | 17.33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1.33 | 0 | 0 | 55.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 55.52 |
| 98.33 | 97.67 | 95.33 | 89.83 | 94 | 99.67 | 95.33 | 87 | 29 | 76.17 | 53 | 92.83 | 96 | 94 | 99.33 | 99.83 | 93.67 | 91.3 |
| 97 | 97.67 | 95 | 89 | 93.83 | 95 | 95.67 | 98.67 | 46.17 | 92.17 | 34.67 | 88.83 | 93.67 | 90 | 98 | 98.33 | 98 | 91.57 |
| 96.67 | 96.67 | 95.33 | 56.83 | 90.17 | 51.67 | 99.33 | 83.67 | 54.5 | 92 | 33.33 | 83.33 | 91.33 | 92 | 97 | 96.17 | 94.67 | 88.28 |
| 87.67 | 83 | 85.33 | 49.5 | 85.17 | 36.33 | 95.67 | 68.33 | 35.17 | 81.5 | 12.67 | 14 | 72 | 67 | 66.67 | 66.83 | 78 | 77.72 |
| 64 | 69 | 65.33 | 40.83 | 52.5 | 11 | 91.67 | 41 | 33.17 | 61.83 | 5.67 | 2.29 | 33 | 0 | 65.33 | 60.83 | 60.33 | 69.16 |
| 0 | 0 | 0 | 0 | 2.5 | 0 | 3.33 | 2 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 55.67 |
| 99 | 98.67 | 97.33 | 92.33 | 95.83 | 99.67 | 97.67 | 86 | 27 | 76.33 | 59.67 | 95.33 | 96 | 96.33 | 99 | 99.67 | 96.67 | 93.28 |
| 99 | 98.67 | 98.67 | 94.17 | 97 | 99.33 | 98 | 99.33 | 51.17 | 92.83 | 45.33 | 95.17 | 97.33 | 95 | 100 | 99.33 | 99.33 | 93.37 |
| 98.33 | 98.33 | 99.33 | 73 | 96 | 88.33 | 99 | 82.67 | 54 | 94.5 | 48.33 | 98.5 | 95.67 | 97.67 | 99.33 | 99.83 | 98 | 92.38 |
| 94.67 | 97.33 | 98.33 | 89.5 | 93.83 | 88 | 97.67 | 77 | 76.5 | 91.5 | 28 | 78.6 | 92.33 | 95.67 | 97.67 | 91.33 | 98 | 90.63 |
| 87 | 93.67 | 92.33 | 77 | 87.17 | 65.67 | 97 | 88 | 63.83 | 86 | 26.67 | 59.71 | 80.33 | 0.33 | 94.33 | 91.5 | 90.33 | 83.21 |
| 0 | 5.67 | 1 | 2 | 16.17 | 0.33 | 22.33 | 18 | 0 | 15.5 | 0.33 | 0 | 0.67 | 0 | 7.67 | 12.17 | 0 | 57.51 |
| 99.33 | 100 | 98.33 | 96.17 | 98.5 | 100 | 99 | 81.67 | 24.83 | 83.33 | 68.67 | 97.17 | 98.33 | 98.67 | 100 | 99.67 | 99 | 95.86 |
| 99.33 | 99.33 | 99.67 | 97.17 | 98.67 | 100 | 99.67 | 99 | 45 | 95.83 | 64.33 | 97.83 | 98.67 | 95.33 | 100 | 99.5 | 99.67 | 95.01 |
| 99.33 | 100 | 100 | 84 | 98.67 | 99.47 | 100 | 81 | 38.33 | 96.67 | 68 | 99.67 | 97.67 | 99.67 | 100 | 99.5 | 99.33 | 94.61 |
| 98 | 99 | 100 | 96.5 | 98.83 | 98.95 | 100 | 80.67 | 81.5 | 97.17 | 44 | 96.6 | 97.33 | 99.67 | 100 | 98.5 | 99.67 | 94.93 |
| 96.33 | 98.33 | 99.33 | 94.83 | 98.33 | 94.21 | 100 | 97.33 | 76.83 | 96.67 | 52 | 96.86 | 97 | 86.67 | 100 | 99.67 | 99.67 | 92.69 |
| 29.33 | 50.33 | 33 | 40.83 | 65 | 24.74 | 58.33 | 48.67 | 0 | 62.67 | 7.33 | 0 | 35.33 | 38.33 | 52.67 | 35.33 | 0.67 | 66.14 |
| 100 | 100 | 100 | 97.5 | 98.33 | 100 | 99.67 | 85.67 | 19.5 | 84.83 | 74.33 | 98.17 | 99.67 | 99.67 | 100 | 99.79 | 99.67 | 94.86 |
| 99.67 | 99.67 | 100 | 98.67 | 98.17 | 100 | 100 | 99.67 | 39 | 96 | 72 | 98.5 | 99 | 97.33 | 100 | 99.79 | 100 | 95.55 |
| 99.67 | 100 | 100 | 87.83 | 98 | 100 | 100 | 82.67 | 23.5 | 96.83 | 81.33 | 99.83 | 99 | 100 | 100 | 99.79 | 100 | 95.22 |
| 99 | 100 | 100 | 98.67 | 98.17 | 100 | 100 | 84.33 | 80.83 | 97.17 | 56.67 | 98.4 | 99 | 99.67 | 100 | 99.38 | 100 | 95.88 |
| 98.67 | 99.33 | 100 | 97.83 | 98.33 | 98.41 | 100 | 100 | 74.17 | 97.33 | 65.67 | 98.29 | 99 | 92 | 100 | 99.79 | 99.67 | 93.96 |
| 56.67 | 90.67 | 80 | 76 | 87.67 | 53.17 | 88 | 62 | 18.67 | 92.5 | 27.67 | 33.8 | 83.67 | 84.33 | 92.21 | 58.54 | 55 | 79.53 |
| 100 | 100 | 98.72 | 100 | 99.67 | 100 | 100 | 91.45 | 34.8 | 82.6 | 78.21 | 98.2 | 100 | 99.09 | 100 | 100 | 100 | 95.97 |
| 100 | 100 | 98.74 | 100 | 99.5 | 100 | 100 | 100 | 46.45 | 96.23 | 72.86 | 98.74 | 100 | 100 | 100 | 100 | 100 | 96.93 |
| 100 | 100 | 99.36 | 95.83 | 99.83 | 100 | 100 | 90.33 | 22.47 | 98.28 | 92.71 | 99.1 | 100 | 100 | 100 | 100 | 100 | 97.1 |
| 100 | 100 | 99.36 | 100 | 99.67 | 100 | 100 | 94.4 | 71.28 | 97.3 | 81.63 | 97.5 | 99.64 | 100 | 100 | 99.3 | 100 | 97.51 |
| 100 | 100 | 98.72 | 99.83 | 99.83 | 100 | 100 | 100 | 68.92 | 97.62 | 82.99 | 98.62 | 100 | 97.14 | 100 | 100 | 100 | 96.09 |
| 97.2 | 100 | 99.36 | 99.33 | 99 | 78.38 | 100 | 71.2 | 94.93 | 98.56 | 69.26 | 97.92 | 98.57 | 99.07 | 100 | 98.59 | 100 | 94 |

| rochlorococcu) | Staphylococcu | Streptococcus | Bacillus | Clostridium | Lactobacillus | Listeria | orynebacteriu | IVycobacteriun | Streptomyces | Campylobacte | Helicobacter | Mycoplasma | <i>Methanosarcin</i> | Pyrococcus | Brucella | Xylella | Pseudomonas |
|--------------------|---------------|---------------|----------|-------------|---------------|----------|---------------|----------------|--------------|--------------|--------------|------------|----------------------|------------|----------|---------|-------------|
| 21.02 | 69.32 | 73.14 | 63.68 | 47.63 | 17.72 | 38.6 | 30 | 54.27 | 30.13 | 87.81 | 70.8 | 37.31 | 8.45 | 41.3 | 43.44 | 39.24 | 30.72 |
| 95.83 | 95.78 | 93.41 | 96.15 | 76.95 | 20.83 | 89.74 | 100 | 91.85 | 81.82 | 97.98 | 80.16 | 36.98 | 50.56 | 63.71 | 89.29 | 87.1 | 82.98 |
| - | 100 | 95.07 | 100 | 93.94 | 23.77 | 100 | - | 90.32 | 100 | 100 | 93.49 | 44.82 | 100 | 95.52 | 97.22 | 90.62 | 100 |
| - | 100 | 100 | - | 100 | 67.86 | - | - | - | - | - | 84.77 | 96.77 | 100 | 100 | - | - | - |
| - | - | 100 | - | 100 | 15.58 | - | - | - | - | - | 97.92 | 65.31 | - | 100 | 100 | 100 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20.58 | 79.05 | 74.4 | 59.76 | 59.1 | 30.1 | 28.73 | 22.68 | 44.11 | 24.57 | 97.64 | 76.11 | 49.15 | 8.9 | 41.09 | 28.61 | 48.89 | 28.72 |
| 42.95 | 87.6 | 81.33 | 70.63 | 63.95 | 33.8 | 63.74 | 66.57 | 71.63 | 43.43 | 82.63 | 83.88 | 35.38 | 19.56 | 53.99 | 60.04 | 61.82 | 44.76 |
| 83.73 | 93.66 | 87.09 | 84.31 | 81.99 | 44.52 | 78.85 | 80 | 81.13 | 59.63 | 95.07 | 88.38 | 50.68 | 70.15 | 77.33 | 79.02 | 73.33 | 61.89 |
| 100 | 98.73 | 92.92 | 96.18 | 86.64 | 66.55 | 97.19 | 100 | 94.76 | 100 | 97.18 | 83.04 | 77.78 | 87.36 | 90.69 | 99.6 | 86.78 | 93.4 |
| 100 | 98.48 | 95.34 | 100 | 68.72 | 41.07 | 100 | 100 | 93.97 | 100 | 100 | 58.59 | 59.39 | 100 | 97.96 | 100 | 90.74 | 94.96 |
| - | - | 100 | - | 100 | - | - | - | - | - | - | - | 100 | - | - | - | - | - |
| 18.77 | 86.34 | 75.14 | 60.29 | 65.08 | 28.68 | 28.67 | 21.87 | 43.32 | 23.6 | 99 | 77.13 | 53.85 | 9.18 | 40.91 | 26.4 | 54.58 | 29.69 |
| 32.6 | 89.72 | 80.91 | 66.64 | 64.01 | 33.24 | 58.01 | 55.31 | 66.51 | 37.19 | 85.67 | 86.59 | 35.02 | 15.67 | 54 | 53.82 | 62.58 | 39.73 |
| 53.17 | 92.72 | 85.12 | 75.58 | 77.82 | 47.79 | 68.12 | 70.55 | 75.89 | 47.14 | 93.79 | 91.56 | 51.66 | 47.8 | 70.07 | 67.05 | 69.79 | 52.52 |
| 95.36 | 96.77 | 89.77 | 90.86 | 81.93 | 65.9 | 84.09 | 96.31 | 85.78 | 85.67 | 96.44 | 82.98 | 68.95 | 76.67 | 83.53 | 94.19 | 75.64 | 80.39 |
| 100 | 98.43 | 93.88 | 96.31 | 63.78 | 42.37 | 98.88 | 96.38 | 87.08 | 94.83 | 99.63 | 59.75 | 59.75 | 96.32 | 91.58 | 99.29 | 88.5 | 85.08 |
| - | 100 | 99.6 | 100 | 100 | - | 100 | - | 100 | - | - | 100 | 89.29 | - | - | 100 | 100 | 100 |
| 20.85 | 91.67 | 76.12 | 60.79 | 69.6 | 32.38 | 26.42 | 20.57 | 42.47 | 22.76 | 100 | 77.15 | 60.44 | 10.94 | 40.43 | 25.64 | 62.5 | 30.21 |
| 28.49 | 94.01 | 82.4 | 65.77 | 64.75 | 34.15 | 59.33 | 52.3 | 62.74 | 34.36 | 84.75 | 82.19 | 40.61 | 15.69 | 52.65 | 52.01 | 70.02 | 36.67 |
| 41.76 | 93.7 | 84.86 | 69.73 | 74.37 | 50.12 | 60.36 | 57.25 | 74.3 | 40.11 | 91.37 | 90.18 | 54.05 | 36.62 | 61.57 | 62.89 | 77.32 | 44.56 |
| 82.47 | 96.59 | 90 | 85.79 | 80.79 | 60.71 | 75.38 | 88.14 | 79.51 | 59.88 | 95.22 | 81.72 | 69.37 | 63.59 | 74.06 | 91.67 | 72.12 | 66.25 |
| 99.48 | 98.18 | 93.24 | 91.03 | 60.4 | 44.31 | 92.19 | 91.45 | 82.8 | 82.6 | 100 | 61.07 | 59.5 | 92.89 | 80.28 | 98.33 | 88.69 | 74.38 |
| 100 | 100 | 100 | 100 | 99.67 | 74.03 | 98.47 | 100 | 99.49 | 100 | 100 | 100 | 81.74 | - | 100 | 100 | 100 | 100 |
| 22.31 | 93.56 | 77.35 | 61.74 | 73.44 | 34.7 | 26.13 | 20.79 | 43.35 | 22.37 | 99.67 | 76.47 | 63.77 | 11.39 | 40.32 | 25.77 | 71.26 | 30.74 |
| 28.38 | 95.34 | 82.6 | 64.95 | 66.49 | 37.76 | 62.68 | 52.4 | 63.12 | 32.6 | 83.75 | 78.96 | 43.26 | 16.19 | 49.34 | 50.94 | 77.12 | 35.6 |
| 40.23 | 94.58 | 86.08 | 68.07 | 73.88 | 52 | 60.36 | 53.64 | 74.09 | 36.21 | 87.46 | 87.12 | 54.28 | 33.84 | 56.1 | 60.73 | 82.42 | 41.83 |
| 77.12 | 97.07 | 90.48 | 83.49 | 79.84 | 59.03 | 73.76 | 83.67 | 78.03 | 52 | 92.02 | 76.9 | 73.36 | 57.62 | 69.72 | 90.91 | 74.26 | 63.05 |
| 96.62 | 99.34 | 93.75 | 88.51 | 58.97 | 49.14 | 92.19 | 90.07 | 80.7 | 76.35 | 99.66 | 62.45 | 59.2 | 88.36 | 75.51 | 97.07 | 92.02 | 72.02 |
| 100 | 100 | 100 | 98.48 | 99.11 | 75.84 | 98.46 | 100 | 96.39 | 100 | 100 | 100 | 85 | 100 | 100 | 100 | 100 | 97.64 |
| 16.27 | 98.24 | 64.84 | 62.99 | 72.75 | 34.13 | 16.86 | 16.44 | 49.15 | 28.38 | 100 | 70.37 | 66.99 | 15.22 | 30.31 | 21.24 | 71.63 | 35.63 |
| 16.83 | 99.1 | 76.64 | 66.53 | 69.19 | 35.07 | 68.9 | 43.12 | 66.11 | 40.21 | 84.48 | 71.68 | 41.46 | 22.29 | 45.53 | 46.56 | 88.7 | 37.78 |
| 21.23 | 97.1 | 84.38 | 72.74 | 77.56 | 48.78 | 58.03 | 45.03 | 77.47 | 41.38 | 81.3 | 81.25 | 53.04 | 39.02 | 46.93 | 50.39 | 87.57 | 43.4 |
| 39.77 | 98.21 | 89.64 | 83.46 | 80.4 | 63.46 | 66.79 | 68.75 | 78.05 | 50.34 | 85 | 67.59 | 76.12 | 63.53 | 59.44 | 91.16 | 78.39 | 59.52 |
| 73.12 | 99.4 | 94.28 | 87.9 | 68.44 | 49.45 | 80.82 | 88.32 | 79.91 | 74.38 | 99.04 | 58.42 | 58.62 | 83.8 | 68.59 | 97.03 | 93.9 | 69.25 |
| 100 | 99.7 | 100 | 91.09 | 94.97 | 73.79 | 91.19 | 100 | 83.48 | 90.06 | 100 | 100 | 84 | 100 | 99.05 | 100 | 100 | 88.04 |

| Burkholderia | Buchnera | Neisseria | Bordetella | Escherichia | Salmonella | Shigella | Yersinia | Vibrio | Haemophilus | Rickettsia | Chlamydophi | l: Fusobacterium | Sn. (%) | Sp. (%) |
|--------------|----------|-----------|------------|-------------|------------|----------|----------|--------|-------------|------------|-------------|------------------|---------|---------|
| 53.15 | 42.97 | 64.01 | 30.91 | 35.64 | 81.42 | 12.59 | 52.07 | 34.4 | 32.23 | 53.41 | 57.45 | 62.61 | 76.13 | 45.72 |
| 75.42 | 54.89 | 71.39 | 72.92 | 76 | 97.38 | 30.43 | - | 58.41 | 50.62 | 98.04 | 50 | 84.71 | 38.72 | 75.04 |
| 100 | - | 96.12 | 91.67 | 66.67 | 100 | - | - | 73.61 | 100 | 100 | - | 89.42 | 17.68 | 89.69 |
| 100 | - | 96.95 | 100 | - | 96.67 | - | - | - | - | - | 100 | - | 9 | 95.62 |
| - | - | 100 | - | - | - | - | - | - | - | 100 | - | - | 4.92 | 87.88 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | 3.12 | |
| 58.45 | 33.26 | 82.66 | 26.91 | 32.83 | 78.79 | 17.3 | 37.99 | 26.84 | 27.78 | 49.75 | 41 | 76.99 | 83.26 | 45.57 |
| 61 | 51.44 | 73.21 | 37.61 | 48.26 | 81.8 | 19.85 | 71.74 | 42.51 | 33.21 | 74.06 | 70.91 | 84.73 | 83.59 | 58.65 |
| 86.98 | 95.68 | 92.83 | 54.92 | 54.5 | 84.66 | 32.26 | 83.75 | 58.55 | 45.17 | 95.1 | 78.93 | 86.06 | 80.82 | 74.84 |
| 93.93 | 97.32 | 97.95 | 78.85 | 62.61 | 85.04 | 40 | 100 | 89.26 | 65.47 | 99.5 | 86.42 | 100 | 63.08 | 88.55 |
| 99.37 | 97.06 | 99.64 | 99.19 | 65.68 | 96.11 | 85 | 94.12 | 99 | - | 96.55 | 96.82 | 100 | 44.53 | 90.92 |
| 100 | - | 100 | 100 | - | 100 | - | - | - | - | - | - | - | 3.77 | 100 |
| 58.55 | 33.3 | 84.68 | 25.67 | 33.4 | 78.16 | 17.85 | 35.16 | 26.4 | 28.36 | 49.5 | 38.46 | 83.09 | 84.41 | 46.29 |
| 57.57 | 47.99 | 74.81 | 33.94 | 54.05 | 78.23 | 22.97 | 61.46 | 40.67 | 30.94 | 69.12 | 66.22 | 87.65 | 86.27 | 56.22 |
| 77.52 | 69.01 | 93.69 | 47.42 | 53.64 | 81.35 | 31.32 | 71.12 | 50.53 | 36.49 | 83.71 | 72.87 | 82.58 | 86.3 | 67.4 |
| 86.22 | 87.13 | 97.67 | 72.19 | 64.47 | 81.94 | 41.79 | 91.82 | 70.3 | 49.23 | 98.32 | 84.31 | 98 | 84.37 | 82.41 |
| 97.39 | 86.78 | 99.32 | 92.96 | 63.52 | 89.9 | 45.71 | 98.35 | 92.69 | 100 | 96.26 | 91.65 | 97.83 | 71.93 | 87.23 |
| 100 | 100 | 100 | 100 | - | 100 | 100 | - | 100 | - | 100 | 98.65 | - | 9.29 | 99.38 |
| 59.82 | 29.46 | 90.27 | 24.65 | 36.34 | 79.24 | 19.53 | 35.85 | 26.46 | 28.11 | 51.64 | 37.12 | 93.4 | 86.29 | 47.83 |
| 52.95 | 41.3 | 78.48 | 32.78 | 58.95 | 75.56 | 28.34 | 58.82 | 36.86 | 28.01 | 71.09 | 66.48 | 94.32 | 88.29 | 56.03 |
| 70.39 | 52.21 | 97.09 | 41.97 | 54.63 | 77.75 | 31.29 | 61.15 | 45.64 | 31.02 | 71.6 | 67.76 | 83.24 | 88.79 | 62.93 |
| 81.01 | 72.87 | 98.36 | 66.48 | 64.68 | 81.31 | 46.64 | 78.03 | 58.99 | 40.3 | 94.04 | 78.49 | 98.68 | 90.41 | 76.55 |
| 91.47 | 68.85 | 99.67 | 81.11 | 68.2 | 86.7 | 52 | 91.5 | 77.39 | 70.65 | 92.88 | 84.58 | 98.03 | 86.83 | 82.38 |
| 99.74 | 100 | 100 | 100 | - | 97.41 | 84.62 | - | 98.15 | 99.14 | 100 | 83.79 | 100 | 34.6 | 97.01 |
| 59.48 | 26.58 | 94.92 | 24.81 | 33.24 | 79.04 | 21.06 | 37.52 | 25.82 | 27.53 | 45.39 | 33.61 | 94.92 | 86.99 | 48.36 |
| 51.89 | 37.5 | 81.08 | 32.79 | 61.58 | 75.2 | 28.65 | 56.66 | 36.22 | 28.38 | 62.7 | 67.94 | 96.77 | 89 | 56.09 |
| 67.35 | 47.73 | 98.36 | 41.2 | 50.9 | 77.06 | 30.61 | 60.44 | 43.48 | 28.93 | 62.11 | 67.75 | 84.03 | 89.43 | 61.38 |
| 78.12 | 69.23 | 99.34 | 63.25 | 70.09 | 82.81 | 47.35 | 73.32 | 56.79 | 38.73 | 88.51 | 78.97 | 99.67 | 91.72 | 74.79 |
| 89.12 | 62.63 | 99.67 | 75.95 | 73.68 | 86.78 | 51.3 | 86.87 | 70.05 | 54.65 | 86.69 | 84.18 | 98.36 | 89.08 | 80.38 |
| 98.87 | 100 | 100 | 100 | 76.71 | 93.59 | 79.81 | 100 | 98.43 | 94.05 | 100 | 86.2 | 100 | 65.88 | 96.08 |
| 64.93 | 26.81 | 100 | 25.33 | 54.21 | 78.55 | 25.09 | 42.38 | 31.15 | 23.59 | 41.62 | 20.49 | 99.21 | 87.58 | 48.54 |
| 52.37 | 39.78 | 77.51 | 34.8 | 72.75 | 74.67 | 30.49 | 61.37 | 38.94 | 22.06 | 58.47 | 62.83 | 99.21 | 89.5 | 56.31 |
| 64.41 | 42.05 | 100 | 46.11 | 71.89 | 75.89 | 31.79 | 65.48 | 45.68 | 20.7 | 51.8 | 65.14 | 85.62 | 90.57 | 60.42 |
| 74.01 | 62.71 | 100 | 66.48 | 83.07 | 81.97 | 45.47 | 71.67 | 53.45 | 29.67 | 80.23 | 77.9 | 100 | 92.48 | 71.82 |
| 87.7 | 54.41 | 100 | 70.23 | 85.36 | 84.2 | 47.61 | 82.95 | 60.09 | 39.53 | 82.76 | 81.14 | 99.21 | 90.85 | 77.41 |
| 97.54 | 100 | 100 | 95.7 | 86.2 | 90.58 | 88.69 | 90.56 | 92 | 59.44 | 100 | 88.05 | 100 | 88.41 | 93.04 |

Table S9: Classification accuracy of Phylopythia for genomic fragments of unknown organisms (to the classifier) at the taxonomic levels domain, phylum, class, order and genus for genomic fragments of different lengths. For every clade, the clade-specific sensitivity (class *Sn*.) and specificity (class *Sp*.) is displayed. The two rightmost columns give the overall sensitivity (*Sn*.) and specificity (*Sp*.) of de novo sequence classification (Supplementary Material, 'Evaluation procedures').

| Rank | kernel | Wn | | | | | | | | | | 1 | | | | | |
|--------|----------|--------------|---------------|---------------|----------------|-------------------|--------------|----------------|---------------|-------------|----------------|---------------|---------------|----------------|----------------|--------------|---------------|
| Domain | Gaussian | 6,6,1 | Bacteria | Archaea | Eukaryota | Bacteria | Archaea | Eukaryota | | Sn. (%) | Sp. (%) | | | | | | |
| | Data | | Class Sn. (% | 5) | C | ass <i>Sp.</i> (% | 5) | | | | | | | | | | |
| | 1kbGF | | 85.22 | 34.14 | 53.67 | 97.38 | 77.01 | 69.47 | | 57.68 | 81.29 | | | | | | |
| | 3kbGF | | 92.39 | 48.86 | 74.88 | 98.86 | 89.92 | 85.13 | | 72.04 | 91.3 | | | | | | |
| | 5kbGF | | 95.9 | 33.22 | 78.33 | 98.57 | 99.71 | 92.47 | | 69.15 | 96.92 | | | | | | |
| | 10kbGF | | 96.9 | 71.84 | 90.49 | 99.24 | 84.65 | 92.33 | | 86.41 | 92.07 | | | | | | |
| | 15kbGF | | 98.98 | 51.87 | 79.73 | 98.56 | 97.68 | 99.09 | | 76.86 | 98.44 | | | | | | |
| | 50kbGF | | 98.45 | 75.52 | 93.6 | 99.54 | 94.91 | 99.32 | | 89.19 | 97.92 | | | | | | |
| Phylum | Gaussian | 6,4,1 | Other | Cyanobacteria | Proteobacteria | Firmicutes | Deinococcus | Actinobacteria | Spirochaetes | Chlamydiae | Crenarchaeot | Euryarchaeota | Fusobacteria | Ascomycota | Arthropoda | Chordata | Bacteroidetes |
| | Data | | Class Sn. (| %) | | | | | | | | | | | | | |
| | 1kbGF | | 76.27 | 8.71 | 64.77 | 12.83 | 34.33 | 50.04 | 44.67 | 0 | 40 | 20.11 | 79.33 | 2.83 | 43 | 89.89 | 41.5 |
| | 3kbGF | | 42.27 | 76.64 | 90.2 | 83.17 | 54.33 | 91.36 | 59.17 | 87.89 | 78 | 73.17 | 96 | 54.5 | 66.25 | 97.33 | 85 |
| | 5kbGF | | 34.51 | 85.64 | 93.2 | 89.4 | 60.33 | 93.52 | 60.83 | 88.56 | 79.33 | 76.78 | 98 | 71.5 | 66.75 | 98.78 | 92 |
| | 10kbGF | | 35.66 | 85.79 | 94.69 | 89.89 | 64.67 | 94.65 | 33.44 | 88.44 | 83.67 | 81.89 | 98.67 | 81.5 | 81.33 | 99.67 | 86.33 |
| | 15kbGF | | 47.23 | 86.43 | 95.06 | 89.45 | 65.67 | 93.39 | 30.74 | 85.85 | 79.67 | 81.22 | 98.33 | 79.5 | 79.33 | 99.89 | 80.33 |
| | 50KDGF | | 36.54 | 86.14 | 97.68 | 87.83 | /4.85 | 96.3 | 14./4 | /8./9 | 88.28 | 87.64 | 100 | 91.17 | 86.33 | 99.67 | 82.64 |
| Class | Gaussian | 5,5,1 | Other | Gammaprotec | Sordariomyce | Actinobacteria | Thermoprotei | Thermoplasm | Thermococci (| Clostridia | Deinococci | Bacteroides(c | Fusobacteria(| Spirochaetes(| Chlamydiae(cl | Methanomicrc | Alphaproteoba |
| | Data | | Class Sn. (% | 5) | | | | | | | | | | | | | |
| | 1kbGF | | 92.55 | 26.68 | 0 | 16.88 | 38 | 25.75 | 10.67 | 3.78 | 26.67 | 48 | 58.67 | 3.17 | 0 | 2.5 | 7.04 |
| | 3kbGF | | 70.33 | 87.39 | // | 85.52 | 89.67 | 84.5 | 95 | 65.56 | 54.67 | 94.67 | 94.67 | 60.83 | 84.44 | 55.75 | 81./1 |
| | 5KDGF | | 57.81 | 93.21 | 88 | 90.52 | 91 | 90.75 | 98 | /3.6/ | 62.33 | 98.33 | 98.67 | 65.33 | 89 | 64.75 | 91.25 |
| | 10KbGF | | 46.79 | 96.12 | 94.67 | 93.24 | 94.33 | 98.25 | 99 | 76 | 65.33 | 100 | 99.67 | 65.89 | 89 | /9.25 | 93.39 |
| | FORDER | | 43.87 | 97.13 | 97 | 93.35 | 90 | 99.25 | 99.33 | 0/ 72.04 | 00 74.95 | 100 | 99.33 | 00.74 21.00 | 80.27 70.65 | 01 50 | 93.67 |
| Onden | SUKDGF | | 43.00 | 90.92 | 90.33 | 95.61 | 99.31 | 100 | 100 | 73.24 | 74.00 | 100 | 100 | 31.09 | 79.05 | 94.30 | 97.00 |
| Order | Gaussian | 5,5,1 | Other I | roococcale | Nostocales | rochlorales | ithomonad | Vibrionales | asteurellale | orochaetal | Bacillales | acteroidale. | lostridiales | ctobacillale | sobacteral | tinomyceta | iodospirillal |
| | Data | | Class Sn. (| %) | 0 | 0 | 0 | 0 | 0.00 | 0.07 | 0 | 0 | 0 | 10.01 | 0 | 0 | 0 |
| | | | 98.92 | 10.25 | 0 | 0 | 0 | 17.05 | 2.92 | 2.67 | 10.00 | 0 | 0 | 10.21 | 0 | 0 | 0 |
| | 3KDGF | | 96.18 | 13.25 | 28 | 0 | 51.29 | 17.25 | 70.92 | 20.5 | 10.69 | 61.33 | 36.86 | /b.4b | 0 | 53.62 | 3.33 |
| | | | 91.44 | 30.25 49 5 | 00.33 | 2.0 | 00 | 00.25 | 07.03 | 21.03 | 01.00 70.00 | 94.67 | 49.29 | 00.04 | 05.67 | 03.30 | 13.07 |
| | 15kbGF | | 70.84 | 40.0 50.25 | 100 | 73 75 | 95.60 | 92.75 | 90.17 | 28 52 | 73.23 94.99 | 100 | 71 | 94.43 | 95.07 | 94.77 | 33.33 |
| | 50kbGE | | 74.66 | 47.33 | 100 | 67 79 | 97.57 | 100 | 90.07 | 14 42 | 90.57 | 100 | 67.6 | 90.33 | 100 | 90.54 | 37.8 |
| Gonue | Caucaian | E E 1 | Other - | shlaragaac | anhulaaaad | | Beeillue | Cleatridium | ootobooilluu | Listoria | runahaatarii | vechostoriu | trantomucor | mnulaboat | Jolioobooto | Avenleem" | thonocoroi |
| Genus | Doto | 5,5,1 | Class Sp. (%) | | арпуюсосст | replococci | Dacilius | Ciostriaium | actobaciliu | Listena | rynebacteri | ycobacterius | repromycea | ampyiobact | relicobacter | nycopiasma | emanosarci |
| | 1kbGE | | | o) 0 | 0 | 0.25 | 0 | 0.17 | 7 75 | 0 | 0 | 0 | 0 | 0 | 11 75 | 6.4 | 0 |
| | 3kbGE | | 99.00 | 0 75 | 75.5 | 74 65 | 15.0 | 63.33 | 23 | 30.25 | 0 | 31.14 | 57 33 | 38.8 | 20 | 20.4 | 17.67 |
| | 5kbGE | | 93.30 | 26 75 | , J.J Q/ | 83 0/ | 60.0 | 76 17 | 25 | 50.25 73 | 44 33 | 64.29 | 85.67 | 50.0 | 23 | 23.2 43.8 | 52.33 |
| | 10kbGF | | 87 53 | 50.5 | 94 QQ | 92 12 | 85.3 | 81 17 | 31 25 | 96 5 | 71.33 | 89.57 | 99.67 | 58.8 | 53 75 | 52 42 | 78.33 |
| | 15kbGF | | 84.9 | 70 | 99.67 | 97.53 | 88.2 | 82.5 | 44.27 | .98 | 81.67 | 94.14 | 99 | 85 | 68 | 60.47 | 86 |
| | 50kbGF | | 81.96 | 67.79 | 100 | 99.85 | 89.46 | 83.18 | 46.51 | 99.58 | 98.87 | 97.37 | 99.67 | 100 | 72.52 | 75.25 | 95.73 |

| Other | Cyanobacteria | Proteobacteria | Firmicutes | Deinococcus- | Actinobacteria | Spirochaetes | Chlamydiae | Crenarchaeot E | Euryarchaeota | Fusobacteria | Ascomycota | Arthropoda | Chordata | Bacteroidetes | | Sn. (%) | Sp. (%) |
|-----------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Class Sp. | (%) | | | | | | | | | | | | | | | | |
| 6.47 | 93.13 | 92.62 | 97.26 | 91.15 | 93.57 | 42.68 | - | 93.75 | 94.27 | 82.07 | 73.91 | 29.01 | 78.09 | 71.55 | | 40.55 | 79.47 |
| 18.06 | 94.37 | 94.94 | 95.21 | 90.06 | 91.03 | 57.35 | 97.65 | 81.82 | 80.01 | 86.23 | 73.98 | 43.02 | 88.57 | 73.12 | | 75.68 | 81.95 |
| 24.64 | 93.09 | 94.98 | 95.03 | 87.02 | 91.04 | 64.49 | 96.96 | 84.4 | 79.98 | 88.55 | 69.98 | 42.58 | 92.51 | 72.73 | | 79.28 | 82.38 |
| 21.09 | 97.25 | 95.94 | 97.24 | 88.99 | 92.67 | 60.61 | 98.03 | 95.8 | 83.14 | 98.34 | 74.54 | 50 | 95.94 | 67.8 | | 80.02 | 85.45 |
| 22.39 | 97.27 | 96.92 | 98.04 | 94.26 | 95.6 | 71.24 | 96.12 | 97.95 | 88.02 | 100 | 77.81 | 52.31 | 97.51 | 64.61 | | 79.47 | 87.69 |
| 23.17 | 98.13 | 97.1 | 99.18 | 98.43 | 98.77 | 75.41 | 82.35 | 93.43 | 86.85 | 100 | 78.59 | 55.46 | 99.78 | 65.56 | | 80.57 | 87.79 |
| Betaproteoba | u Deltaproteoba B | Epsilonproteo | Mollicutes | Mammalia | Insecta | Actinopterygii | Bacilli | Other C | Gammaprotec | Sordariomyce | Actinobacteria | Thermoprotei | Thermoplasm | Thermococci | Clostridia | Deinococci | Bacteroides(c |
| | | | | | | | C | lass Sp. (%) |) | | | | | | | | |
| 33.38 | 7.38 | 83.8 | 72.33 | 72.5 | 32.5 | 43 | 0.54 | 14.82 | 94.63 | - | 98.37 | 73.08 | 92.79 | 100 | 97.14 | 86.96 | 80 |
| 85.08 | 48.5 | 94.7 | 92.67 | 92 | 67.75 | 80 | 80.11 | 44.58 | 92.13 | 74.28 | 90.59 | 85.67 | 92.6 | 86.1 | 86.38 | 83.25 | 80.91 |
| 89.62 | 54.75 | 96.6 | 94.67 | 96 | 71.75 | 84 | 91.39 | 58.34 | 92.16 | 65.51 | 88.16 | 89.8 | 91.21 | 76.56 | 75.95 | 84.62 | 74.12 |
| 93.08 | 59.75 | 98.2 | 94.71 | 99 | 77.25 | 92.33 | 95.2 | 67.98 | 92.51 | 63.82 | 84.93 | 93.09 | 95.39 | 72.62 | 74.03 | 83.4 | 70.26 |
| 94 | 60.62 | 98.9 | 96.15 | 100 | 79.25 | 95.67 | 96.46 | 71.98 | 92.95 | 62.85 | 83.43 | 95.36 | 93.41 | 69.95 | 74.84 | 84.62 | 68.49 |
| 96.48 | 63.54 | 99.71 | 97.75 | 99.5 | 84.25 | 96.33 | 97.55 | 82.67 | 93.62 | 65.68 | 87.12 | 94.12 | 92.81 | 69.03 | 85.71 | 91.24 | 72.12 |
| odobactera | Neisseriales | oplasmata | npylobacter | ermococca | rmoplasmat | Rhizobiales | hlamydiale | ulfuromonac | Diptera | udomonad | Rickettsiale | urkholderia | Iterobacteria | hanosarcin | Other | hroococcal | Nostocales |
| | | | | | | | | | | | | | | | Class Sp. | (%) | |
| 0 | 16.67 | 0.5 | 58.5 | 0 | 0.25 | 0 | 0 | 0 | 0 | 0.8 | 0 | 0 | 0 | 0 | 22.26 | 100 | - |
| 38.33 | 75.5 | 47.5 | 88.3 | 24 | 45 | 0 | 5.89 | 32 | 39.67 | 20 Z | 4.56 | 39 27 | 41.14 | 18.5 | 21 15 | 50.96 | 00.00 |
| 54 | 79.5 | ~~ ~~ | | | | | | - | 00.07 | 00.0 | | 00.27 | | | 51.15 | 00.00 | 98.82 |
| 63 33 | | 60.33 | 93.5 | 83.33 | 61.75 | 5.3 | 69.44 | 57.67 | 56.33 | 57.9 | 64.89 | 73.73 | 86.08 | 42 | 45.62 | 56.28 | 98.82 98.15 |
| 03.33 | 83.17 | 60.33 71.83 | 93.5 98 | 83.33 95.33 | 61.75 90.5 | 5.3 86.3 | 69.44 88.56 | 57.67 70 | 56.33 69.67 | 57.9 73.5 | 64.89 88.78 | 73.73 87.47 | 86.08 95.16 | 42 60 | 45.62 64.1 | 56.28 65.54 | 98.82 98.15 88.29 |
| 62.67 | 83.17 83.33 | 60.33 71.83 75.58 | 93.5 98 99.1 | 83.33 95.33 98.67 | 61.75 90.5 96.25 | 5.3 86.3 93.8 | 69.44 88.56 86.27 | 57.67 70 72.67 | 56.33 69.67 72 | 57.9 73.5 77.5 | 64.89 88.78 89.14 | 73.73 87.47 91.73 | 86.08 95.16 96.4 | 42 60 65.75 | 45.62 64.1 70.65 | 56.28 65.54 64.01 | 98.82 98.15 88.29 85.96 |
| 62.67 65.04 | 83.17 83.33 69.65 | 60.33 71.83 75.58 75.86 | 93.5 98 99.1 100 | 83.33 95.33 98.67 100 | 61.75 90.5 96.25 100 | 5.3 86.3 93.8 99.87 | 69.44 88.56 86.27 79.22 | 57.67 70 72.67 79.62 | 56.33 69.67 72 76 | 57.9 73.5 77.5 86.57 | 64.89 88.78 89.14 96.46 | 73.73 87.47 91.73 95.31 | 86.08 95.16 96.4 97.36 | 42 60 65.75 84.34 | 45.62 64.1 70.65 77.38 | 56.28 65.54 64.01 68.21 | 98.82 98.15 88.29 85.96 78.95 |
| 62.67 65.04 Pyrococcus | 83.17 83.33 69.65 Brucella | 60.33 71.83 75.58 75.86 Xylella | 93.5 98 99.1 100 seudomona | 83.33 95.33 98.67 100 Burkholderia | 61.75 90.5 96.25 100 Buchnera | 5.3 86.3 93.8 99.87 Neisseria | 69.44 88.56 86.27 79.22 Bordetella | 57.67 70 72.67 79.62 EscherichiaS | 56.33 69.67 72 76 Salmonella | 57.9 73.5 77.5 86.57 Shigella | 64.89 88.78 89.14 96.46 Yersinia | 73.73 87.47 91.73 95.31 Vibrio | 86.08 95.16 96.4 97.36 | 42 60 65.75 84.34 Rickettsia h | 45.62 64.1 70.65 77.38 | 56.28 65.54 64.01 68.21 | 98.82 98.15 88.29 85.96 78.95 Other |
| 62.67 65.04 Pyrococcus | 83.17 83.33 69.65 Brucella | 60.33 71.83 75.58 75.86 Xylella | 93.5 98 99.1 100 seudomona | 83.33 95.33 98.67 100 3urkholderia | 61.75 90.5 96.25 100 Buchnera | 5.3 86.3 93.8 99.87 Neisseria | 69.44 88.56 86.27 79.22 Bordetella | 57.67 70 72.67 79.62 EscherichiaS | 56.33 69.67 72 76 Salmonella | 57.9 73.5 77.5 86.57 Shigella | 64.89 88.78 89.14 96.46 Yersinia | 73.73 87.47 91.73 95.31 Vibrio | 86.08 95.16 96.4 97.36 Haemophilu | 42 60 65.75 84.34 Rickettsia h | 45.62 64.1 70.65 77.38 | 56.28 65.54 64.01 68.21 iJsobacteriu | 98.82 98.15 88.29 85.96 78.95 Other Class <i>Sp.</i> (% |
| 62.67 65.04 Pyrococcus | 83.17 83.33 69.65 8 Brucella 0.33 | 60.33 71.83 75.58 75.86 Xylella 0.75 | 93.5 98 99.1 100 seudomona | 83.33 95.33 98.67 100 Burkholderia | 61.75 90.5 96.25 100 Buchnera | 5.3 86.3 93.8 99.87 Neisseria 13 | 69.44 88.56 86.27 79.22 Bordetella | 57.67 70 72.67 79.62 EscherichiaS | 56.33 69.67 72 76 Salmonella | 57.9 73.5 77.5 86.57 Shigella | 64.89 88.78 89.14 96.46 Yersinia | 73.73 87.47 91.73 95.31 Vibrio | 86.08 95.16 96.4 97.36 Iaemophilu | 42 60 65.75 84.34 Rickettsia h | 45.62 64.1 70.65 77.38 hlamydoph | 56.28 65.54 64.01 68.21 iJsobacteriu C | 98.82 98.15 88.29 85.96 78.95 Other class <i>Sp.</i> (% 51.27 |
| 62.67 65.04 Pyrococcus 1 64 | 83.17 83.33 69.65 s Brucella 0.33 69 | 60.33 71.83 75.58 75.86 Xylella 0.75 49 | 93.5 98 99.1 100 seudomona 0 35 | 83.33 95.33 98.67 100 3urkholderi 0 45.14 | 61.75 90.5 96.25 100 Buchnera 0 11 | 5.3 86.3 93.8 99.87 Neisseria 13 68.75 | 69.44 88.56 86.27 79.22 Bordetella 0 30.75 | 57.67 70 72.67 79.62 EscherichiaS 0 28.43 | 56.33 69.67 72 76 Salmonella 0 46.38 | 57.9 73.5 77.5 86.57 Shigella 0 4.25 | 64.89 88.78 89.14 96.46 Yersinia 0 2.29 | 73.73 87.47 91.73 95.31 Vibrio 0 24.75 | 86.08 95.16 96.4 97.36 1aemophilu 0 0 | 42 60 65.75 84.34 Rickettsia h | 45.62 64.1 70.65 77.38 hlamydoph 0 60.83 | 56.28 65.54 64.01 68.21 iJsobacteriu 0 60.33 | 98.82 98.15 88.29 85.96 78.95 Other class <i>Sp.</i> (% 51.27 62.91 |
| 62.67 65.04 Pyrococcus 1 64 87 | 83.17 83.33 69.65 s Brucella 0.33 69 93.67 | 60.33 71.83 75.58 75.86 Xylella 0.75 49 70 | 93.5 98 99.1 100 seudomona 0 35 66 | 83.33 95.33 98.67 100 Burkholderi 0 45.14 74.71 | 61.75 90.5 96.25 100 Buchnera 0 11 65.67 | 5.3 86.3 93.8 99.87 Neisseria 13 68.75 72.75 | 69.44 88.56 86.27 79.22 Bordetella 0 30.75 66 | 57.67 70 72.67 79.62 EscherichiaS 0 28.43 54.71 | 56.33 69.67 72 76 Salmonella 0 46.38 64.5 | 57.9 73.5 77.5 86.57 Shigella 0 4.25 20 | 64.89 88.78 89.14 96.46 Yersinia 0 2.29 59.71 | 73.73 87.47 91.73 95.31 Vibrio 0 24.75 60.25 | 86.08 95.16 96.4 97.36 1aemophilu 0 0.25 | 42 60 65.75 84.34 Rickettsia h 1 49 76.5 | 45.62 64.1 70.65 77.38 hlamydoph 0 60.83 91.5 | 56.28 65.54 64.01 68.21 iusobacteriu C 0 60.33 90.33 | 98.82 98.15 88.29 85.96 78.95 Other class <i>Sp.</i> (% 51.27 62.91 74.55 |
| 62.67 65.04 Pyrococcus 1 64 87 96.33 | 83.17 83.33 69.65 Brucella 0.33 69 93.67 98.33 | 60.33 71.83 75.58 75.86 Xylella 0.75 49 70 94 | 93.5 98 99.1 100 seudomona 0 35 66 85.57 | 83.33 95.33 98.67 100 Burkholderia 0 45.14 74.71 94.86 | 61.75 90.5 96.25 100 Buchnera 0 11 65.67 94.21 | 5.3 86.3 93.8 99.87 Neisseria 13 68.75 72.75 86.5 | 69.44 88.56 86.27 79.22 Bordetella 0 30.75 66 73 | 57.67 70 72.67 79.62 EscherichiaS 0 28.43 54.71 65 | 56.33 69.67 72 76 Salmonella 0 46.38 64.5 86.25 | 57.9 73.5 77.5 86.57 Shigella 0 4.25 20 40.75 | 64.89 88.78 89.14 96.46 Yersinia 0 2.29 59.71 96.86 | 73.73 87.47 91.73 95.31 Vibrio 0 24.75 60.25 80 | 86.08 95.16 96.4 97.36 1aemophilu 0 0 0.25 80.5 | 42 60 65.75 84.34 Rickettsia h 1 49 76.5 96.5 | 45.62 64.1 70.65 77.38 hlamydoph 60.83 91.5 99.67 | 56.28 65.54 64.01 68.21 iJsobacteriu C 0 60.33 90.33 99.33 | 98.82 98.15 88.29 85.96 78.95 Other class <i>Sp.</i> (% 51.27 62.91 74.55 85.47 |
| 62.67 65.04 Pyrococcus 1 64 87 96.33 98.67 | 83.17 83.33 69.65 Brucella 0.33 69 93.67 98.33 99.33 | 60.33 71.83 75.58 75.86 Xylella 0.75 49 70 94 98.5 | 93.5 98 99.1 100 seudomona 0 35 66 85.57 94.71 | 83.33 95.33 98.67 100 Burkholderia 0 45.14 74.71 94.86 98.29 | 61.75 90.5 96.25 100 Buchnera 0 11 65.67 94.21 98.41 | 5.3 86.3 93.8 99.87 Neisseria 13 68.75 72.75 86.5 95.25 | 69.44 88.56 86.27 79.22 Bordetella 0 30.75 66 73 75 | 57.67 70 72.67 79.62 EscherichiaS 0 28.43 54.71 65 66.71 | 56.33 69.67 72 76 Salmonella 0 46.38 64.5 86.25 96.5 | 57.9 73.5 77.5 86.57 Shigella 0 4.25 20 40.75 55.5 | 64.89 88.78 89.14 96.46 Yersinia 0 2.29 59.71 96.86 98.29 | 73.73 87.47 91.73 95.31 Vibrio 0 24.75 60.25 80 95.75 | 86.08 95.16 96.4 97.36 1aemophilu 0 0 0.25 80.5 91 | 42 60 65.75 84.34 Rickettsia h 1 49 76.5 96.5 100 | 45.62 64.1 70.65 77.38 hlamydoph 60.83 91.5 99.67 99.79 | 56.28 65.54 64.01 68.21 iusobacteriu C 0 60.33 90.33 99.33 99.67 | 98.82 98.15 88.29 85.96 78.95 Other 38.95 Other 38.29 () 51.27 62.91 74.55 85.47 90.57 |

| Fusobacteria(| Spirochaetes(| Chlamydiae(cl l | Methanomicro | Alphaproteoba | Betaproteoba | Deltaproteoba | Epsilonproteo | Mollicutes | Mammalia | Insecta | Actinopterygii | Bacilli | | Sn. (%) | Sp. (%) | I | |
|---------------|----------------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------------|----------------|-----------|-------------|----------------|----------------|----------------|-------------|
| 79.00 | 05 | | 00.00 | 08.00 | 04.10 | 64.94 | 01.00 | 04 EE | 54.00 | 20 51 | 60.00 | 100 | | 20.60 | 92.04 | | |
| 70.92 88.2 | 95 89 24 | - 96 82 | 69.33 69.04 | 96.99 95.61 | 94.12 92.65 | 60.62 | 93.39 | 04.00 92.36 | 54.92 66.67 | 45.93 | 02.32 76.68 | 96.05 | | 30.69 79.24 | 83.04 83.42 | | |
| 90.24 | 84.67 | 91.44 | 63.48 | 95.05 | 94.59 | 58.4 | 97.09 | 93.73 | 70.46 | 48.07 | 82.89 | 95.53 | | 83.97 | 81.99 | | |
| 92.86 | 88.14 | 85.12 | 56.71 | 92.4 | 96.67 | 58.79 | 98.69 | 95.07 | 75.57 | 47.69 | 84.97 | 95.54 | | 86.98 | 81.74 | | |
| 92.55 | 87.7 | 77.08 | 55.88 | 91.6 | 97.37 | 57.6 | 99.4 | 95.04 | 76.48 | 50.8 | 92.58 | 95.85 | | 87.59 | 81.63 | | |
| 91.24 | 89.81 | 45.32 | 65.01 | 92.75 | 98.19 | 64.46 | 100 | 96.67 | 78.66 | 55.98 | 98.63 | 94.28 | | 87.84 | 82.84 | | |
| Prochlorales | thomonada | Vibrionales | asteurellale | pirochaetale | Bacillales 3 | acteroidale | Clostridiales | ctobacillal | usobactera | Actinomy | Rhodospiri | Rhodobact | Neisseriale | Mycoplasr | r Campyloba | Thermoco | c Thermopla |
| | | | 100 | 04.40 | | | | 70.50 | | | | | 100 | 100 | 00.00 | | 100 |
| - | - | - | 100 | 94.12 | - | - | - | /2.59 | - | - | - | - | 100 | 100 | 98.32 | - | 100 |
| - | 96.51 | 95.83 | 98.84 | 83.11 | 99.29 | 99.46 | 88.36 70.21 | 91.38 | - | 99.29 | 14.71 | 98.29 | 99.12 | 84.32 74.10 | 98.55 | 100 | 100 |
| 100 | 90.20 80.50 | 91.07 78.11 | 90.00 | 89.3 | 90.02 07 00 | 97.20 80.20 | 75.58 | 92.00 | 99.31 | 90.09 | 24.7 | 100 | 90.00 | 68.47 | 99.30 QQ 8 | 99.21 90.79 | 99.0 |
| 100 | 91 19 | 70.11 | 92 14 | 88.51 | 98.22 | 86 71 | 79.78 | 96 17 | 99.34 | 91 17 | 33.9 | 98.43 | 100 | 65.04 | 99.9 | 80.22 | 99.23 |
| 82.79 | 95.35 | 67.38 | 87.25 | 95.74 | 96 | 80.43 | 87.83 | 93.89 | 100 | 92.09 | 34.32 | 98.86 | 99.54 | 63.31 | 100 | 72.3 | 96.99 |
| ochlorococca | aphylococci | treptococcu | Bacillus | Clostridium. | actobacillu | Listeria | rynebacteri | cobacteriu | streptomyce | e Campylob | e Helicobacte | Mycoplasm | Methanosa | Pyrococcu | Brucella | Xylella | Pseudomo |
| 6) | | | | | | | | | | | | | | | | | |
| - | - | 100 | - | 100 | 15.58 | - | - | - | - | - | 97.92 | 65.31 | - | 100 | 100 | 100 |) - |
| 100 | 98.48 | 95.34 | 100 | 68.72 | 41.07 | 100 | 100 | 93.97 | 100 |) 100 | 58.59 | 64.6 | 100 | 97.96 | 5 100 | 90.74 | 94.96 |
| 100 | 98.43 | 93.88 | 96.36 | 63.83 | 42.37 | 98.98 | 96.38 | 87.89 | 94.83 | 99.63 | 60.41 | 69.3 | 96.32 | 91.58 | 99.29 | 88.61 | 85.08 |
| 99.51 | 98.18 | 93.6 | 91.82 | 60.42 | 47.71 | 93.92 | 91.45 | 84.84 | 82.6 | 5 100 | 67.82 | 70.83 | 92.89 | 80.28 | 98.33 | 90.82 | 2 75.35 |
| 97.56 | 99.34 | 94.36 | 89.63 | 59.07 | 59.59 | 94 | 90.07 | 83.21 | 76.35 | 5 100 | 73.12 | 74.28 | 88.36 | 75.51 | 97.07 | 93.81 | 74.41 |
| 80.16 | 99.4 | 94.92 | 88.91 | 66.48 | 63.49 | 84.53 | 88.38 | 82.36 | 72.05 | 5 100 |) 69.34 | 76 | 83.8 | 68.59 | 97.03 | 95.39 | 72.36 |

| Rhizobiales | Chlamydia | Desulfuron | Diptera | Pseudomo | Rickettsiale | Burkholder | Enterobact | Methanosa | rcinales | Sn. (%) | Sp. (%) | | | |
|-------------|-----------|------------|------------|-------------|--------------|------------|------------|-----------|----------|----------------|-----------|---------------|---------|---------|
| - | - | - | - | 100 | - | - | - | - | | 6.39 | 96.11 | | | |
| - | 100 | 98.97 | 63.3 | 81.37 | 100 | 99.16 | 99.87 | 100 | | 35.95 | 89.98 | | | |
| 100 | 100 | 95.58 | 59.72 | 79.21 | 100 | 98.22 | 99.66 | 93.85 | | 60.37 | 90.11 | | | |
| 96.75 | 98.15 | 91.7 | 53.18 | 78.44 | 99.13 | 97.84 | 99.28 | 86.02 | | 79.53 | 87.92 | | | |
| 94.08 | 94.24 | 90.46 | 52.17 | 77.89 | 97.82 | 97.59 | 98.99 | 83.23 | | 82.32 | 86.43 | | | |
| 85.33 | 60.4 | 94.95 | 54.42 | 80.06 | 89.71 | 97.74 | 98.92 | 87.5 | | 83.32 | 84.15 | | | |
| Burkholder | Buchnera | Neisseria | Bordetella | Escherichia | Salmonella | Shigella | Yersinia | Vibrio | Haemoph | nil Rickettsia | Chlamydor | Fusobacterium | Sn. (%) | Sp. (%) |
| - | - | 100 | - | - | - | - | - | - | - | 100 | - | - | 4.42 | 87.88 |
| 99.37 | 97.06 | 99.64 | 99.19 | 65.68 | 96.11 | 85 | 94.12 | 99 | - | 96.55 | 96.82 | 100 | 38.62 | 91.1 |
| 97.39 | 86.78 | 99.32 | 92.96 | 63.52 | 89.9 | 45.71 | 98.35 | 92.69 | 10 | 0 96.53 | 91.65 | 97.83 | 63.38 | 87.61 |
| 92.35 | 68.85 | 99.71 | 81.11 | 68.32 | 87.79 | 52.58 | 91.5 | 79.01 | 74.8 | 8 94.38 | 84.23 | 98.35 | 81.09 | 83.66 |
| 90.53 | 62.63 | 99.74 | 75.95 | 73.89 | 87.13 | 55.78 | 86.87 | 75.1 | 61.2 | 8 89.49 | 83.45 | 99.01 | 87.52 | 82.6 |
| 89.27 | 54.41 | 100 | 69.67 | 86.53 | 85.92 | 73 | 82.54 | 67.02 | 46.6 | 2 86.24 | 80.23 | 100 | 92.23 | 80.8 |

Table S10: Comparison of Phylopythias' classification accuracy for 3kb genomic fragments from unknown organisms (3kb GF) to that of genomic fragments from unknown organisms which carry highly expressed ribosomal proteins (3kb RP GF). For each organism where this annotation was available (322 of the 340), 10 3kb fragments carrying one or more ribosomal protein encoding genes were classified. For the clades at the taxonomic levels domain, phylum, class, order and genus, the overall sensitivity (*Sn.*) and specificity (*Sp.*) of *de novo* assignment for these fragments is shown.

| Rank | Sn. (%) | Sp. (%) | Sn. (%) | Sp. (%) |
|--------|-----------|---------|---------|---------|
| | 3kb RP GI | = | 3kb GF | |
| Domain | 42.34 | 81.13 | 72.04 | 91.3 |
| Phylum | 76.08 | 83.26 | 75.68 | 81.95 |
| Class | 78.08 | 83.4 | 79.24 | 83.42 |
| Order | 27.17 | 91.39 | 35.95 | 89.98 |
| Genus | 26.22 | 91.42 | 38.62 | 91.1 |

Table S11: Phylogenetic classification accuracy of Phylopythia for genomic fragments of known organisms (other fragments of these organisms were included in the training set used for model creation) at the phylogenetic levels domain, phylum, class, order and genus for differently sized genomic fragments. For every phylogenetic level, the sensitivity (*Sn.*) and specificity (*Sp.*, averaged over all clades where 300+ fragments were available for classification) of *de novo* sequence classification is displayed. The specificity for 50k fragments at the genus level is undetermined (n.a.), due to too little available evaluation data. Δ *Sn.* and Δ *Sp.* give the improvement of classification accuracy compared to that for unknown organisms.

| Rank | GF | Sn. (%) | Sp. (%) | ∆ Sn. | ∆ Sp. |
|--------|------|---------|---------|-------|-------|
| Domain | 1kb | 57.71 | 88.68 | 0.03 | 7.39 |
| | 3kb | 92.35 | 90.7 | 20.31 | -0.6 |
| | 5kb | 96.03 | 98.28 | 26.88 | 1.36 |
| | 10kb | 98.15 | 98.03 | 11.74 | 5.96 |
| | 15kb | 97.59 | 99.72 | 20.73 | 1.28 |
| | 50kb | 99.8 | 99.95 | 10.61 | 2.03 |
| Phylum | 1kb | 50.32 | 92.11 | 9.77 | 12.64 |
| | 3kb | 94.75 | 94.84 | 19.07 | 12.89 |
| | 5kb | 96.53 | 94.73 | 17.25 | 12.35 |
| | 10kb | 97.93 | 97.22 | 17.91 | 11.77 |
| | 15kb | 98.77 | 98.61 | 19.3 | 10.92 |
| | 50kb | 97.99 | 98.82 | 17.42 | 11.03 |
| Class | 1kb | 30.76 | 93.21 | 0.07 | 10.17 |
| | 3kb | 94.64 | 94.29 | 15.4 | 10.87 |
| | 5kb | 96.93 | 93.75 | 12.96 | 11.76 |
| | 10kb | 97.65 | 96.19 | 10.67 | 14.45 |
| | 15kb | 98.9 | 98.72 | 11.31 | 17.09 |
| | 50kb | 99.53 | 98.45 | 11.69 | 15.61 |
| Order | 1kb | 25.12 | 95.04 | 18.73 | -1.07 |
| | 3kb | 94.18 | 93.89 | 58.23 | 3.91 |
| | 5kb | 96.93 | 92.75 | 36.56 | 2.64 |
| | 10kb | 98.5 | 96.79 | 18.97 | 8.87 |
| | 15kb | 98.66 | 96.7 | 16.34 | 10.27 |
| | 50kb | 99.66 | 98.61 | 16.34 | 14.46 |
| Genus | 1kb | 7.11 | 96.72 | 2.69 | 8.84 |
| | 3kb | 69.16 | 92.5 | 30.54 | 1.4 |
| | 5kb | 95.43 | 89.18 | 32.05 | 1.57 |
| | 10kb | 98.07 | 83.68 | 16.98 | 0.02 |
| | 15kb | 96.63 | 87.82 | 9.11 | 5.22 |
| | 50kb | 99.52 | n.a. | 7.29 | n.a. |