RC25433 (IRE1312-005) December 14, 2013 Computer Science

IBM Research Report

Bursting the Cloud Data Bubble: Towards Transparent Storage Elasticity in IaaS Clouds

Bodgan Nicolae

IBM Research Smarter Cities Technology Centre Mulhuddart Dublin 15, Ireland

Pierre Riteau

University of Chicago USA

Kate Keahey Argonne National Laboratory USA



Research Division Almaden – Austin – Beijing – Cambridge – Dublin - Haifa – India – Melbourne - T.J. Watson – Tokyo - Zurich

LIMITED DISTRIBUTION NOTICE: This report has been submitted for publication outside of IBM and will probably be copyrighted if accepted for publication. It has been issued as a Research Report for early dissemination of its contents. In view of the transfer of copyright to the outside publication outside of IBM prior to publication should be limited to peer communications and specific requests. After outside publication, requests should be filled only by reprints or legally obtained copies of the article (e.g., payment of royalties). Many reports are available at http://domino.watson.ibm.com/library/CyberDig.nsf/home.

Bursting the Cloud Data Bubble: Towards Transparent Storage Elasticity in IaaS Clouds

Bogdan Nicolae IBM Research, Ireland bogdan.nicolae@ie.ibm.com Pierre Riteau University of Chicago, USA priteau@uchicago.edu Kate Keahey Argonne National Laboratory, USA keahey@mcs.anl.gov

Abstract—Storage elasticity on IaaS clouds is a particularly important feature in the context of data-intensive workloads: due to exploding data sizes and increasing scale and complexity, storage requirements can vary greatly during application runtime, making worst-case over-provisioning a poor choice that leads to large waste and unnecessary extra costs. Thus, it is imperative to adapt dynamically to the storage requirements. However, how to leverage elasticity in this context is not well understood. Current approaches simply rely on users to attach and detach virtual disks to the VM instances and then manage them manually, which greatly increases application complexity. Unlike such approaches, this paper aims to provide a transparent solution that presents a unified storage space to the VM in the form of a regular POSIX file system that hides the details of attaching and detaching virtual disks. The main difficulty in this context is to understand the intent of the application in order to pro-actively attach and detach virtual disks, such as to avoid running out of space while minimizing performance overhead of doing so. To this end, we propose a storage space prediction scheme that analyzes multiple system parameters and dynamically adapts monitoring based on intensity of I/O in order to get as close as possible to the real usage. We show the value of our proposal over static worst-case over-provisioning and simpler elastic schemes that rely on a reactive model to attach and detach virtual disks, using both synthetic benchmarks and real life dataintensive applications.

Keywords-cloud computing; elastic storage; adaptive resizing; I/O access pattern prediction

I. INTRODUCTION

Infrastructure clouds (Infrastructure-as-a-Service, or IaaS clouds) [1] are increasingly gaining popularity over privately owned and managed hardware, thanks to their easy and well-established pay-as-you-go model that enables users to lease computational and storage resources on short notice, for a short amount of time and in large quantities, paying only for what resources were actually consumed.

One of the key features that makes cloud computing so appealing is *elasticity*, i.e. the ability to acquire and release resources in response to dynamic workloads that have fluctuating requirements over time. Thanks to elasticity, we are presented with a new optimization problem: rather than molding a problem to a fixed set of resources in the most efficient way, as is the case in traditional high performance computing (HPC) centers, a user can now go the other way around: fit resources – from a flexible and extensible set – to the problem. While providing an interesting alternative, elasticity is at the same time challenging to exploit at its full potential. To date, most of the efforts have been focusing on exploiting the elasticity of computational resources, ranging from localized virtual clusters [2] to approaches that facilitate elasticity across cloud federations [3], [4]. However, *elasticity of storage* has gained comparatively little attention, despite continuous explosion of data sizes and, as a response, the rise of data-intensive paradigms and programming models (such as MapReduce [5] and its vast ecosystem) that are highly scalable and capable of processing massive amounts of data over short periods of time.

In this context, storage costs are rapidly growing. While this growth is naturally caused by the accumulation of data, a growing gap is forming between the costs of actually used data and the costs of provisioned storage. In many circumstances, data-intensive applications exhibit great variability in storage requirements during runtime. However, traditionally, IaaS clouds offer very little support to address such patterns: users typically have to manually provision raw virtual disks that are attached to their virtual machine (VM) instances. All details related to the management of such raw disk, including what size or type to pick, how to use it (e.g. what file system) and when to attach/detach a disk increases the application complexity to a point where the promised ease-of-use of clouds is abused: users simply over-provision storage in order to cover the worst-case scenario, which unsurprisingly leads to a waste of resources and unnecessary extra costs.

As a consequence, there is an immediate need for an elastic storage solution that bridges the gap mentioned above. For this to be possible, there are three major requirements that need to be addressed. First, in order to minimize wasted storage space, elasticity needs to be implemented in a highly dynamic fashion, such that it is able to adapt to large fluctuations over short periods of time and match the provisioned storage space to the instantaneous needs of the application as closely as possible. Second, it must exhibit low performance overhead, such that it does not lead to a significantly longer application runtime that threatens performance requirements or incurs extra costs that offset the savings due to smarter storage. Finally, elasticity must be achieved in a *transparent* fashion, such that it hides all details of raw virtual disk management from the users and facilitates the ease-of-use promise.

This paper contributes with a transparent elastic storage solution that presents a unified storage space to the VM in the form of a regular POSIX file system that hides all details of attaching and detaching virtual disks. Our approach is specifically designed to deal with data-intensive workloads that exhibit large fluctuations of storage space requirements over short periods of time. In addition to technological choices, the main difficulty in this context is to anticipate the application intent and proactively attach and detach disks such as to minimize the wasted storage without significant performance overhead. To this end, we propose a prediction scheme that correlates different I/O statistics in order to optimize the moment when to attach and detach virtual disks without compromising normal application functionality by prematurely running out of space.

Our contributions can be summarized as follows:

- We present a series of design principles that facilitate transparent elasticity for cloud storage. In particular, we show how to leverage multi-disk aware file systems to circumvent the difficulty of resizing virtual disks on the fly, which is coupled with fine granularity-monitoring and a predictive scheme that anticipates near-future storage space requirements and other favorable circumstances. (Section III-A)
- We show how to materialize these design principles in practice through a series of building blocks (along with their associated algorithmic description and implementation) that integrate with a typical IaaS cloud architecture. (Sections III-B, III-C and III-D)
- We evaluate our approach in a series of experiments conducted on dozens of nodes of the Shamrock experimental testbed, using both synthetic benchmarks and real-life applications. In this context, we demonstrate reduction in waste of storage space of up to an order of magnitude, all of which is possible with minimal performance overhead. (Section IV)

II. RELATED WORK

Extensive work exists on elasticity of computational resources, with focus on various aspects including: responsiveness to job submissions patterns and performance acceleration [6], automated monitoring and workload adaptation for OpenStack [7], elasticity of virtual clusters on top of IaaS clouds [2] and wide area cloud federations [3], [4].

With respect to storage, compression [8] and other space reduction techniques can be used to reduce associated costs. However, such approaches deal with actually used data and do not directly address the gap between actually used data and provisioned space. Thus, building blocks that facilitate elasticity of storage are crucial. Means to conveniently create and discard virtual disks of fixed sizes that can be freely attached and detached to running VM instances are supported by both open-source platforms [9] and commercial IaaS clouds [10]. Disk arrays (in various RAID configurations) have long been used by storage servers in order to aggregate the storage space of multiple disks. Although growing and shrinking of RAID volumes is possible, this is a lengthy and expensive operation because it requires rebuilding the entire RAID. While there are several efforts to improve this process [11], [12], [13], such an approach is not feasible in our context where we need to grow and shrink storage over short periods of time. On the other hand, approaches that manage multiple disks at file system level have demonstrated scalability and low resizing overhead [14]. Worth mentioning in this context is also our own previous work on multi-versioning [15], especially if leveraged to reduce remove overhead: by writing into new snapshots and serving reads from old snapshots that potentially include the disk to be removed, blocking during reads can be completely avoided until all content has been copied to the remaining disks. At this point, a simple atomic switch to the newest snapshot completes the remove operation in a completely transparent fashion.

Approaches that aim at automated control of storage elasticity have been proposed before. Lim et al. [16] address elastic control for multi-tier application services that allocate and release resources at coarse granularity, such as virtual server instances of predetermined sizes. In this context, the focus is on adding and removing entire storage nodes and rebalancing data across remaining nodes in order to optimize I/O bandwidth and CPU utilization.

Storage correlations have been explored before at various granularity. Several efforts analyze correlations at file level either in order to detect access locality and improve prefetching [17] or to conserve energy in a multi-disk system without sacrificing performance [18]. Other efforts go one level below and focus on smaller granularity (i.e. block-level), under the assumption that it would enable additional disk-level optimization opportunities in the area of storage caching, prefetching, data layout, and disk scheduling [19]. Our approach on the other hand focuses on correlations that help predict storage utilization, without insisting on any particular storage unit.

Prediction of I/O and storage requirements have been attempted both from the perspective of storage space utilization and behavior anticipation. To this end, Stokely et al. have developed forecasting methods to estimate storage needs in Google datacenters [20]. In this context, the focus is long term prediction in the order of months, which is insufficient to adapt to short term fluctuations that can happen in as little as the order of seconds. Anticipation of I/O behavior has mainly been realized by identifying and leveraging I/O access patterns [21], [22]. Such access pattern-based analysis could be interesting to explore in our context, as a complement that facilitates bandwidth-elastic capability in addition to storage space elasticity.

Our own work focuses on a specific aspect of elasticity: transparent provisioning that minimizes storage space waste without sacrificing performance. To our best knowledge, we are the first to explore the benefits of elasticity under such circumstances.

III. SYSTEM DESIGN

This section presents the general design principles of our approach, showing how it integrates in a typical cloud architecture and how it can be implemented in practice.

A. Design principles

Achieve transparent elasticity using a multi-disk aware file system: Storage is typically provisioned on IaaS clouds in the form of virtual disks that can be freely attached to and detached from running VM instances. This model provides low-level control over the storage resources, however, by itself has limited potential for elasticity: a virtual disk is often provisioned using a predefined initial size, with no capability of online resizing (i.e. while being attached to a running VM instance that potentially issues accesses to the disk during the resize operation). Even if online resizing were possible, a virtual disk is rarely used directly as a raw block device: most of the time, a file system sits on top of it. Thus, in order to accommodate the new size at file system level, a resize of the file system is necessary as well. However, this operation is usually not possible in an online fashion: the file system needs to be unmounted, resized offline and then mounted again. Since our goal is to achieve transparent elasticity, the online capability is crucial in our context. Thus, attempting to resize virtual disks themselves presents a problem both at the level of the disk itself and at the level of the file system. To address both issues simultaneously, we propose to leverage a multi-disk aware file system that is able to aggregate the storage space of multiple virtual disks into a single pool. Using this approach, we can start with a small initial virtual disk of fixed size and then add or remove additional fixed-sized virtual disks (referred to as *increments*) as needed. While simple as a principle, such an approach still presents the challenge of adding and removing disks in an online fashion. There are two main requirements in this context: (1) scalability with respect to the number of disks (i.e. the file system should not become slower as more disks are added); (2) minimal overhead on application performance (i.e. adding and removing disk should not slow down the file system). Luckily, as explained in Section III-D, building blocks that fulfill these requirements are readily available.

Dynamically adapt to space utilization through finegrained monitoring and preventive reserve: The capability of adding and removing virtual disks to form an elastic pool of raw storage space is by itself useful only as long as it is leveraged in a meaningful way that closely matches application requirements. However, this ability to dynamically adapt to the application requirements is challenging, especially in the context of data-intensive applications: they frequently exhibit large fluctuations of storage space utilization over short periods of time. Naturally, if there is not enough time to react and add a new disk to the file system, the application will run out of space and possibly fail or run in degraded mode. However, this is a scenario that is not acceptable as a trade-off for reducing the waste of storage space. Thus, we aim to guarantee correctness for our approach, which in our context means that the application should behave when using elastic storage in the same way as it would when using an infinitely large storage. To achieve this goal, one of the techniques we propose is finegrain monitoring, i.e. awareness of changes in the utilization at

fine granularity in order to be able to react in time. Although such an approach helps alleviate the problem of fluctuations over short periods of time, by itself it is not enough. This happens because applications often check for free space and change their behavior if their expectation is not met, even before attempting an operation that risks failing due to running out of space. In order to deal with this issue, we propose to use a *preventive reserve*, i.e. keep an extra amount of storage space available at all times, beyond the immediate needs. This not only solves the expectation issue, but also helps with the fluctuations, especially if there are dramatic changes between two consecutive probings.

Minimize waste of storage space and performance overhead by predicting future requirements and favorable *circumstances*: A reserve that is large enough can guarantee correctness, however letting it grow too much defeats the purpose of being economical. Furthermore, even in an ideal scenario where no storage space is wasted, if the moment when to add and remove virtual disks is chosen poorly, this can lead to performance degradation and longer application runtimes, which in turn leads to an increase in operational costs. Thus, it is important to take both aspects into consideration when adapting to the space utilization. To address this issue, we advocate for a predictive scheme that is able to anticipate nearfuture space requirements and other favorable circumstances that can be used to optimize the moment when to add and remove disks, which ultimately helps our approach satisfy correctness with a smaller reserve while minimizing the waste and the performance overhead. More specifically, we propose to go beyond just looking at the storage space utilization itself and rather look at correlations between several I/O parameters. One such correlation that we found particularly helpful is the amount of written data in the near past: under high write pressure, it is highly likely that the free space as reported by the file system does not accurately reflect the real free space, due to pending flushes that were not yet committed. Thus, factoring the amount of written data into the prediction helps avoid worst-case scenarios where the reported free space suddenly jumps by an amount proportional to the written amount. Furthermore, under high write pressure, fluctuations in space utilization are more likely to exhibit larger variability over short periods of time. To address this issue, we propose to adapt the frequency of probing in order to increase reactivity: we monitor parameters at finer granularity when the write pressure grows higher and back off to coarser granularity when the pressure falls lower. Finally, we also use I/O pressure (both read and write) to decide when to remove a disk: under the assumption that a high I/O pressure makes a removal expensive in terms of performance overhead, we avoid this operation as long as the pressure stays high (note that delaying a removal does not affect correctness, unlike the case when a new disk needs to be added). We detail all aspects mentioned above in Section III-C.



Fig. 1. IaaS cloud architecture that integrates our approach (dark background).

B. Architecture

The simplified architecture of an IaaS cloud that integrates our approach is depicted in Figure 1. We highlight the components that are of interest with respect to our proposal using a darker background. For the rest of this section, we explain the components and the interactions between them.

Once deployed, the VM instance initializes a *multi-disk aware file system* that is exposed to the users using a regular POSIX mountpoint and implements the requirements mentioned in Section III-A. At the same time, it launches both the *predictor* and the *controller*. The controller is responsible for the monitoring part and the actionable part. The frequency of probing depends on the intensity of I/O (as detailed in Section III-C) and each probe collects information about free space utilization and other parameters. This information is then passed to the predictor, which, based on it, is responsible for estimating near-future storage space utilization. Based on this estimation, the controller decides its next action, which can either be to request a new virtual disk and then add it to the file system pool, or to remove a virtual from the pool and then ask for it to be discarded.

All interactions with the outside of the VM happen through the cloud middleware, which is responsible for materializing the requests of the controller (i.e. to create a new virtual disk and attach it to the VM instance and, respectively, to detach a virtual disk from the VM instance and subsequently discard it). At this point, the cloud middleware has a wide range of choices with respect to how to provision a new virtual disk: (1) virtual disk images of various formats (e.g. raw, QCOW2 [23]) stored either locally on the physical disks of the hosting node or remotely through a shared repository; (2) dedicated physical disks exported as block devices; (3) using specialized virtual disk repositories [10], [24]. Note that for our approach to work, the compute node must run a hypervisor that is capable of dynamically attaching and detaching virtual disks to the VM instances. Fortunately, this feature is available in most production-ready hypervisors.

C. Zoom on the predictor and controller

Our approach works through the synergy of the predictor and the controller, as mentioned in the previous section. In this section, we introduce an algorithmic description of this process.

By convention, identifiers in italic capitals represent constants. These are as follows: INIT is the size of the initial virtual disk; INC is the size of newly added virtual disks (although more complex models are possible that enable growing and shrinking in variable increments, for the purpose of this work we consider the increment as a constant); TMAXand TMIN represent the coarsest and, respectively, the finest granularity at which the controller probes for I/O statistics of the file system; R represents the reserve of space; AD (add delay) represents the expected time to add a new virtual disk (and is set to a conservative value); finally RD (remove delay) represents the amount of time that the file system needs to spend in a stable state in order to make a removal safe (the notion of stable is explained below).

The main loop of the controller is listed in Algorithm 1. The interactions with the multi-disk aware file system is done through ADD_DISK and REMOVE_DISK, both of which are blocking operations that return the new size of the disk pool. In a nutshell, the controller constantly probes for new I/O statistics since the last query (using GET_FS_STATS) and then passes these statistics to the predictor in order to find out an estimation of near-future usage (pred), after which it uses this estimation to take action. Two additional variables aid the prediction: the interval of probing (next) and the window, which represents how much time into the past should the predictor look in order to anticipate near-future usage. Under high uncertainty (i.e. when the difference between prediction and actual usage is large) or when the file system is close to getting filled up, the intuition is that we need to be "more careful" and thus we probe twice as frequently (but not at finer granularity than TMIN) and we need to look more into the past (*window* increases). When the opposite is true, the interval of probing doubles (up to TMAX) and the window decreases. Thus, the notion of "near-future" becomes more concretely $2 \cdot next + AD$, because in the worst case, it might happen that *next* halves and a new disk is added, causing additional AD overhead.

Using the prediction, if the current size of the disk pool is not enough to cover the near-future utilization (size < pred +

Algorithm 1 Main controller loop	
1:	$size \leftarrow ADD_DISK(INIT)$
2:	$next \leftarrow TMAX$
3:	$window \leftarrow 2 \cdot TMAX$
4:	while true do
5:	$stats \leftarrow GET_FS_STATS()$
6:	$pred \leftarrow PREDICT(stats, window, 2 \cdot next + AD)$
7:	if $pred - used > R$ or $size < pred + R$ then
8:	$ts \leftarrow CURRENT_TIMESTAMP()$
9:	if $next > TMIN$ then
10:	$next \leftarrow next/2$
11:	$window \leftarrow window + TMAX$
12:	end if
13:	if $size < pred + R$ then
14:	$size \leftarrow ADD_DISK(INC)$
15:	end if
16:	else
17:	if $next < TMAX$ then
18:	$next \leftarrow 2 \cdot next$
19:	$window \leftarrow window - TMAX$
20:	end if
21:	$ct \leftarrow CURRENT_TIMESTAMP()$
22:	if $size > pred + INC + R$ and $ct > ts + RD$
	and not under I/O pressure then
23:	$size \leftarrow REMOVE_DISK(INC)$
24:	end if
25:	end if
26:	SLEEP(next)
27:	end while

R), then a new disk is added. Conversely, if the size is large enough to cover a removal of an increment (size > pred + INC + R), then there is potential to remove a disk. However, we set two additional conditions for actual disk removal: (1) there is no I/O pressure (such that a removal does slow down the application); and (2) the file system has spent enough time (*RD*) in a non-uncertain state to make a removal safe.

The predictor is listed in Algorithm 2. It is centered around the idea of keeping a history of recent statistics labeled with the corresponding timestamp (History) that gets updated according to the utilization. More specifically, if there is no change in utilization, then we assume the worst case (i.e. all written data to the disk might represent new data that was not flushed yet) and keep accumulating statistics. Otherwise, if we see an increase in utilization, then we assume that write operations were at least partially flushed, so we discard all entries in the history that are older than the *window*. Finally, if we observe a decrease in utilization, we assume it is safe to discard the whole history, under the intuition that the application will move on to a new phase and thus change its behavior.

Once the history was updated as described above, the predictor proceeds to calculate the estimated utilization in the near future (extra). In this context, the most relevant parameter to consider is the amount of written data (wb). The calculation

Algorithm 2 Predictor	
1: function PREDICT(<i>stats</i> , <i>window</i> , <i>future</i>)	
2: $t \leftarrow CURRENT_TIMESTAMP()$	
3: if stats.used > $(t_{max}, s.used) \in History$ then	
4: for all $(t_i, s_i) \in History t_i + window < t$ do	
5: $History \leftarrow History \setminus \{(t_i, s_i)\}$	
6: end for	
7: else if $stats.used < (t_{max}, s.used) \in History$ then	
8: $(lt, lstats) \leftarrow (t_{max}, s) \in History$	
9: $History \leftarrow \emptyset$	
10: end if	
11: $History \leftarrow History \cup \{(t, stats)\}$	
12: if $ History > 1$ then	
13: $(t_i, s_i) \leftarrow (t_{max}, s) \in History$	
14: $(t_j, s_j) \leftarrow (t_{max}, s) \in History \setminus \{(t_i, s_i)\}$	
15: $extra \leftarrow future \cdot (t_i - t_j)/(s_i.wb - s_j.wb)$	
16: $(a,b) \leftarrow LINREGRESS((t,s.wb) \in History)$	
17: $extra \leftarrow max(extra, a \cdot future + b)$	
18: else	
19: $extra \leftarrow future \cdot (t - lt) / (stats.wb - lstats.wb)$	
20: end if	
21: return $stats.used + s.wb_{max} - s.wb_{min} + extra$	
22: end function	

relies on a conservative approach that takes the maximum of two evaluations: (1) what is the most probable evolution based on the whole history of writes (entries denotes (t, s.wb)); (2) what is a possible short term evolution based only on the latest entries in the history $((t_i, s_i.wb)$ and $(t_j, s_j.wb))$. The reasoning behind (2) is the fact that (1) alone might not capture write-intensive bursts that follow right after a period of write inactivity, which presents the risk of unexpectedly running out of space. To calculate (1), we use linear regression [25]. As mentioned in the previous paragraph, the amount of free space might not accurately reflect all previous writes due to pending flushes. Thus, as a final step, we take an additional measure of caution and increase our prediction by the number of written bytes starting from the earliest moment recorded in the history up to the present $(s_{max}.wb - s_{min}.wb)$, in order to cover the worst case where all written data corresponds to new data. Once all steps have finished, the final predicted value is returned.

D. Implementation

In this section, we briefly introduce a prototype that implements the components presented in Section III-B.

We rely on *Btrfs* [14] to fulfill the role of the multi-disk aware file system. Our choice was motivated by several factors. First, Btrfs implicitly supports online add and remove of new disks and can do so in a scalable fashion. Second, thanks to its B-Tree centered design, it can efficiently mask the overhead of adding and removing disks asynchronously in the background, causing minimal performance degradation for the application. Finally, Btrfs is part of the official Linux kernel and is widely accepted as a viable candidate to replace the current generation of file systems (such as *ext4*).

The predictor and the controller were implemented as a Python daemon. We found the rich ecosystem of libraries around Python to be particularly helpful: the psutil package offers out of the box support to get per-disk I/O statistics, while the scipy package implements several optimized numerical algorithms and techniques, including linear regression.

Interesting to note are also certain non-trivial aspects related to the attaching of virtual disks, in particular how to detect inside the guest when the disk is recognized by the kernel. To this end, we rely on pyudev, which implements an accessible interface to libudev, including asynchronous monitoring of devices in a dedicated background thread.

IV. EVALUATION

After briefly describing the experimental setup and methodology, we evaluate in this section our approach both in synthetic and real life settings.

A. Experimental setup

Our experiments were performed using *Shamrock*, an experimental testbed of the Exascale Systems group of IBM Research in Dublin, Ireland. It consists of 160 nodes interconnected with Gigabit Ethernet, each of which features an Intel Xeon X5670 CPU (6 cores, 12 hardware threads), HDD local storage of 1 TB and 128 GB of RAM. For the purpose of this work, we used 30 nodes.

All nodes run the RedHat 6.3 Enterprise Edition Linux distribution. We simulate a cloud environment using OEMU/KVM 1.6 [26], [27] as the hypervisor. On each node, we deploy a VM that is allocated two cores and 8 GB of RAM. Each VM instance uses a locally stored QCOW2 file as the root partition, with all QCOW2 instances sharing the same backing file through a NFS server. The guest operating system is a recent Debian Sid running the 3.10 Linux kernel. Both the root disk and any other virtual disks that are added or removed dynamically, use the virtio driver for best performance. The process of adding and removing virtual disks from VM instances is handled directly through the hypervisor monitor, using the device add and, respectively, the device remove command. Each virtual disk that is part of the Btrfs pool is hosted as a RAW file on the local HDD. To avoid unnecessary caching on both the host and the guest, any newly added virtual disk has host-side caching disabled (cache=none). Furthermore, the network interface of each VM uses the virtio driver and is bridged on the host with the physical interface in order to enable point-to-point communication between any pair of VMs.

B. Methodology

We compare four approaches throughout our evaluation:

1) Static worst-case pre-allocation: In this setting, a large, fixed-sized virtual disk is attached to each VM instance from the beginning, in order to cover all storage requirements throughout the runtime of the VM. Inside the guest, a Btrfs file system is created and mounted on this single large virtual

disk. This setting corresponds to a typical static worst-case pre-allocation that is the most widely used on IaaS clouds. We denote this setting as prealloc and use it as a baseline for our comparisons.

2) Incremental additive using free space reserve: In this setting, a small 1 GB virtual disk is initially attached to the VM instance and used as a Btrfs file system, same as in the previous setting. The file system usage is monitored using a fixed window of 5 seconds throughout the runtime of the VM and whenever the remaining free space is smaller than a predefined fixed amount, a new virtual disk is attached to the VM instance and added to the Btrfs pool. This predefined fixed amount corresponds to the *reserve*, as explained in Section III-A. Throughout our experiments, we pick the reserve such that it corresponds to the minimal amount that it satisfies correctness (i.e. leads to failure-free execution that does not generate out-of-space and other related errors). The size of each new virtual disk (which we denote *increment*) is fixed at 2 GB. We denote this setting as reactive–additive.

3) Incremental add-remove using free space reserve: This setting is highly similar to the previous setting, except that it also removes the last added virtual disk from the Btrfs pool whenever the free space grows higher than the reserve and the increment size (in order for the free space not to shrink below the reserve size after removal). We denote this setting as reactive-addrm. Both this setting and the previous setting were chosen in order to underline the importance of prediction (as featured by our approach) in minimizing the wasted space throughout the application runtime.

4) Incremental add-remove using our approach: We start in this setting from the same initial Btrfs configuration (1 GB large virtual disk) and use the same increment size (i.e. 2 GB). However, the monitoring granularity and decision when to attach/detach a virtual disk is based on our adaptive predictor, as detailed in Section III-C. We fix TMIN = 1s, TMAX = 5s, AD = 10s, RD = 60s. We denote this setting as predictive-addrm.

These approaches are compared based on the following metrics:

- *Impact on application performance*: is the difference in performance observed due to the overhead of attaching and detaching virtual disks dynamically compared to the baseline, i.e. prealloc. Ultimately, this metric reveals how much longer the VMs need to stay up and running (and thus generate extra costs) as a compensation for reducing storage costs. This metric is based on application completion time and lower values are better.
- *Allocated and used space*: is the total allocated/used space to/of the Btrfs pools of all VM instances at a given time. They are relevant in order to determine how much storage space is wasted (see below).
- Cumulated waste: is the accumulation of the difference between the allocated and the used space, as the application progresses in time. This metric is expressed in $GB \times hours$ (GBh) and is calculated in the following fashion: the runtime is divided at fine granularity in 5

second intervals, in order to accurately capture fluctuations over short periods. Then, for each interval, the sum of all space differences corresponding to the participating VM instances is calculated and converted to GBh. Finally, the sums are accumulated as the application progresses from one interval to the next. This metric is relevant because it directly corresponds to the extra unnecessary costs incurred by provisioning unused storage space. A lower value is better.

• *Expected utilization*: is the expected storage space utilization in the near future (based on the previous experience), including the reserve. For reactive-addrm and reactive-additive it simply represents the used space plus the reserve. For predictive-addrm, it represents the predicted utilization based on our approach plus the reserve. In order to calculate it for a set of multiple VMs, we divide the runtime in 5 second intervals and sum up all differences for each interval. This metric is relevant because it impacts the decision of when to add/remove virtual disks and shows how close each approach can get to the actual utilization while being able to react in time if more space is needed.

C. Microbenchmarks

Our first series of experiments aims to push all approaches to the limits in order to better understand the trade-offs involved in attaching and detaching virtual disks dynamically. To this end, we implemented a benchmark that generates a large amount of data over a short period of time, waits for this data to be flushed to the file system and then scans through the generated dataset while keeping a predefined amount of it and discarding the rest. This is a common pattern encountered in data-intensive applications, especially those of iterative nature that refine a dataset until a termination condition is reached [28]. More specifically, the benchmark works as follows: we use dd to continuously generate files of 128 MB until we reach more than 6.5 GB (which ideally should trigger an addition of 3 virtual disks of 2 GB in addition to the initial disk of 1 GB). After the data is flushed (using sync), we proceed to read all generated data while at the same time removing files for a total of 4 GB, which makes the remaining data fit into the initial disk plus an additional 2 GB disk.

For this set of experiments we deploy a single VM and run the benchmark three times for each of the approaches. An important condition that we set is to achieve failure-free execution on all three attempts using a minimal reserve of space. In this case, our finding are as follows: both reactive approaches require a reserve of 2 GB to survive the initial write pressure, while our approach accurately predicts near-future requirements and is able to achieve failure-free execution with a reserve of 0. For prealloc, we fix the initial disk size at 8 GB, enough to fit any additional space requirements beyond useful data (e.g. system reserved space, metadata, etc.).

Results are depicted in Figure 2. First, we focus on completion time (left hand side of Figure 2(a)). As can be observed,



(a) Completion time and cumulated waste (lower is better)



(b) Anotated space (lower is better)

Fig. 2. Benchmark: single VM writes 6.5 GB worth of data in files of 128 MB, waits for the data to be flushed, then reads it back while deleting 4 GB of it

all approaches perform very closely to the baseline (prealloc): an increase of less than 2% in completion time is observable, which leads to the conclusion that the process of attaching and detaching virtual disks can be efficiently masked in the background by Btrfs. These results are consistent throughout all three runs: the error bars show a difference of less than 1% in both directions. As expected, prealloc is the fastest, followed by reactive-additive. Although minimal, a wider gap is observable between reactive-additive and reactive-addrm, hinting at larger disk remove overhead.

Figure 2(b) helps understand these results better by depicting the variation of allocated space in time. This variation directly corresponds to adds (rise) and removes (fall) and also shows their overhead (sudden rise/fall means low overhead, gentle rise/fall means higher overhead). As can be observed, our approach is more aggressive in predicting future storage space requirements, since it relies on information about past written data, which in this case amounts to large quantities. Thus, it decides to add virtual disks earlier to the Btrfs pool, which enables it to behave correctly without a reserve. This is noticeable due to a higher slope for additions and the presence of flat regions that approximate the used space much better as opposed to the reactive approaches, where a flat region is missing completely between the addition of the third and forth disk. We suspect the gentle slope exhibited by the reactive approaches is caused by spending more time in a state where the file system is close to being full, explaining the high add overhead and thus the need for a high reserve. Ultimately, this effect combined with a delayed removal of virtual disks enable predictive–addrm to finish slightly faster than reactive–addrm, despite adding more disks overall.

The benefits of eliminating the need for a reserve thanks to prediction are especially visible when observing the cumulated waste (right hand side of Figure 2(a)). The cumulated waste is calculated for the duration of the benchmark plus a "cool-down" period, to enable the file system to stabilize and complete all pending asynchronous operations (removes in particular; total duration is 400s). As expected, prealloc generates the largest waste of space at almost 0.6 GBh. Next is reactive-additive, which manages to save almost 0.17 GBh. It is followed by reactive-addrm, which thanks to its last removal saves an additional 0.1 GBh. The winner is predictive-addrm: due to accurate prediction and lack of reserve, it manages to remove all extra allocated disks. This amounts to an additional 0.1 GBh compared to reactive-addrm, which represents a relative reduction of 33% and brings the total reduction compared to prealloc to 66%.

D. Case study: MapReduce K-Means

Our next series of experiments focuses on real life dataintensive scenarios. As an illustrative application, we use K-Means [29], which is widely used in a multitude of contexts: vector quantization in signal processing, cluster analysis in data mining, pattern classification and feature extraction for machine learning, etc. It aims to partition a set of multidimensional vectors into k sets, such that the sum of squares of distances between all vectors from the same set and their mean is minimized. This is typically done using iterative refinement: at each step the new means are calculated based on the results from the previous iteration, up until they remain unchanged (with respect to a small epsilon). K-Means was shown to be efficiently parallelizable and scales well using MapReduce [30], which makes it a popular tool to analyze large quantities of data at large scale. Furthermore, due to its iterative nature, it generates fluctuating storage space utilization. This fact, combined with the inherent scalability, makes K-Means a good candidate to illustrate the benefits of our proposal.

For the purpose of this work, we use the K-Means implementation of the PUMA set of Hadoop benchmarks [31], which applies K-Means on a real-life problem: clustering movies according to their ratings from users. The experiment consists in deploying a Hadoop cluster (Hadoop version 1.2.1) of 30 VMs (1 jobtracker/namenode and 29 tasktrackers/datanodes), each on a dedicated node. All Hadoop data (both HDFS data and intermediate data) is configured to be stored on a Btrfs file system that we use to compare each of the four approaches mentioned in Section IV-B. Once the Btrfs file system is mounted, in the first phase the input data (standard 30 GB large movie database that is part of the PUMA benchmarks) is copied into HDFS. Then, 5 iterations are computed starting from this input data. Each iteration consists of two parts: the K-Means computation itself and the extraction of the new centroids at the end of the computation for the next iteration. To speed up the extraction, which in the original implementation is done in a serial fashion on the master (and thus doesn't scale for our purposes), we expressed this process itself as MapReduce grep job.



Fig. 3. K-Means: trade-off between achieved performance and waste of storage space for a Hadoop cluster made out of 30 VMs

The experiment is repeated three times for each of the four approaches and the results are averaged. As in the case of the microbenchmarks, we first established the minimal reserve of space necessary to achieve a failure-free execution an all three runs. Both reactive approaches require a reserve of 4 GB, while our approach can handle a 1.5 GB reserve thanks to prediction. For prealloc, we fix the initial disk size at 32 GB, which is the maximum observed throughout the lifetime of any of the



(a) Reactive incremental add-remove (reactive-addrm) with a preventive reserve of 4 GB

Fig. 4. K-Means: aggregated evolution of used, expected and allocated storage space for a Hadoop cluster made out of 30 VMs

VM instances and is required to avoid failures.

As can be observed in Figure 3(a), the completion times for all four approaches are again very close, hinting at the fact that Btrfs efficiently handles attaching and detaching of virtual disks in an asynchronous fashion. More specifically, the performance overhead of reactive-addrm and predictive-addrm is 6.3% and 5.5% respectively when compared to prealloc, which is a small price to pay when considering the large reduction in cumulated waste: at the extreme, reactive-addrm manages a five-fold reduction, while predictive-addrm almost manages a ten-fold reduction (which itself is 42% relative to reactive-addrm). Interesting to note is also the relatively small difference between reactive-additive and reactive-addrm, which can be traced back to the fact that a large reserve limits the opportunities of disk removal.

To understand why our approach reduces the waste almost twice as much as reactive-addrm, we depict in Figure 4 the evolution of used, expected and allocated storage space for both approaches. As can be observed, both approaches have a similar effective storage space utilization that clearly delimits the initial phase where the input data is copied into HDFS (steady growth in the beginning) and the K-Means phase with its 5 iterations (a "bump" for each iteration). Thanks to the accuracy of our prediction scheme and the resulting small required reserve, the expected utilization (Figure 4(b)) is much closer to the real utilization than in the case of reactive-addrm (Figure 4(a)). Notice the amplified effect of accumulating a large reserve for reactive-addrm: the difference between expected and used space grows up to 100GB, which for our approach stays well below 50 GB. Ultimately, this large difference in expected utilization enables a much more flexible allocation and removal of virtual disks for predictive-addrm: the allocated space stays throughout the application runtime much closer to the expected utilization and exhibits steeper fluctuations compared to reactive-addrm, which in turn explains the reduction in cumulated waste.

V. CONCLUSIONS

Elasticity on IaaS clouds is a key feature that makes the payas-you-go model attractive. While extensively studied in the context of computational resources, storage elasticity received comparatively little attention. However, due to exploding data sizes and increasing demand to run data-intensive workloads of increasing scale and complexity (that are capable of processing such massive data sizes), storage elasticity becomes a critical selling point of IaaS clouds.

One particularly difficult problem in this context is the growing gap between actually used storage and provisioned storage: due to lack of transparency and automated control of provisioned storage resources, users often over-provision storage to accommodate the worst-case scenario, which leads to waste of storage space and unnecessary extra costs. Thus, a solution that adapts to data-intensive workloads and handles growing and shrinking of storage *transparently* such as to *minimize wasted space* while causing *minimal performance overhead* is an important step towards abridging this gap.

In this paper we have proposed a potential solution to the aforementioned problem in the form of regular POSIX file system that operates with virtual disks of small fixed sizes, while hiding all details of attaching and detaching such disks from VM instances. Our approach is specifically designed to deal with fluctuations of space requirements over short periods of time: rather than relying solely on a reactive model, it introduces a prediction scheme that correlates different I/O statistics in order to optimize the moment when to attach and detach virtual disks, which lowers wasted storage space without compromising normal application functionality by prematurely running out of space.

We demonstrated the benefits of our approach through experiments that involve dozens of nodes, using both microbenchmarks and a widely used real life data-intensive MapReduce application: *K-Means*. Compared to traditional



of used, expected and allocated storage space for a Hadoop cluster made o

ventive reserve of 1.5 GB

static approaches that over-provision storage in order to accommodate the worst-case scenario, we show reduction of cumulative waste (i.e. wasted storage space over time) that ranges from 66% for microbenchmarks up to 90% for K-Means. We also underline the importance of prediction: compared to a simple reactive scheme, our approach reduces cumulative waste by 33% for microbenchmarks and 42% in real-life for K-Means. All these benefits are possible with minimal performance overhead: compared to static worst-case over-provisioning, we show a performance overhead of less than 2% for microbenchmarks and around 5% for K-Means.

Encouraged by these results, we plan to broaden the scope of our work in several directions. One direction that has promising near-future potential concerns our predictor: we plan to investigate how leveraging additional correlations and access patterns can further improve the accuracy of our nearfuture predictions. Another direction we plan to explore is bandwidth elasticity, i.e. how to allocate more/less I/O bandwidth according to workload requirements in such way as to get away with as little bandwidth consumption as possible. Such an approach has potential especially in the context of multi-tenancy, enabling for example a cloud provider to oversubscribe available I/O bandwidth without violating QoS constraints.

ACKNOWLEDGMENTS

The experiments presented in this paper were carried out using the Shamrock cluster of IBM Research, Ireland. This material is based in part on work supported in part by the Office of Science, U.S. Department of Energy, under Contract DE-AC02-06CH11357.

REFERENCES

- L. M. Vaquero, L. Rodero-Merino, J. Caceres, and M. Lindner, "A Break in the Clouds: Towards a Cloud Definition," ACM SIGCOMM Computer Communication Review, vol. 39, no. 1, pp. 50–55, Jan. 2009.
- [2] M. Caballer, C. De Alfonso, F. Alvarruiz, and G. Moltó, "EC3: Elastic Cloud Computing Cluster," *J. Comput. Syst. Sci.*, vol. 79, no. 8, pp. 1341–1351, Dec. 2013.
- [3] K. Keahey, P. Armstrong, J. Bresnahan, D. LaBissoniere, and P. Riteau, "Infrastructure outsourcing in multi-cloud environment," in *FederatedClouds '12: Proceedings of the 2012 workshop on Cloud services, federation, and the 8th open cirrus summit*, San Jose, USA, 2012, pp. 33–38.
- [4] R. N. Calheiros, A. N. Toosi, C. Vecchiola, and R. Buyya, "A coordinator for scaling elastic applications across multiple clouds," *Future Gener. Comput. Syst.*, vol. 28, no. 8, pp. 1350–1362, Oct. 2012.
- [5] J. Dean and S. Ghemawat, "MapReduce: Simplified Data Processing on Large Clusters," in 6th Symposium on Operating Systems Design and Implementation, 2004, pp. 137–149.
- [6] P. Marshall, K. Keahey, and T. Freeman, "Elastic Site: Using Clouds to Elastically Extend Site Resources," in CCGrid'10: Proceedings of the 10th IEEE/ACM International Symposium on Cluster, Cloud and Grid Computing, Melbourne, Australia, 2010, pp. 43–52.
- [7] L. Beernaert, M. Matos, R. Vilaça, and R. Oliveira, "Automatic elasticity in OpenStack," in SDMCMM '12: Proceedings of the Workshop on Secure and Dependable Middleware for Cloud Monitoring and Management. Montreal, Quebec, Canada: ACM, 2012, pp. 2:1–2:6.
- [8] B. Nicolae, "On the Benefits of Transparent Compression for Cost-Effective Cloud Data Storage," *Transactions on Large-Scale Data- and Knowledge-Centered Systems*, vol. 3, pp. 167–184, 2011.
- [9] S. A. Baset, "Open source cloud technologies," in SoCC '12: Proceedings of the 3rd ACM Symposium on Cloud Computing, San Jose, USA, 2012, pp. 28:1–28:2.

- [10] "Amazon Elastic Block Storage (EBS)," http://aws.amazon.com/ebs/.
- [11] J. L. Gonzalez and T. Cortes, "Increasing the capacity of RAID5 by online gradual assimilation," in SNAPI '04: Proceedings of the international workshop on Storage network architecture and parallel I/Os, Antibes Juan-les-Pins, France, 2004, pp. 17–24.
- [12] W. Zheng and G. Zhang, "FastScale: Accelerate RAID Scaling by Minimizing Data Migration," in FAST'11: Proceedings of the 9th USENIX conference on File and Storage Technologies, San Jose, USA, 2011.
- [13] C. Wu and X. He, "GSR: A Global Stripe-Based Redistribution Approach to Accelerate RAID-5 Scaling," in *ICPP '12: Proceedings of the 41st International Conference on Parallel Processing*, Pittsburgh, USA, 2012, pp. 460–469.
- [14] O. Rodeh, J. Bacik, and C. Mason, "BTRFS: The Linux B-Tree Filesystem," *Trans. Storage*, vol. 9, no. 3, pp. 9:1–9:32, Aug. 2013.
- [15] B. Nicolae, G. Antoniu, L. Bougé, D. Moise, and A. Carpen-Amarie, "BlobSeer: Next-generation data management for large scale infrastructures," *Journal of Parallel and Distributed Computing*, vol. 71, no. 2, pp. 169–184, Feb. 2011.
- [16] H. C. Lim, S. Babu, and J. S. Chase, "Automated control for elastic storage," in *ICAC '10: Proceedings of the 7th international conference* on Autonomic computing, Washington DC, USA, 2010, pp. 1–10.
- [17] P. Xia, D. Feng, H. Jiang, L. Tian, and F. Wang, "FARMER: a novel approach to file access correlation mining and evaluation reference model for optimizing peta-scale file system performance," in *HPDC '08: Proceedings of the 17th international symposium on High performance distributed computing*, Boston, MA, USA, 2008, pp. 185–196.
- [18] M. Iritani and H. Yokota, "Effects on performance and energy reduction by file relocation based on file-access correlations," in *EDBT-ICDT* '12: Proceedings of the 2012 Joint EDBT/ICDT Workshops. Berlin, Germany: ACM, 2012, pp. 79–86.
- [19] Z. Li, Z. Chen, and Y. Zhou, "Mining Block Correlations to Improve Storage Performance," *Trans. Storage*, vol. 1, no. 2, pp. 213–245, May 2005.
- [20] M. Stokely, A. Mehrabian, C. Albrecht, F. Labelle, and A. Merchant, "Projecting Disk Usage Based on Historical Trends in a Cloud Environment," in *ScienceCloud '12: Proceedings of the 3rd International Workshop on Scientific Cloud Computing*, Delft, The Netherlands, 2012, pp. 63–70.
- [21] J. He, J. Bent, A. Torres, G. Grider, G. Gibson, C. Maltzahn, and X.-H. Sun, "I/O Acceleration with Pattern Detection," in *HPDC '13: Proceedings of the 22nd International Symposium on High-Performance Parallel and Distributed Computing*, New York, USA, 2013, pp. 25–36.
- [22] J. Oly and D. A. Reed, "Markov model prediction of I/O requests for scientific applications," in *ICS '02: Proceedings of the 16th international conference on Supercomputing*, New York, USA, 2002, pp. 147–155.
- [23] "The QCOW2 Image Format," https://people.gnome.org/~markmc/ qcow-image-format.html.
- [24] B. Nicolae, J. Bresnahan, K. Keahey, and G. Antoniu, "Going Back and Forth: Efficient Multi-Deployment and Multi-Snapshotting on Clouds," in *HPDC '11: 20th International ACM Symposium on High-Performance Parallel and Distributed Computing*, San José, USA, 2011, pp. 147–158.
- [25] N. Draper and H. Smith, Applied regression analysis, ser. Probability and mathematical statistics. New York: Wiley, 1966.
- [26] F. Bellard, "Qemu, a fast and portable dynamic translator," in ATEC '05: Proceedings of the 2005 USENIX Annual Technical Conference, Anaheim, USA, 2005, pp. 41–46.
- [27] "KVM: Kernel Based Virtual Machine," http://www.linux-kvm.org/.
- [28] Y. Bu, B. Howe, M. Balazinska, and M. D. Ernst, "The haloop approach to large-scale iterative data analysis," *The VLDB Journal*, vol. 21, no. 2, pp. 169–190, Apr. 2012.
- [29] H.-H. Bock, "Clustering methods: A history of k-means algorithms," in Selected Contributions in Data Analysis and Classification, ser. Studies in Classification, Data Analysis, and Knowledge Organization. Springer Berlin Heidelberg, 2007, pp. 161–172.
- [30] W. Zhao, H. Ma, and Q. He, "Parallel K-Means Clustering Based on MapReduce," in *CloudCom '09: Proceedings of the 1st International Conference on Cloud Computing*, Beijing, China, 2009, pp. 674–679.
- [31] "PUMA: Purdue MapReduce Benchmarks Suite," http://web.ics.purdue. edu/~fahmad/benchmarks.htm.